

ARTHRITIS-RELATED LATEST PUBLICATIONS OF THE SUBCOMMITTEE MEMBERS

NATALIE BOUTRY

- 1 Boutry N, Paul C, Leroy X, Fredoux D, Migaud H, Cotten A. Rapidly destructive osteoarthritis of the hip: MR imaging findings. *AJR* 2002; 179: 657-63.
- 2 Boutry N, Lardé A, Lapègue F, Solau-Gervais E, Flipo RM, Cotten A. Magnetic resonance imaging appearance of the hands and feet in patients with early rheumatoid arthritis. *J Rheumatol* 2003; 30: 671-79.
- 3 Boutry N, Lardé A, Demondion X, Cortet B, Cotten H, Cotten A. Metacarpophalangeal joints at US in asymptomatic volunteers and cadaveric specimens. *Radiology* 2004; 232: 716-24.
- 4 Boutry N, Flipo RM, Cotten A. MR imaging appearance of rheumatoid arthritis in the foot. *Semin Musculoskelet Radiol* 2005; 9: 199-209.
- 5 Boutry N, Hachulla É, Flipo RM, Cortet C, Cotten A. MR imaging findings in hands in early rheumatoid arthritis: comparison with those in systemic lupus erythematosus and primary Sjogren syndrome. *Radiology* 2005; 236: 593-600.
- 6 Boutry N, Hachulla É, Zanetti-Musielak C, Morel M, Demondion X, Cotten A. Imaging features of musculoskeletal involvement in systemic sclerosis. *Eur Radiol* 2007; 17: 1172-80.
- 7 Boutry N, Khalil C, Jaspard M, Vieillard MH, Demondion X, Cotten A. Imaging of the hip in patients with rheumatic disorders. *Eur J Radiol* 2007; 63: 49-58.
- 8 Boutry N, Morel M, Flipo RM, Demondion X, Cotten A. Early rheumatoid arthritis: a review of MRI and sonographic findings. *AJR* 2007; 189: 1502-9.
- 9 Boutry N, do Carmo CC, Flipo RM, Cotten A. Early rheumatoid arthritis and its differentiation from other joint abnormalities. *Eur J Radiol* 2009; 71: 217-24.

ANNE COTTON

- 1 Drapé JL, Cotten A, Blum A., Low cost musculoskeletal MRI: what should we think about it? <http://www.ncbi.nlm.nih.gov/pubmed/25219919>; *Diagn Interv Imaging*. 2014 Sep;95(9):767-70. doi: 10.1016/j.diii.2014.08.003. No abstract available.
- 2 Wawer R, Budzik JF, Demondion X, Forzy G, Cotten A., Carpal pseudoerosions: a plain X-ray interpretation pitfall. <http://www.ncbi.nlm.nih.gov/pubmed/24902509>; *Skeletal Radiol*. 2014 Oct;43(10):1377-85. doi: 10.1007/s00256-014-1907-5. Epub 2014 Jun 6.
- 3 The hand in systemic diseases other than rheumatoid arthritis., <http://www.ncbi.nlm.nih.gov/pubmed/24746866>, Fontaine C, Staumont-Sallé D, Hatron PY, Cotten A, Couturier C.; *Chir Main*. 2014 Jun;33(3):155-73. doi: 10.1016/j.main.2014.01.008. Epub 2014 Mar 24. Review.

- 4 Vanhoenacker FM, Eyselbergs M, Cotten A., Spinal degeneration: beyond degenerative disc disease": how to discriminate degeneration from spondylarthropathies?, <http://www.ncbi.nlm.nih.gov/pubmed/21863426>; *Neuroradiology*. 2011 Sep;53 Suppl 1:S175-9. doi: 10.1007/s00234-011-0936-1. Review. No abstract available.
- 5 Canella C, Philippe P, Pansini V, Salleron J, Flipo RM, Cotten A., Use of tomosynthesis for erosion evaluation in rheumatoid arthritic hands and wrists.; <http://www.ncbi.nlm.nih.gov/pubmed/21045184>; *Radiology*. 2011 Jan;258(1):199-205. doi: 10.1148/radiol.10100791. Epub 2010 Nov 2.

NIELS EGUND

- 1 Nielsen FK, Egund N, Peters D, Jurik AG. Measurement of bone marrow lesions by MR imaging in knee osteoarthritis using quantitative segmentation methods—a reliability and sensitivity to change analysis. *BMC Musculoskelet Disord*. 2014 Dec 20;15:447. doi: 10.1186/1471-2474-15-447. PubMed PMID: 25528153; PubMed Central PMCID: PMC4364568.
- 2 Wulff Svendsen S, Gelineck J, Egund N, Frost P. 0215 Acromioclavicular joint degeneration in relation to cumulative occupational mechanical exposures: a magnetic resonance imaging study. *Occup Environ Med*. 2014 Jun;71 Suppl 1:A28. doi: 10.1136/oemed-2014-102362.88. PubMed PMID: 25018307.
- 3 Egund N, Jurik AG. Anatomy and histology of the sacroiliac joints. *Semin Musculoskelet Radiol*. 2014 Jul;18(3):332-9. doi: 10.1055/s-0034-1375574. Epub 2014 Jun 4. Review. PubMed PMID: 24896748.
- 4 Arnbak B, Jensen TS, Manniche C, Zejden A, Egund N, Jurik AG., Spondyloarthritis-related and degenerative MRI changes in the axial skeleton--an inter- and intra-observer agreement study. *BMC Musculoskelet Disord*. 2013 Sep 23;14:274. doi: 10.1186/1471-2474-14-274. PubMed PMID: 24060355; PubMed Central PMCID: PMC3848902.
- 5 Andersen T, Christensen FB, Langdahl BL, Ernst C, Fruensgaard S, Østergaard J, Andersen JL, Rasmussen S, Niedermann B, Høy K, Helmig P, Holm R, Egund N, Bünger C. Degenerative spondylolisthesis is associated with low spinal bone density: a comparative study between spinal stenosis and degenerative spondylolisthesis. *Biomed Res Int*. 2013;2013:123847. doi: 10.1155/2013/123847. Epub 2013 Aug 19. PubMed PMID: 24024179; PubMed Central PMCID: PMC3760191.
- 6 Rytter S, Jensen LK, Bonde JP, Egund N. MR Imaging of Intra- and Periarticular Cyst-Like Lesions of the Knee Joint in Workers with Occupational Kneeling. *Int J Rheumatol*. 2012;2012:843970. doi: 10.1155/2012/843970. Epub 2012 Apr 14. PubMed PMID: 22737172; PubMed Central PMCID: PMC3380240.
- 7 Videbæk TS, Bünger CE, Henriksen M, Neils E, Christensen FB. Sagittal spinal balance after lumbar spinal fusion: the impact of anterior column support results from a randomized clinical trial with an eight- to thirteen-year radiographic follow-up. *Spine (Phila Pa 1976)*. 2011 Feb 1;36(3):183-91. doi: 10.1097/BRS.0b013e3181cc8fce. PubMed PMID: 21248589.
- 8 Videbæk TS, Egund N, Christensen FB, Grethe Jurik A, Bünger CE. Adjacent segment degeneration after lumbar spinal fusion: the impact of anterior column support: a randomized clinical trial with an eight- to thirteen-year magnetic resonance imaging

- follow-up. *Spine (Phila Pa 1976)*. 2010 Oct 15;35(22):1955-64. doi: 10.1097/BRS.0b013e3181e57269. PubMed PMID: 20959776.
- 9 Jørgensen A, Stengaard-Pedersen K, Simonsen O, Pfeiffer-Jensen M, Eriksen C, Bliddal H, Pedersen NW, Bødtker S, Hørslev-Petersen K, Snerum LØ, Egund N, Frimer-Larsen H. Intra-articular hyaluronan is without clinical effect in knee osteoarthritis: a multicentre, randomised, placebo-controlled, double-blind study of 337 patients followed for 1 year. *Ann Rheum Dis*. 2010 Jun;69(6):1097-102. doi: 10.1136/ard.2009.118042. Epub 2010 May 6. PubMed PMID: 20447955.
 - 10 Andersen T, Christensen FB, Langdahl BL, Ernst C, Fruensgaard S, Ostergaard J, Andersen JL, Rasmussen S, Niedermann B, Høy K, Helmig P, Holm R, Lindblad BE, Hansen ES, Egund N, Bünger C. Fusion mass bone quality after uninstrumented spinal fusion in older patients. *Eur Spine J*. 2010 Dec;19(12):2200-8. doi: 10.1007/s00586-010-1373-2. Epub 2010 Apr 29. PubMed PMID: 20429017; PubMed Central PMCID: PMC2997208.
 - 11 Madsen KB, Egund N, Jurik AG. Grading of inflammatory disease activity in the sacroiliac joints with magnetic resonance imaging: comparison between short-tau inversion recovery and gadolinium contrast-enhanced sequences. *J Rheumatol*. 2010 Feb;37(2):393-400. doi: 10.3899/jrheum.090519. Epub 2009 Dec 23. PubMed PMID: 20032094.

IRIS ESHED

- 1 Eshed I, Feist E, Althoff CE, Backhaus M, Burmester GR, Hamm B, Hermann KG. Early rheumatoid arthritis-do we really know what it means? Consistency and distribution of MRI findings according to different definitions for early rheumatoid arthritis. *Clin Rheumatol*. 2011 Apr;30(4):551-5.
- 2 Østergaard MI, Bøyesen P, Eshed I, Gandjbakhch F, Lillegraven S, Bird P, Foltz V, Boonen A, Lassere M, Hermann K, Anandarajah A, Møller Døhn U, Freeston J, Peterfy C, Genant H, Haavardsholm E, McQueen F, Conaghan P. Development and preliminary validation of an MRI joint space narrowing score for use in rheumatoid arthritis: a potential adjunct to the OMERACT RA MRI scoring system. *The Journal of Rheumatology*. 2011;38(9):2045-50.
- 3 Abitbol V, Lidar M, Shabshin N, Flusser G, Eshed I. MRI for suspected sarcoiditis in Israel. Our experience in the last 5 years. *Harefuah* 2011; 150(7):563-7, 619, 618.
- 4 Conaghan PG, McQueen F, Bird P, Peterfy C, Haavardsholm E, Gandjbakhch F, Bøyesen P, Coates L, Ejbjerg B, Eshed I, Foltz V, Hermann KG, Freeston J, Lillegraven S, Lassere M, Wiell C, Anandarajah A, Duer-Jensen A, O'Connor P, Genant H, Emery P, Østergaard M. Update on research and future directions of the OMERACT MRI Inflammatory Arthritis Group. *The Journal of Rheumatology*. 2011 Sep;38(9):2031-3.
- 5 Kivity S, Katz M, Langevitz P, Eshed I, Olchovski D, Barzilai A. Autoimmune syndrome induced by adjuvants (ASIA) in the Middle East: morphea following silicone implantation. *Lupus*. 2012 Feb;21(2):136-9.
- 6 Eshed I*, Kushnir T*, Livneh A, Langevitz P, Ben Zvi I, Konen E, Lidar M. Exertional ankle pain as a manifestation of occult spondyloarthropathy in FMF: An MRI evaluation. *Scand J Rheumatol*. 2012;41(6):482-6.
- 7 Kushnir T*, Eshed I*, Heled Y, Livneh A, Langevitz P, Ben Zvi I, Konen E, Lidar M. Exertional Muscle Pain in Familial Mediterranean Fever Patients Evaluated by MRI and 31P Magnetic Resonance Spectroscopy. *Clinical Radiology* 2013 Apr; 68(4):371-5.

- 8 Yaniv G, Bader S, Lidar M, Herman A, Shazar N, Aharoni D, Eshed I. The natural course of bridging osteophyte formation in diffuse idiopathic skeletal hyperostosis – Retrospective analysis of consecutive CT examinations over 10 years. *Rheumatology* 2013.
- 9 Conaghan PG, McQueen F, Bird P, Peterfy C, Haavardsholm E, Gandjbakhch F, Bøyesen P, Coates L, Ejbjerg B, Eshed I, Foltz V, Hermann KG, Freeston J, Lillegraven S, Lassere M, Wiell C, Anandarajah A, Duer-Jensen A, O'Connor P, Genant H, Emery P, Østergaard M. Update on the OMERACT MRI Task Force: research and future directions. *The Journal of Rheumatology* 2013
- 10 Møller Døhn U, Conaghan PG, Eshed I, Boonen A, Bøyesen P, Peterfy CG, Lillegraven S, Ejbjerg B, Gandjbakhch F, Bird P, Foltz F, Genant HK, Haavardsholm EA, McQueen FM, Østergaard M. The OMERACT-RAMRIS rheumatoid arthritis MRI joint space narrowing score: intra- and interreader reliability and agreement with computed tomography and conventional radiography. *J Rheumatology* 2014;41:392-397.
- 11 Haugen IK, Østergaard M, Eshed I, McQueen F, Bird P, Gandjbakhch F, Foltz V, Genant H, Peterfy C, Lillegraven S, Haavardsholm E, Bøyesen P, Conaghan PK. The iterative development and reliability of the OMERACT hand osteoarthritis MRI scoring system (HOAMRIS). *The Journal of Rheumatology* 2014;41:386-391.
- 12 Bjørndal Axelsen M, Eshed I#, Duer-Jensen A, Møller JM, Juhl Pedersen S, Østergaard M. Whole-body MRI assessment of disease activity and structural damage in rheumatoid arthritis — first step towards an 'MRI joint count. *Rheumatology* 2014;53:845-853.
- 13 Schueller-Weidekamm C, Mascarenhas V, Sudol-Szopinska I, Boutry N, Plagou A, Klauser A, Wick M, Platzgummer H, Jans L, Mester A, Kainberger F, Aström G, Guglielmi G, Eshed I. Imaging and Interpretation of Axial Spondylarthritis: The Radiologist's Perspective- Consensus of the Arthritis Subcommittee of the ESSR. *Semin Musculoskelet Radiol.* 2014 Jul;18(3):265-79.
- 14 Klang E, Aharoni A, Hermann KG, Herman A, Rimon U, Shazar N, Eshed I. Magnetic resonance imaging of pelvic entheses - A systematic comparison between short tau inversion recovery (STIR) and T1-weighted, contrast-enhanced, fat saturated sequences. *Skeletal Radiology* 2014;43:499-505.
- 15 Axelsen MB, Eshed I#, Hørslev-Petersen K, Stengaard-Pedersen K, Hetland ML, Møller JM, Junker P, Pødenphant J, Ellingsen T, Ahlquist P, Lindegaard H, Linauskas A, Schlemmer A, Yde Dam M, Hansen Lb, Christian Horn H, Gytz Ammitzbøll C, Jørgensen A, Krintel SB, Raun J, Krogh NS, Johansen JS, Østergaard M, OPERA study-group. A treat-to-target strategy with methotrexate and intra-articular triamcinolone with or without added adalimumab effectively reduces synovitis, osteitis and tenosynovitis and halts structural damage progression in early rheumatoid arthritis: the OPERA magnetic resonance imaging sub-study. *Annals of Rheumatic diseases.*
- 16 Panduro Poggenborg R, Juhl S, Eshed I, Juul Sørensen I, Møller JM, Rintek Madsen O, Thomsen HS, Østergaard M. 'Head-to-toe' whole-body MRI in psoriatic arthritis, axial spondyloarthritis and healthy subjects: First steps towards global inflammation and damage scores of peripheral and axial joints. *Annals of rheumatic diseases* 2013.
- 17 Krabbe S, Eshed I#, Juhl Pedersen S, Bøyesen P, Møller JM, Therkildsen F, Bjørndal Axelsen M, Rintek Madsen O, Østergaard M. Bone marrow edema assessment by magnetic resonance imaging in rheumatoid arthritis wrist and metacarpophalangeal joints: The importance of field strength, coil type and image resolution. *Rheumatology* 2013.

- 18 Eshed I, Rosman Y, Livneh A, Kedem R, Langevitz P, Ben-Zvi I, Lidar M. Exertional leg pain in Familial Mediterranean Fever: A manifestation of an underlying enthesopathy and a marker of a more severe disease. *Arthritis and Rheumatism* 2014.
- 19 Poggenborg RP, Eshed I#, Ostergaard M, Sørensen IJ, Møller JM, Madsen OR, Pedersen SJ. Enthesitis in patients with psoriatic arthritis, axial spondyloarthritis and healthy subjects assessed by 'head-to-toe' whole-body MRI and clinical examination. *Ann Rheum Dis* 2014
- 20 Gotler J, Amitai MM, Lidar M, Aharoni D, Flusser G, Eshed I. Utilizing MR enterography for detection of sacroiliitis in patients with inflammatory bowel disease *JMRI* 2014.
- 21 Poggenborg RP, Pedersen SJ, Eshed I, Sørensen IJ, Møller JM, Madsen OR, Thomsen HS, Ostergaard M. Head-to-toe whole-body MRI in psoriatic arthritis, axial spondyloarthritis and healthy subjects: first steps towards global inflammation and damage scores of peripheral and axial joints. *Rheumatology (Oxford)*. 2014 Nov 26. pii: keu439. [Epub ahead of print] .
- 22 Eshed I, Krabbe S, Østergaard M, Bøyesen P, Møller JM, Therkildsen F, Rintek Madsen O, Axelsen M, Juhl Pedersen S. Influence of field strength, coil type and image resolution on assessment of synovitis by unenhanced MRI - a comparison with contrast-enhanced MRI. *European Radiology* 2014.
- 23 Glinatsi D, Lillegraven S, Haavardsholm EA, Eshed I, Conaghan PG, Peterfy C, Gandjbakhch F, Bird P, Bøyesen P, Døhn UM, Genant HK, Østergaard M. Validation of the OMERACT Magnetic Resonance Imaging Joint Space Narrowing Score for the Wrist in a Multireader Longitudinal Trial. *J Rheumatol*. 2015 Feb 15.. [Epub ahead of print]
- 24 Østergaard M, Bird P, Gandjbakhch F, Eshed I, Haugen IK, Haavardsholm EA, Lillegraven S, Foltz V, Glinatsi D, Peterfy C, Ejbjerg B, Bøyesen P, Mease PJ, Hermann KG, Emery P, Genant HK, Conaghan PG. The OMERACT MRI in Arthritis Working Group - Update on Status and Future Research Priorities. *J Rheumatol*. 2015 Feb 15. [Epub ahead of print].

ANTOINE FEYDY

- 1 van den Berg R, Lenczner G, Thévenin F, Claudepierre P, Feydy A, Reijniere M, Saraux A, Rahmouni A, Dougados M, van der Heijde D. Classification of axial SpA based on positive imaging (radiographs and/or MRI of the sacroiliac joints) by local rheumatologists or radiologists versus central trained readers in the DESIR cohort. *Ann Rheum Dis*. 2014 Jun 24. pii: annrheumdis-2014-205432. doi: 10.1136/annrheumdis-2014-205432. [Epub ahead of print] PubMed PMID: 24962871.
- 2 van den Berg R, Lenczner G, Feydy A, van der Heijde D, Reijniere M, Saraux A, Rahmouni A, Dougados M, Claudepierre P. Agreement between clinical practice and trained central reading in reading of sacroiliac joints on plain pelvic radiographs. Results from the DESIR cohort. *Arthritis Rheumatol*. 2014 Sep;66(9):2403-11. doi: 10.1002/art.38738. PubMed PMID: 24909765.
- 3 Moltó A, Freire V, Feydy A, Paternotte S, Maksymowych WP, Benhamou M, Rannou F, Dougados M, Gossec L. Assessing structural changes in axial spondyloarthritis using a low-dose biplanar imaging system. *Rheumatology (Oxford)*. 2014 Sep;53(9):1669-75. doi: 10.1093/rheumatology/keu143. Epub 2014 Apr 15. PubMed PMID: 24736165.
- 4 Elhai M, Bazeli R, Freire V, Feydy A, Drapé JL, Quartier P, Kahan A, Deslandre C, Wipff J. Radiological peripheral involvement in a cohort of patients with polyarticular juvenile

- idiopathic arthritis at adulthood. *J Rheumatol.* 2013 Apr;40(4):520-7. doi: 10.3899/jrheum.121013. Epub 2013 Feb 15. PubMed PMID: 23418383.
- 5 Freire V, Becce F, Feydy A, Guérini H, Campagna R, Allanore Y, Drapé JL. MDCT imaging of calcinosis in systemic sclerosis. *Clin Radiol.* 2013 Mar;68(3):302-9. doi: 10.1016/j.crad.2012.07.009. Epub 2012 Sep 5. Review. PubMed PMID: 22959171.
 - 6 Koumakis E, Feydy A, Kahan A, Allanore Y. Interleukin 6 blockade in spondyloarthritis. *J Rheumatol.* 2012 May;39(5):1097-8; author reply 1098. doi: 10.3899/jrheum.110955. PubMed PMID: 22550009.
 - 7 Elhai M, Wipff J, Bazeli R, Freire V, Feydy A, Drapé JL, Quartier P, Kahan A, Job-Deslandre C. Radiological cervical spine involvement in young adults with polyarticular juvenile idiopathic arthritis. *Rheumatology (Oxford).* 2013 Feb;52(2):267-75. doi: 10.1093/rheumatology/kes054. Epub 2012 Apr 17. PubMed PMID: 22513153.
 - 8 Meunier M, Bazeli R, Feydy A, Drape JL, Kahan A, Allanore Y. Incomplete thymic involution in systemic sclerosis and rheumatoid arthritis. *Joint Bone Spine.* 2013 Jan;80(1):48-51. doi: 10.1016/j.jbspin.2012.01.016. Epub 2012 Mar 10. PubMed PMID: 22410368.
 - 9 Feydy A, Lavie-Brion MC, Gossec L, Lavie F, Guerini H, Nguyen C, Rannou F, Drapé JL, Dougados M. Comparative study of MRI and power Doppler ultrasonography of the heel in patients with spondyloarthritis with and without heel pain and in controls. *Ann Rheum Dis.* 2012 Apr;71(4):498-503. doi: 10.1136/annrheumdis-2011-200336. Epub 2011 Sep 26. PubMed PMID: 21949008.
 - 10 Dougados M, d'Agostino MA, Benessiano J, Berenbaum F, Breban M, Claudepierre P, Combe B, Dargent-Molina P, Daurès JP, Fautrel B, Feydy A, Goupille P, Leblanc V, Logeart I, Pham T, Richette P, Roux C, Rudwaleit M, Saraux A, Treluyer JM, van der Heijde D, Wendling D. The DESIR cohort: a 10-year follow-up of early inflammatory back pain in France: study design and baseline characteristics of the 708 recruited patients. *Joint Bone Spine.* 2011 Dec;78(6):598-603. doi: 10.1016/j.jbspin.2011.01.013. Epub 2011 Mar 31. PubMed PMID: 21458351.
 - 11 Feydy A, Gossec L, Bazeli R, Thévenin F, Pluot E, Rousseau J, Lenczner G, Campagna R, Guerini H, Chevrot A, Dougados M, Drapé JL. [Spondyloarthropathy: MR imaging features]. *J Radiol.* 2010 Sep;91(9 Pt 2):1057-67. French. PubMed PMID: 20814396.
 - 12 Nguyen C, Bendeddouche I, Sanchez K, Jousse M, Papelard A, Feydy A, Revel M, Poiraudou S, Rannou F. Assessment of ankylosing spondylitis criteria in patients with chronic low back pain and vertebral endplate Modic I signal changes. *J Rheumatol.* 2010 Nov;37(11):2334-9. doi: 10.3899/jrheum.100165. Epub 2010 Aug 17. PubMed PMID: 20716662.
 - 13 Dougados M, Combe B, Braun J, Landewé R, Sibia J, Cantagrel A, Feydy A, van der Heijde D, Leblanc V, Logeart I. A randomised, multicentre, double-blind, placebo-controlled trial of etanercept in adults with refractory heel enthesitis in spondyloarthritis: the HEEL trial. *Ann Rheum Dis.* 2010 Aug;69(8):1430-5. doi: 10.1136/ard.2009.121533. Epub 2010 May 28. PubMed PMID: 20511606.
 - 14 Feydy A, Gossec L, Bazeli R, Pluot E, Rousseau J, Campagna R, Guerini H, Dougados M, Drapé JL. [MR Imaging of the spine and sacroiliac joints in ankylosing spondylitis]. *J Radiol.* 2010 Jan;91(1 Pt 2):140-50. French. PubMed PMID: 20212390.
 - 15 Guerini H, Ayrat X, Campagna R, Feydy A, Pluot E, Rousseau J, Gossec L, Chevrot A, Dougados M, Drapé JL. [US evaluation of the hands and feet in rheumatoid arthritis]. *J Radiol.* 2010 Jan;91(1 Pt 2):99-110. French. PubMed PMID: 20212386.

- 16 Plagou A, Teh J, Grainger AJ, Schueller-Weidekamm C, Sudot-Szopińska I, Rennie W, Åström G, Feydy A, Giraud C, Guerini H, Guglielmi G, Isaac A, Jans L, Jurik AG, Kainberger F, Maas M, Martinoli C, Mascarenhas VV, Miese F, O'Connor P, Oei EH, Østergaard M, Peetrons P, Platzgummer H, Reijnierse M, Robinson P, Ruprecht M, Simoni P, Wick MC, Zeijden A, Klauser AS. Recommendations of the ESSR Arthritis Subcommittee on Ultrasonography in Inflammatory Joint Disease. *Semin Musculoskelet Radiol*. 2016 Nov;20(5):496-506. doi: 10.1055/s-0036-1593533. PubMed PMID: 28002871.
- 17 Jacquemin C, Rubio Vargas R, van den Berg R, Thévenin F, Lenczner G, Reijnierse M, Ferkal S, Le Corvoisier P, Rahmouni A, Loeuille D, Feydy A, Dougados M, van der Heijde D, Claudepierre P. What is the reliability of non-trained investigators in recognising structural MRI lesions of sacroiliac joints in patients with recent inflammatory back pain? Results of the DESIR cohort. *RMD Open*. 2016 Nov 11;2(2):e000303. PubMed PMID: 27933207; PubMed Central PMCID: PMC5133415.
- 18 Kuhn FP, Hammoud S, Lefèvre-Colau MM, Poiraudreau S, Feydy A. Prevalence of simple and complex sacral perineural Tarlov cysts in a French cohort of adults and children. *J Neuroradiol*. 2016 Nov 8. pii: S0150-9861(16)30171-7. doi: 10.1016/j.neurad.2016.09.006. [Epub ahead of print] PubMed PMID: 27836653.
- 19 Laporte S, Wang D, Lecompte J, Blancho S, Sandoz B, Feydy A, Lindberg P, Adrian J, Chiarovano E, de Waele C, Vidal PP. An Attempt of Early Detection of Poor Outcome after Whiplash. *Front Neurol*. 2016 Oct 20;7:177. PubMed PMID: 27812348; PubMed Central PMCID: PMC5072109.
- 20 Claudepierre P, de Hooge MS, Feydy A, Reijnierse M, Saraux A, Dougados M, van der Heijde D. Reliability of mSASSS scoring in everyday practice in DESIR-cohort study centres: cross-sectional study of agreement with trained readers. *Ann Rheum Dis*. 2016 Dec;75(12):2213-2214. doi: 10.1136/annrheumdis-2016-209906. PubMed PMID: 27651400.
- 21 Fabre S, Lefèvre-Colau MM, Bourdet C, Feydy A, Poiraudreau S, Rannou F, Nguyen C. Focal chondropathy of the far posterior femoral condyle: An unusual cause of posterior knee pain. *Ann Phys Rehabil Med*. 2016 Jun 7. pii: S1877-0657(16)30039-2. doi: 10.1016/j.rehab.2016.05.001. [Epub ahead of print] PubMed PMID: 27288026.
- 22 Kuhn FP, Feydy A, Launay N, Lefevre-Colau MM, Poiraudreau S, Laporte S, Maier MA, Lindberg P. Kinetic DTI of the cervical spine: diffusivity changes in healthy subjects. *Neuroradiology*. 2016 Sep;58(9):929-35. doi: 10.1007/s00234-016-1709-7. PubMed PMID: 27278377.
- 23 Pialat JB, Di Marco L, Feydy A, Peyron C, Porta B, Himpens PH, Ltaief-Boudrigou A, Aubry S. Sacroiliac joints imaging in axial spondyloarthritis. *Diagn Interv Imaging*. 2016 Jul-Aug;97(7-8):697-708. doi: 10.1016/j.diii.2016.02.013. PubMed PMID: 27050638.
- 24 Dougados M, Demattei C, van den Berg R, Vo Hoang V, Thevenin F, Reijnierse M, Loeuille D, Feydy A, Claudepierre P, van der Heijde D. Rate and Predisposing Factors for Sacroiliac Joint Radiographic Progression After a Two-Year Follow-up Period in Recent-Onset Spondyloarthritis. *Arthritis Rheumatol*. 2016 Aug;68(8):1904-13. doi: 10.1002/art.39666. PubMed PMID: 26990518; PubMed Central PMCID: PMC5129505.
- 25 Reple G, Felden A, Feydy A, Anract P, Biau D. The linea aspera as a rotational landmark: an anatomical MRI-based study. *Surg Radiol Anat*. 2016 Nov;38(9):1069-1074. PubMed PMID: 26971095.

- 1 F. Kainberger, H. Platzgummer, C. Giraudo, C. Schüller Weidekamm. Knochenmarködem und doch keine axiale SpA. *Fakten der Rheumatologie*, Vol 3, 2014. German
- 2 C. Giraudo, S. Magnaldi, M. Weber, A. Puchner, H. Platzgummer, F. Kainberger, C. Schueller-Weidekamm. Optimizing the MRI protocol of the sacroiliac joints in Spondyloarthritis: which para-axial sequence should be used? *Eur Radiol.* 2015 Apr 28. [Epub ahead of print]

BOOKS

- 1 Fischer W, Roemer F, Guermazi A, Carrino J, Crema MD, Grainger AJ, Kijowski R, Steinbach L. (2014). *MRI-Essentials.Com: An illustrated atlas of orthopaedic MRI*. MRI Publisher. ISBN 978-3-9816491-1-6
- 2 Grainger, AJ & O'Connor P. (2014). Section editors of Section D - The Musculoskeletal System in: A Adam and AK Dixon (Eds). *Grainger & Allison's Diagnostic Radiology 6th ed.* Elsevier. ISBN 978-0-7020-4295-9
- 3 Davies AM, Grainger AJ, James S. (2013). *Hand and Wrist Imaging*. Heidelberg: Springer 2013. ISBN: 978-3-642-11143-3
- 4 Fischer W, Grainger AJ, Bohndorf K. (2010). *MR Notes: Illustrated Notes on Musculoskeletal MRI*. (2nd ed.). www.MR-Notes.Com. ISBN 978-3-9809288-6-1

BOOK CHAPTERS

- 1 Fawcett R, Rowbotham EL & Grainger AJ. (2017). *Shoulder Injury: US Pitfalls in: W Peh (Ed) Pitfalls in Musculoskeletal Radiology*. Springer. ISBN 978-3-319-53494-7
- 2 Grainger AJ. (2017). *The Foot in: J Hodler, RA Kubik-Huch, GK von Schulthess (Eds) Musculoskeletal Diseases 2017-2020*. Springer. ISBN 978-3-319-54018-4
- 3 Johnson MB & Grainger AJ. (2015). *Muscle Injury and Sequelae in: TL Pope, HL Bloem, J Beltran, WB Morrison & DJ Wilson (Eds) Musculoskeletal Imaging (2nd ed)*. Elsevier. ISBN 978-1-4557-0813-0
- 4 Grainger AJ & O'Connor P. (2014). *Arthritis in: A Adam and AK Dixon (Eds). Grainger & Allison's Diagnostic Radiology (6th ed)*. Elsevier. ISBN 978-0-7020-4295-9
- 5 Rowbotham EL & Grainger AJ. (2014). *Knee Pathology in: E McNally (Ed). Practical Musculoskeletal Ultrasound (2nd ed)*. Elsevier. ISBN 978-0702034770
- 6 Partington K & Grainger AJ. (2014). *Ultrasound Imaging of Joint Disease in: E. McNally (Ed). Practical Musculoskeletal Ultrasound (2nd ed)*. Elsevier. ISBN 978-0702034770
- 7 Rowbotham EL & Grainger AJ. (2013). *Radiographic Imaging in: RA Watts, PG Conaghan, C Denton, H Foster, J Isaacs & U Muller-Ladner (Eds), The Oxford Textbook of Rheumatology (4th ed. pp. 477-491)*. Oxford: Oxford University Press. ISBN: 978-0-19-964248-9

- 8 Rowbotham EL & Grainger AJ. (2013). MRI and MR Arthrography in : AM Davies, AJ Grainger, S James (Eds), Hand and Wrist Imaging (pp. 37-52). Heidelberg: Springer. ISBN: 978-3-642-11143-3
- 9 Bhatti WA & Grainger AJ. (2013). Osteonecrosis and Osteochondromatosis in: AM Davies, AJ Grainger, S James (Eds), Hand and Wrist Imaging (pp. 203-214). Heidelberg: Springer. ISBN: 978-3-642-11143-3
- 10 Grainger AJ. (2013). Arthritis in: AM Davies, AJ Grainger, S James (Eds), Hand and Wrist Imaging (pp. 233-262). Heidelberg: Springer. ISBN: 978-3-642-11143-3
- 11 Wenham CJ, Grainger AJ & Conaghan P. (2011). Imaging of Osteoarthritis. In: MC Hochberg, AJ Silman, JS Smolen, ME Weinblatt & MH Weisman (Eds), Rheumatology (5th ed. pp. 1761-1768). Philadelphia: Elsevier. ISBN 978-0-323-06551-1
- 12 Grainger AJ & O'Connor P. (2011). Ultrasound in Rheumatological disease. In: PL Allan, GM Baxter & MJ Weston (Eds), Clinical Ultrasound (3rd ed. pp 1126-1136). Elsevier. ISBN 978-0-7020-3131-1
- 13 Grainger AJ & Conaghan PG. (2010). Investigating knee region problems. In: PG Conaghan, PJ O'Connor & DA Isenberg (Eds). Musculoskeletal Imaging (pp. 17-52). Oxford: Oxford University Press. ISBN 978-0-19-923577-3
- 14 Hopper M & Grainger AJ. (2010). The Knee. In P Robinson (Ed). Essential Radiology for Sports Imaging (pp. 1-28). London: Springer. ISBN 978-1-4419-5972-0
- 15 Grainger AJ & Tirman PFJ. (2010). The Shoulder. In P Robinson (Ed). Essential Radiology for Sports Imaging (pp. 103-126). London: Springer. ISBN 978-1-4419-5972-0

PEER REVIEWED PUBLICATIONS

- 1 Chopra A, Grainger AJ, Dube B, Evans R, Hodgson R, Conroy J, Macdonald D, Robinson P. Comparative reliability and diagnostic performance of conventional 3T magnetic resonance imaging and 1.5T magnetic resonance arthrography for the evaluation of internal derangement of the hip. *European Radiology* 2017 In Press
- 2 Miller C, Grainger AJ, Phillips RS, Sabouni MY, Kraft JK. Bowing fracture of the inferior angle of the scapula, a difficult diagnosis. *Pediatric Radiology* 2017 In Press
- 3 Siddle HJ, Hodgson RJ, Hensor EM, Grainger AJ, Redmond AC, Wakefield RJ, Helliwell PS. Plantar plate pathology is associated with erosive disease in the painful forefoot of patients with rheumatoid arthritis. *BMC Musculoskeletal Disorders* 2017; 18:308
- 4 Kidanu D, Rowbotham E, Grainger AJ, Robinson P, Bolton WS. Greater trochanteric pain syndrome. *InnovAiT*. 2017; 10: 39-44
- 5 Fitch G, Williams K, Freeston JE, Dass S, Grainger A, Hodgson R, Horton L, Whitaker P, Peckham D. Ultrasound and magnetic resonance imaging assessment of joint disease in symptomatic patients with cystic fibrosis arthropathy. *Journal of Cystic Fibrosis* 2016; 15: e35-40
- 6 Halstead J, Chapman GJ, Gray JC, Grainger AJ, Brown S, Wilkins RA, Roddy E, Helliwell PS, Keenan AM, Redmond AC. Foot orthoses in the treatment of symptomatic midfoot osteoarthritis using clinical and biomechanical outcomes: a randomised feasibility study. *Clinical Rheumatology* 2016; 35: 987-996
- 7 Chopra A, Rowbotham EL, Grainger AJ. Radiological intervention of the hand and wrist. *British Journal of Radiology* 2016; 89: 20150373

- 8 Rowbotham EL, Freeston JE, Emery P, Grainger AJ. The prevalence of tenosynovitis of the interosseous tendons of the hand in patients with rheumatoid arthritis. *European Radiology* 2016; 26: 444-450
- 9 Bowes, MA, McLure SW, Wolstenholme CB, Vincent GR, Williams S, Grainger A, Conaghan PG. Osteoarthritic bone marrow lesions almost exclusively collocate with denuded cartilage: a 3D study using data from the Osteoarthritis Initiative. *Annals of the Rheumatic Diseases* 2016; 75:1852-1857
- 10 Pass B, Robinson P, Hodgson R, Grainger AJ. Can a single isotropic 3D fast spin echo sequence replace 3 plane standard proton density fat saturated knee MRI imaging at 1.5T? *British Journal of Radiology* 2015. 88; 1052: 20150189
- 11 Robinson P, Grainger AJ, Hensor EM, Batt ME, O'Connor PJ. Do MRI and ultrasound of the anterior pelvis correlate with, or predict, young football players' clinical findings? A 4-year prospective study of elite academy soccer players. *British Journal of Sports Medicine* 2015; 49: 176-182
- 12 Chopra A, Grainger AJ, Rowbotham EL. Painful Ankle Swelling. *Skeletal Radiology* 2015; 44: 269-270/307-308
- 13 Kingsbury SR, Tharmanathan P, Arden NK, Batley M, Birrell F, Cocks K, Doherty M, Edwards CJ, Garrood T, Grainger AJ, Green M, Hewitt C, Hughes R, Moots R, O'Neill TW, Roddy E, Scott DL, Watt FE, Torgerson DJ, Conaghan PG. Pain reduction with oral methotrexate in knee osteoarthritis, a pragmatic phase iii trial of treatment effectiveness (PROMOTE): study protocol for a randomized controlled trial. *Trials* 2015; 16: 602
- 14 Wenham CY, Balamoody S, Grainger AJ, Hensor E, Draycott S, Hodgson R, Conaghan PG. The responsiveness of novel, dynamic, contrast-enhanced magnetic resonance measures of total knee synovitis after intra-articular corticosteroid for painful osteoarthritis. *Osteoarthritis and Cartilage* 2014; 22: 1614-8
- 15 Rakieh C, Nam JL, Hunt L, Hensor EM, Das S, Bissell LA, Villeneuve E, McGonagle D, Hodgson R, Grainger A, Wakefield RJ, Conaghan PG, Emery P. Predicting the development of clinical arthritis in anti-CCP positive individuals with non-specific musculoskeletal symptoms: a prospective observational cohort study. *Annals of the Rheumatic Diseases* 2014. In Press
- 16 Clunie GP, Ginawi A, O'Conner P, Bearcroft PW, Garber SJ, Bhagat S, Grainger A, Gaston JS. An open-label study of zoledronic acid (Aclasta 5 mg iv) in the treatment of ankylosing spondylitis. *Annals of the Rheumatic Diseases* 2014; 73: 1273 - 1274
- 17 Siddle HJ, Hensor EMA, Hodgson RJ, Grainger AJ, Redmond AC, Wakefield RJ, Helliwell PS. Anatomical location of erosions at the metatarsophalangeal joints in patients with rheumatoid arthritis. *Rheumatology* 2014; 53: 932-936
- 18 Bethapudi S, Halsted J, Ash Z, McGonagle D, Grainger AJ. Psoriatic onycho pachydermo periostosis (POPP). *Skeletal Radiology* 2014; 43: 373-374/409-411
- 19 Aydin SZ, Tan AL, Hodgson R, Grainger A, Emery P, Wakefield RJ, McGonagle D. Comparison of ultrasonography and magnetic resonance imaging for the assessment of clinically defined knee enthesitis in spondyloarthritis. *Clinical and Experimental Rheumatology* 2013; 31: 933-936
- 20 McWilliams AB, Grainger AJ, O'Connor PJ, Redmond AC, Stewart TD, Stone MH. A review of symptomatic leg length inequality following total hip arthroplasty. *Hip International* 2013; 23: 6-14

- 21 Wenham, CY, Grainger AJ, Hensor EM, Caperton AR, Ash ZR, Conaghan PG. Methotrexate for pain relief in knee osteoarthritis: an open-label study. *Rheumatology* 2013; 52: 888-892
- 22 Kingsbury SR, Tharmanathan P, Adamson J, Arden NK, Birrell F, Cockayne S, Dickson J, Doherty M, Dziedzic KS, Grainger A, Hewitt CE, O'Neill TW, Scott DL, Vincent TL, Wakefield RJ, Watt FE, Torgerson DJ, Conaghan PG. Hydroxychloroquine effectiveness in reducing symptoms of hand osteoarthritis (HERO): study protocol for a randomized controlled trial. *Trials* 2013; 14: 64
- 23 McWilliams AB, Douglas SL, Redmond AC, Grainger AJ, O'Connor PJ, Stewart TD, Stone MH. Litigation after hip and knee replacement in the National Health Service. *The Bone and Joint Journal* 2013; 95-B; 122-126
- 24 Hodgson RJ, Menon N, Grainger AJ, O'Connor PJ, McGonagle D, Helliwell P, Emery P, Robson MD. Quantitative MRI measurements of the Achilles tendon in spondyloarthritis using ultrashort echo times. *British Journal of Radiology* 2012; 85: e293-e299
- 25 McWilliams AB, Grainger AJ, O'Connor PJ, Redmond AC, Stewart TD, Stone MH. Assessing reproducibility for radiographic measurement of leg length inequality after total hip replacement. *Hip International* 2012; 22: 539-544
- 26 Siddle HJ, Hodgson RJ, O'Connor P, Grainger AJ, Redmond AC, Wakefield RJ, Hensor EM, Helliwell PS. Magnetic resonance arthrography of lesser metatarsophalangeal joints in patients with rheumatoid arthritis: relationship to clinical, biomechanical, and radiographic variables. *Journal of Rheumatology* 2012; 39: 1786-1791
- 27 Guy SP, Farndon MA, Conroy JL, Bennett C, Grainger AJ, London NJ. A prospective randomised study of minimally invasive midvastus total knee arthroplasty compared with standard total knee arthroplasty. *Knee* 2012; 19: 866-871
- 28 Wenham CY, Hensor EM, Grainger AJ, Hodgson R, Balamoody S, Dore CJ, Emery P, Conaghan PG. A randomized, double-blind, placebo-controlled trial of low dose oral prednisolone for treating painful hand osteoarthritis. *Rheumatology* 2012; 51: 2286-2294
- 29 Siddle HJ, Hodgson RJ, Redmond AC, Grainger AJ, Wakefield RJ, Pickles DA, Hensor EM, Helliwell PS. MRI identifies plantar plate pathology in the forefoot of patients with rheumatoid arthritis. *Clinical Rheumatology* 2012; 31: 621-629
- 30 Baker KR, Matthan NR, Lichtenstein AH, Niu J, Guermazi A, Roemer F, Grainger A, Nevitt MC, Clancy M, Lewis CE, Torner JC, Felson DT. Association of plasma n-6 and n-3 polyunsaturated fatty acids with synovitis in the knee: the MOST study. *Osteoarthritis and Cartilage* 2012; 20: 382-387
- 31 Klauser AS, Tagliafico A, Allen GM, Boutry N, Campbell R, Court-Payen M, Grainger A, Guerini H, McNally E, O'Connor PJ, Ostlere S, Peetrons P, Reijnen M, Sconfienza LM, Silvestri E, Wilson DJ, Martinoli C. Clinical indications for musculoskeletal ultrasound: A Delphi-based consensus paper of the European society of musculoskeletal radiology. *European Radiology* 2012; 22: 1140-1148
- 32 Rowbotham EL, Grainger AJ. Rheumatoid arthritis: ultrasound versus MRI. *American Journal of Roentgenology* 2011; 197: 541-546
- 33 Fogerty S, Grainger A, Hackney R. Inferior paralabral cyst causes axillary vein thrombosis. *Shoulder & Elbow* 2011; 3: 225-227
- 34 Keen HI, Redmond A, Wakefield RJ, Freeston J, Grainger AJ, Hensor EM, Emery P, Conaghan PG. An ultrasonographic study of metatarsophalangeal joint pain: synovitis,

- structural pathology and their relationship to symptoms and function. *Annals of the Rheumatic Diseases* 2011; 70: 2140-2143
- 35 Rowbotham EL, Grainger AJ. Ultrasound-guided intervention around the hip joint. *American Journal of Roentgenology* 2011; 197: W122-127
 - 36 McWilliams A, Stewart TD, Grainger AJ, O'Connor PJ, White D, Redmond A, Stone MD. Leg length inequality following hip replacement. *Orthopaedics and Trauma* 2011; 25: 37-42.
 - 37 Hunter DJ, Guermazi A, Lo GH, Grainger AJ, Conaghan PG, Boudreau RM, Roemer FW. Evolution of semi-quantitative whole joint assessment of knee OA: MOAKS (MRI Osteoarthritis Knee Score). *Osteoarthritis & Cartilage* 2011; 19: 990-1002
 - 38 Hunter DJ, Arden N, Conaghan PG, Eckstein F, Gold G, Grainger A, Guermazi A, Harvey W, Jones G, Hellio Le Graverand MP, Laredo JD, Lo G, Losina E, Mosher TJ, Roemer F, Zhang W. Definition of osteoarthritis on MRI: results of a Delphi exercise. *Osteoarthritis & Cartilage* 2011; 19: 963-969
 - 39 Hopper MA, Robinson P, Grainger AJ. Meniscal tear evaluation. Comparison of a conventional spin-echo proton density sequence with a fast spin-echo sequence utilizing a 512x358 matrix size. *Clinical Radiology* 2011; 66: 329-333
 - 40 Brew CJ, Stockley I, Grainger AJ, Stone MH. Iliopsoas tendinitis caused by overhang of a collared femoral prosthesis. *Journal of Arthroplasty* 2011; 26: 504-509
 - 41 Hodgson RJ, Evans R, Wright P, Grainger AJ, O'Connor PJ, Helliwell P, McGonagle D, Emery P, Robson MD. Quantitative magnetization transfer ultrashort echo time imaging of the Achilles tendon. *Magnetic Resonance in Medicine* 2011; 65: 1372-1376
 - 42 Hodgson RJ, Grainger AJ, O'Connor PJ, Evans R, Coates L, Marzo-Ortega H, Helliwell P, McGonagle D, Emery P, Robson MD. Imaging of the Achilles tendon in spondyloarthritis: a comparison of ultrasound and conventional, short and ultrashort echo time MRI with and without intravenous contrast. *European Radiology* 2011; 21: 1144-1152
 - 43 Chitale S, Ciapetti A, Hodgson R, Grainger A, O'Connor P, Goodson NJ, Thompson RN, Estrach C, Moots RJ, Grassi W, Anderson ME. Magnetic resonance imaging and musculoskeletal ultrasonography detect and characterize covert inflammatory arthropathy in systemic sclerosis patients with arthralgia. *Rheumatology* 2010 49: 2357-2361.
 - 44 Baker K, Grainger A, Niu J, Clancy M, Guermazi A, Crema M, Hughes L, Buckwalter J, Wooly A, Nevitt M, Felson DT. Relation of synovitis to knee pain using contrast-enhanced MRIs. *Annals of the Rheumatic Diseases* 2010; 69: 1779-1783.
 - 45 Omonbude D, El Masry MA, O'Connor PJ, Grainger AJ, Allgar VL, Calder SJ. Measurement of joint effusion and haematoma formation by ultrasound in assessing the effectiveness of drains after total knee replacement. A prospective randomised study. *Journal of Bone and Joint Surgery [Br]* 2010; 92: 51-55.
 - 46 Gupta H, Grainger AJ. A soft tissue groin mass. *Skeletal Radiology* 2010; 39: 707, 725-726.

EDITED JOURNAL EDITIONS

Guest Editor: Seminars in Musculoskeletal Radiology 2012 Volume 16. Advanced Imaging of Arthritis.

GIUSEPPE GUGLIELMI

- 1 Bianchi ML, Duca P, Vai S, Guglielmi G, Viti R, Battista C, Scillitani A, Muscarella S, Luisetto G, Camozzi V, Nuti R, Caffarelli C, Gonnelli S, Albanese C, De Tullio V, Isaia G, D'Amelio P, Broggi F, Croci M. Improving adherence to and persistence with oral therapy of osteoporosis. *Osteoporos Int*. 2015 May;26(5):1629-38. doi: 10.1007/s00198-015-3038-9. Epub 2015 Jan 27. PubMed PMID: 25619634.
- 2 Carnevale V, Piscitelli PA, Minonne R, Castriotta V, Cipriani C, Guglielmi G, Scillitani A, Romagnoli E. Estimate of body composition by Hume's equation: validation with DXA. *Endocrine*. 2015 May;49(1):65-9. doi: 10.1007/s12020-014-0419-3. Epub 2014 Sep 11. PubMed PMID: 25209892.
- 3 Schueller-Weidekamm C, Mascarenhas VV, Sudol-Szopinska I, Boutry N, Plagou A, Klauser A, Wick M, Platzgummer H, Jans L, Mester A, Kainberger F, Aström G, Guglielmi G, Eshed I. Imaging and interpretation of axial spondylarthritis: the radiologist's perspective--consensus of the Arthritis Subcommittee of the ESSR. *Semin Musculoskelet Radiol*. 2014 Jul;18(3):265-79. doi: 10.1055/s-0034-1375569. Epub 2014 Jun 4. Erratum in: *Semin Musculoskelet Radiol*. 2014 Nov;18(5):523. PubMed PMID: 24896743.
- 4 Gasbarra E, Celi M, Perrone FL, Iundusi R, Di Primio L, Guglielmi G, Tarantino U. Osseointegration of Fitmore stem in total hip arthroplasty. *J Clin Densitom*. 2014 Apr-Jun;17(2):307-13. doi: 10.1016/j.jocd.2013.11.001. Epub 2014 Mar 5. PubMed PMID: 24613452.
- 5 Bazzocchi A, Garzillo G, Fuzzi F, Diano D, Albisinni U, Salizzoni E, Battista G, Guglielmi G. Localizer sequences of magnetic resonance imaging accurately identify osteoporotic vertebral fractures. *Bone*. 2014 Apr;61:158-63. doi: 10.1016/j.bone.2014.01.013. Epub 2014 Jan 25. PubMed PMID: 24473374.
- 6 Masala S, Manenti G, Antonicoli M, Morosetti D, Claroni G, Guglielmi G, Simonetti G. Real time evaluation of monolateral clubfoot with sonoelastography. *Radiol Med*. 2014 Aug;119(8):601-6. doi: 10.1007/s11547-013-0378-4. Epub 2014 Jan 10. PubMed PMID: 24408045
- 7 Guglielmi G, Haslam J, D'Errico F, Steiger P, Nasuto M. Comprehensive vertebral deformity and vertebral fracture assessment in clinical practice: intra- and inter-reader agreement of a clinical workflow tool. *Spine (Phila Pa 1976)*. 2013 Dec 15;38(26):E1676-83. doi: 10.1097/BRS.0000000000000048. PubMed PMID: 24108294.
- 8 Albisinni U, Battista G, Guglielmi G. Reliability and accuracy of scout CT in the detection of vertebral fractures. *Br J Radiol*. 2013 Dec;86(1032):20130373. doi: 10.1259/bjr.20130373. Epub 2013 Oct 7. PubMed PMID: 24100019; PubMed Central PMCID: PMC3854570.
- 9 Guglielmi G, di Chio F, Vergini MR, La Porta M, Nasuto M, Di Primio LA. Early diagnosis of vertebral fractures. *Clin Cases Miner Bone Metab*. 2013 Jan;10(1):15-8. doi: 10.11138/ccmbm/2013.10.1.015. PubMed PMID: 23858304; PubMed Central PMCID: PMC3710003.

ROBERT HEMKE

- 1 Contrast-enhanced MRI findings of the knee in healthy children; establishing normal values. Hemke R, van den Berg JM, Nusman CM, van Gulik EC, Barendregt AM, Schonenberg-

- Meinema D, Dolman KM, Kuijpers TW, Maas M. *European Radiology* 2017. PMID 28986634
- 2 Construct validity of pixel-by-pixel DCE-MRI: correlation with conventional MRI scores in juvenile idiopathic arthritis. Hemke R, Nusman CM, van den Berg JM, Lavini C, Schonenberg-Meinema D, Dolman KM, Kuijpers TW, Maas M. *European Journal of Radiology* 2017. PMID 28941753
 - 3 Diffusion-weighted imaging for assessment of synovial inflammation in juvenile idiopathic arthritis: a promising imaging biomarker as alternative to gadolinium-based contrast agents. Barendregt AM, van Gulik EC, Lavini C, Nusman CM, van den Berg JM, Schonenberg-Meinema D, Dolman KM, Kuijpers TW, Hemke R, Maas M. *European Radiology* 2017. PMID 28608162
 - 4 Magnetic resonance imaging of the knee as an outcome measure in juvenile idiopathic arthritis; an OMERACT reliability study on MRI scales. Hemke R, Tzaribachev N, Nusman CM, van Rossum MAJ, Maas M, Doria A. *The Journal of Rheumatology* 2017. PMID 28572469
 - 5 Dynamic contrast-enhanced magnetic resonance imaging can play a role in predicting flare in juvenile idiopathic arthritis. Nusman CM, Hemke R, Lavini C, Schonenberg-Meinema D, van Rossum MAJ, Dolman KM, van den Berg JM, Maas M, Kuijpers TW. *European Journal of Radiology* 2017. PMID 28189212
 - 6 Dynamic contrast-enhanced magnetic resonance imaging of the wrist in children with juvenile idiopathic arthritis. Nusman CM, Lavini C, Hemke R, Caan MWA, Schonenberg-Meinema D, Dolman KM, van Rossum MAJ, van den Berg JM, Kuijpers TW, Maas M. *Pediatric Radiology* 2016. PMID 27957626
 - 7 The many shades of enhancement: timing of post-gadolinium images strongly influences the scoring of juvenile idiopathic arthritis wrist involvement on MRI. Rieter JF, de Horatio LT, Nusman CM, Müller LO, Hemke R, Avenarius DF, van Rossum MA, Malattia C, Maas M, Rosendahl K. *Pediatric Radiology* 2016. PMID 27406611
 - 8 EULAR-PreS points to consider for the use of imaging in the diagnosis and management of juvenile idiopathic arthritis in clinical practice. Colebatch-Bourn AN, Edwards CJ, Collado P, D'Agostino MA, Hemke R, Jousse-Joulin S, Maas M, Martini A, Naredo E, Østergaard M, Rooney M, Tzaribachev N, van Rossum MA, Vojinovic J, Conaghan PG, Malattia C. *Annals of the Rheumatic Diseases* 2015. PMID 26245755
 - 9 Contrast-enhanced MRI of the knee in children unaffected with clinical arthritis compared to clinically active juvenile idiopathic arthritis patients. Nusman CM, Hemke R, Benninga MA, Kindermann A, van Rossum MAJ, van den Berg JM, Kuijpers TW, Maas M. *European Radiology* 2015. PMID 26233246
 - 10 Feasibility of diffusion-weighted magnetic resonance imaging in patients with juvenile idiopathic arthritis on 1.0 T open-bore MRI. Barendrecht AM, Nusman CM, Hemke R, Amaras D, Akkerman EM, Lavini C, van den Berg JM, Schonenberg D, Kuijpers TW, Maas M. *Skeletal Radiology* 2015. PMID 26205760
 - 11 Contrast-enhanced MRI features in the early diagnosis of juvenile idiopathic arthritis. Hemke R, Maas M, Schonenberg D, Nusman CM, van Veenendaal M, van Rossum MAJ, Dolman KM, van den Berg JM, Kuijpers TW. *European Radiology* 2015. PMID 26002127
 - 12 Current Status of Efforts on Standardizing Magnetic Resonance Imaging of Juvenile Idiopathic Arthritis: Report from the OMERACT MRI in JIA Working Group and Health-e-Child. Nusman CM, Ording-Müller LS, Hemke R, Doria AS, Avenarius D, Tzaribatchev N,

- Malattia C, van Rossum MAJ, Maas M, Rosendahl K. *The Journal of Rheumatology* 2015. PMID 25979714
- 13 Frequency of joint involvement in juvenile idiopathic arthritis during a 5-year follow-up of newly diagnosed patients. Hemke R, Nusman CM, van der Heijde DM, Doria AS, Maas M, Kuijpers TW, van Rossum MAJ. *Rheumatology International* 2014. PMID 25119829
 - 14 Pixel-by-pixel analysis of DCE-MRI curve shape patterns in knees of active and inactive juvenile idiopathic arthritis patients. Hemke R, Lavini C, van den Berg JM, Nusman CM, Schonenberg D, Dolman KM, van Rossum MAJ, Kuijpers TW, Maas M. *European Radiology* 2014. PMID 24770464
 - 15 Distribution pattern of MRI abnormalities within the knee and wrist of juvenile idiopathic arthritis patients; MRI made easy. Nusman CM, Hemke R, Schonenberg D, van den Berg JM, Dolman KM, van Rossum MAJ, Kuijpers TW, Maas M. *American Journal of Roentgenology* 2014. PMID 24758678
 - 16 One-year follow-up study on clinical findings and changes in MRI-based disease activity scores in juvenile idiopathic arthritis. Hemke R, van Veenendaal M, van den Berg JM, Dolman KM, van Rossum MAJ, Maas M, Kuijpers TW. *The Journal of Rheumatology* 2013. PMID 24293575
 - 17 Selecting Magnetic Resonance Imaging outcome measures for juvenile idiopathic arthritis clinical trials: First report of the Special Interest Group MRI in JIA at OMERACT 11. Hemke R, van der Heijde DM, Doria AS, Tzaribachev N, Maas M, van Rossum MAJ. *The Journal of Rheumatology* 2013. PMID 24187109
 - 18 Contrast-enhanced MRI compared with the physical examination in the evaluation of disease activity in juvenile idiopathic arthritis. Hemke R, Maas M, van Veenendaal M, Dolman KM, van Rossum MAJ, van den Berg JM, Kuijpers TW. *European Radiology* 2013. PMID 24101236
 - 19 The diagnostic accuracy of unenhanced MRI in the assessment of joint abnormalities in juvenile idiopathic arthritis. Hemke R, Kuijpers TW, van den Berg JM, van Veenendaal M, Dolman KM, van Rossum MAJ, Maas M. *European Radiology* 2013. PMID 23370941
 - 20 Reliability and responsiveness of the Juvenile Arthritis MRI Scoring (JAMRIS) system for the knee. Hemke R, van Rossum MAJ, van Veenendaal M, van den Berg JM, Deurloo EE, de Jonge M, Terra MP, Dolman KM, Kuijpers TW, Maas M. *European Radiology* 2013. PMID 23085866
 - 21 Increasing feasibility and patient comfort of MRI in children with juvenile idiopathic arthritis. Hemke R, van Veenendaal M, Kuijpers TW, van Rossum MAJ, Maas M. *Pediatric Radiology* 2012. PMID 22246410
 - 22 MRI of the knee in juvenile idiopathic arthritis. Hemke R, Maas M. In: J. Kramer (ed.), *MR-imaging of the Knee*. 2013;317-336. ISBN: 978-3-9503296-9-8

23

KAY-GEERT HERMANN

- 1 Eshed I, Hermann KG. Novel imaging modalities in spondyloarthritis. *Curr Opin Rheumatol*. 2015 May 21. [Epub ahead of print] PubMed PMID: 26002024.
- 2 Krohn M, Ohrndorf S, Werner SG, Schicke B, Burmester GR, Hamm B, Backhaus M, Hermann KG. Near-infrared Fluorescence Optical Imaging in Early Rheumatoid Arthritis: A Comparison to Magnetic Resonance Imaging and Ultrasonography. *J Rheumatol*. 2015 May 1. pii: jrheum.141244. [Epub ahead of print] PubMed PMID: 25934821.

- 3 Althoff CE, Bollow M, Feist E, Marticorena-Garcia SR, Eshed I, Diekhoff T, Hamm B, Hermann KG. CT-guided corticosteroid injection of the sacroiliac joints: quality assurance and standardized prospective evaluation of long-term effectiveness over six months. *Clin Rheumatol*. 2015 Jun;34(6):1079-84. doi: 10.1007/s10067-015-2937-7. Epub 2015 Apr 22. PubMed PMID: 25896531.
- 4 Østergaard M, Bird P, Gandjbakhch F, Eshed I, Haugen IK, Haavardsholm EA, Lillegraven S, Foltz V, Glinatsi D, Peterfy C, Ejbjerg B, Bøyesen P, Mease PJ, Hermann KG, Emery P, Genant HK, Conaghan PG. The OMERACT MRI in Arthritis Working Group - Update on Status and Future Research Priorities. *J Rheumatol*. 2015 Feb 15. pii: jrheum.141248. [Epub ahead of print] PubMed PMID: 25684771.
- 5 Diekhoff T, Kiefer T, Stroux A, Pilhofer I, Juran R, Mews J, Blobel J, Tsuyuki M, Ackermann B, Hamm B, Hermann KG. Detection and characterization of crystal suspensions using single-source dual-energy computed tomography: a phantom model of crystal arthropathies. *Invest Radiol*. 2015 Apr;50(4):255-60. doi: 10.1097/RLI.000000000000099. PubMed PMID: 25333310.
- 6 Hermann KG, Bollow M. Rethinking diffuse idiopathic skeletal hyperostosis. *Rheumatology (Oxford)*. 2014 Nov;53(11):1917-9. doi: 10.1093/rheumatology/keu373. Epub 2014 Sep 17. PubMed PMID: 25234660.
- 7 McGonagle D, Hermann KG, Tan AL. Differentiation between osteoarthritis and psoriatic arthritis: implications for pathogenesis and treatment in the biologic therapy era. *Rheumatology (Oxford)*. 2015 Jan;54(1):29-38. doi: 10.1093/rheumatology/keu328. Epub 2014 Sep 16. Review. PubMed PMID: 25231177; PubMed Central PMCID: PMC4269795.
- 8 Kiltz U, Rudwaleit M, Sieper J, Krause D, Hermann KG, Braun J; German Society for Rheumatology. [German Society for Rheumatology S3 guidelines on axial spondyloarthritis including Bechterew's disease and early forms: 6 Diagnostics]. *Z Rheumatol*. 2014 Sep;73 Suppl 2:49-65. doi: 10.1007/s00393-014-1431-y. German. PubMed PMID: 25181974.
- 9 Kiltz U, Rudwaleit M, Sieper J, Krause D, Heiligenhaus A, Pleyer U, Chenot JF, Stallmach A, Jaresch S, Oberschelp U, Schneider E, Swoboda B, Böhm H, Hermann KG, Böhncke WH, Braun J; German Society for Rheumatology. [German Society for Rheumatology S3 guidelines on axial spondyloarthritis including Bechterew's disease and early forms: 5 Initial diagnosis/referral strategy]. *Z Rheumatol*. 2014 Sep;73 Suppl 2:44-8. doi: 10.1007/s00393-014-1430-z. German. PubMed PMID: 25181973.
- 10 Kiltz U, Sieper J, Rudwaleit M, Kellner H, Krause D, Böhle E, Böhm H, Böhncke WH, Chenot JF, Heiligenhaus A, Hermann KG, Jaresch S, Mau W, Oberschelp U, Pleyer U, Repschläger U, Schneider E, Smolenski U, Stallmach A, Stemmer M, Swoboda B, Ulrich C, Winking M, Braun J; German Society for Rheumatology. [German Society for Rheumatology S3 guidelines on axial spondyloarthritis including Bechterew's disease and early forms: 2 Preamble]. *Z Rheumatol*. 2014 Sep;73 Suppl 2:26-7. doi: 10.1007/s00393-014-1427-7. German. PubMed PMID: 25181970.
- 11 Kiltz U, Sieper J, Rudwaleit M, Kellner H, Krause D, Böhle E, Böhm H, Böhncke WH, Chenot JF, Heiligenhaus A, Hermann KG, Jaresch S, Mau W, Oberschelp U, Pleyer U, Repschläger U, Schneider E, Smolenski U, Stallmach A, Stemmer M, Swoboda B, Ulrich C, Winking M, Braun J; German Society for Rheumatology. [German Society for Rheumatology S3 guidelines on axial spondyloarthritis including Bechterew's disease and early forms: 1

- Introduction/preliminary comments]. *Z Rheumatol*. 2014 Sep;73 Suppl 2:23-5. doi: 10.1007/s00393-014-1426-8. German. PubMed PMID: 25181969.
- 12 Song IH, Hermann KG, Haibel H, Althoff CE, Poddubnyy D, Listing J, Weiß A, Lange E, Freundlich B, Rudwaleit M, Sieper J. Prevention of new osteitis on magnetic resonance imaging in patients with early axial spondyloarthritis during 3 years of continuous treatment with etanercept: data of the ESTHER trial. *Rheumatology (Oxford)*. 2015 Feb;54(2):257-61. doi: 10.1093/rheumatology/keu263. Epub 2014 Aug 19. PubMed PMID: 25140041.
 - 13 Song IH, Hermann KG, Haibel H, Althoff CE, Poddubnyy D, Listing J, Weiß A, Buß B, Freundlich B, Lange E, Alten R, Rudwaleit M, Sieper J. Consistently Good clinical response in patients with early axial spondyloarthritis after 3 years of continuous treatment with etanercept: longterm data of the ESTHER trial. *J Rheumatol*. 2014 Oct;41(10):2034-40. doi: 10.3899/jrheum.140056. Epub 2014 Jul 15. PubMed PMID: 25028375.
 - 14 Huppertz A, Hermann KG, Diekhoff T, Wagner M, Hamm B, Schmidt WA. Systemic staging for urate crystal deposits with dual-energy CT and ultrasound in patients with suspected gout. *Rheumatol Int*. 2014 Jun;34(6):763-71. doi: 10.1007/s00296-014-2979-1. Epub 2014 Mar 12. PubMed PMID: 24619560.
 - 15 Krohn M, Braum LS, Sieper J, Song IH, Weiss A, Callhoff J, Althoff CE, Hamm B, Hermann KG. Erosions and fatty lesions of sacroiliac joints in patients with axial spondyloarthritis: evaluation of different MRI techniques and two scoring methods. *J Rheumatol*. 2014 Mar;41(3):473-80. doi: 10.3899/jrheum.130581. Epub 2014 Feb 1. PubMed PMID: 24488424.
 - 16 Klang E, Aharoni D, Hermann KG, Herman A, Rimon U, Shazar N, Eshed I. Magnetic resonance imaging of pelvic entheses--a systematic comparison between short tau inversion recovery (STIR) and T1-weighted, contrast-enhanced, fat-saturated sequences. *Skeletal Radiol*. 2014 Apr;43(4):499-505. doi: 10.1007/s00256-013-1814-1. Epub 2014 Jan 23. PubMed PMID: 24453026.
 - 17 Hupperts H, Hermann KG. [No exchange of information without technology: modern infrastructure in radiology]. *Radiologe*. 2014 Jan;54(1):32-9. doi: 10.1007/s00117-013-2538-x. German. PubMed PMID: 24402723.
 - 18 Poddubnyy D, Hermann KG, Callhoff J, Listing J, Sieper J. Ustekinumab for the treatment of patients with active ankylosing spondylitis: results of a 28-week, prospective, open-label, proof-of-concept study (TOPAS). *Ann Rheum Dis*. 2014 May;73(5):817-23. doi: 10.1136/annrheumdis-2013-204248. Epub 2014 Jan 3. PubMed PMID: 24389297.
 - 19 Conaghan PG, McQueen FM, Bird P, Peterfy C, Haavardsholm E, Gandjbakhch F, Eshed I, Haugen IK, Lillegraven S, Døhn UM, Ejbjerg B, Foltz V, Coates L, Bøyesen P, Hermann KG, Freeston J, Lassere M, O'Connor P, Emery P, Genant H, Østergaard M. Update on the OMERACT magnetic resonance imaging task force: research and future directions. *J Rheumatol*. 2014 Feb;41(2):383-5. doi: 10.3899/jrheum.131085. Epub 2013 Dec 1. PubMed PMID: 24293579.
 - 20 Hermann KG, Ohrndorf S, Werner SG, Finzel S, Backhaus M. [Imaging modalities in psoriatic arthritis]. *Z Rheumatol*. 2013 Oct;72(8):771-8. doi: 10.1007/s00393-013-1188-8. Review. German. PubMed PMID: 24085530.
 - 21 Hermann KG, Bollow M. Magnetic resonance imaging of sacroiliitis in patients with spondyloarthritis: correlation with anatomy and histology. *Rofo*. 2014 Mar;186(3):230-7. doi: 10.1055/s-0033-1350411. Epub 2013 Sep 2. Review. PubMed PMID: 23999786.

- 22 Poddubnyy D, Gaydukova I, Hermann KG, Song IH, Haibel H, Braun J, Sieper J. Magnetic resonance imaging compared to conventional radiographs for detection of chronic structural changes in sacroiliac joints in axial spondyloarthritis. *J Rheumatol.* 2013 Sep;40(9):1557-65. doi: 10.3899/jrheum.130141. Epub 2013 Jul 1. PubMed PMID: 23818713.
- 23 Machado P, Landewé R, Braun J, Baraliakos X, Hermann KG, Hsu B, Baker D, van der Heijde D. Ankylosing spondylitis patients with and without psoriasis do not differ in disease phenotype. *Ann Rheum Dis.* 2013 Jun;72(6):1104-7. doi: 10.1136/annrheumdis-2012-202922. Epub 2013 Feb 19. PubMed PMID: 23667171.
- 24 Braun J, Baraliakos X, Hermann KG, Deodhar A, van der Heijde D, Inman R, Beutler A, Zhou Y, Xu S, Hsu B. The effect of two golimumab doses on radiographic progression in ankylosing spondylitis: results through 4 years of the GO-RAISE trial. *Ann Rheum Dis.* 2014 Jun;73(6):1107-13. doi: 10.1136/annrheumdis-2012-203075. Epub 2013 May 3. PubMed PMID: 23644549; PubMed Central PMCID: PMC4033110.
- 25 Braum LS, McGonagle D, Bruns A, Philipp S, Hermann S, Aupperle K, Tan AL, Diekhoff T, Hamm B, Hermann KG. Characterisation of hand small joints arthropathy using high-resolution MRI--limited discrimination between osteoarthritis and psoriatic arthritis. *Eur Radiol.* 2013 Jun;23(6):1686-93. doi: 10.1007/s00330-012-2739-0. Epub 2013 Jan 9. PubMed PMID: 23300035.
- 26 Song IH, Weiß A, Hermann KG, Haibel H, Althoff CE, Poddubnyy D, Listing J, Lange E, Freundlich B, Rudwaleit M, Sieper J. Similar response rates in patients with ankylosing spondylitis and non-radiographic axial spondyloarthritis after 1 year of treatment with etanercept: results from the ESTHER trial. *Ann Rheum Dis.* 2013 Jun;72(6):823-5. doi: 10.1136/annrheumdis-2012-202389. Epub 2012 Nov 21. PubMed PMID: 23172749.
- 27 Baraliakos X, Hermann KG, Braun J. Imaging in axial spondyloarthritis: diagnostic problems and pitfalls. *Rheum Dis Clin North Am.* 2012 Aug;38(3):513-22. doi: 10.1016/j.rdc.2012.08.011. Epub 2012 Sep 25. Review. PubMed PMID: 23083752.
- 28 Diekhoff T, Hermann KG. [Imaging in rheumatic diseases. Rheumatoid arthritis and differential diagnostics]. *Radiologe.* 2012 Oct;52(10):937-48; quiz 949-50. doi: 10.1007/s00117-012-2387-z. German. PubMed PMID: 23007234.
- 29 Song IH, Rediner U, Hermann KG, Burmester GR, Backhaus M. Contrast-enhanced ultrasound for the monitoring of the efficacy of intra-articular glucocorticosteroids in 2 patients with inflammatory knee joint synovitis. *Ultraschall Med.* 2012 Dec;33(7):E352-4. doi: 10.1055/s-0032-1312949. Epub 2012 Aug 24. PubMed PMID: 22923260.
- 30 Machado P, Landewé RB, Braun J, Baraliakos X, Hermann KG, Hsu B, Baker D, van der Heijde D. MRI inflammation and its relation with measures of clinical disease activity and different treatment responses in patients with ankylosing spondylitis treated with a tumour necrosis factor inhibitor. *Ann Rheum Dis.* 2012 Dec;71(12):2002-5. doi: 10.1136/annrheumdis-2012-201999. Epub 2012 Aug 21. PubMed PMID: 22915615.
- 31 Althoff CE, Sieper J, Song IH, Haibel H, Weiß A, Diekhoff T, Rudwaleit M, Freundlich B, Hamm B, Hermann KG. Active inflammation and structural change in early active axial spondyloarthritis as detected by whole-body MRI. *Ann Rheum Dis.* 2013 Jun;72(6):967-73. doi: 10.1136/annrheumdis-2012-201545. Epub 2012 Jun 26. PubMed PMID: 22736088.
- 32 Hermann KG, Baraliakos X, van der Heijde DM, Jurik AG, Landewé R, Marzo-Ortega H, Østergaard M, Rudwaleit M, Sieper J, Braun J; Assessment in SpondyloArthritis international Society (ASAS). Descriptions of spinal MRI lesions and definition of a positive

- MRI of the spine in axial spondyloarthritis: a consensual approach by the ASAS/OMERACT MRI study group. *Ann Rheum Dis.* 2012 Aug;71(8):1278-88. doi: 10.1136/ard.2011.150680. Epub 2012 May 14. PubMed PMID: 22586174.
- 33 Song IH, Althoff CE, Haibel H, Hermann KG, Poddubnyy D, Listing J, Weiß A, Djacenko S, Burmester GR, Bohl-Bühler M, Freundlich B, Rudwaleit M, Sieper J. Frequency and duration of drug-free remission after 1 year of treatment with etanercept versus sulfasalazine in early axial spondyloarthritis: 2 year data of the ESTHER trial. *Ann Rheum Dis.* 2012 Jul;71(7):1212-5. doi: 10.1136/annrheumdis-2011-201010. Epub 2012 Mar 22. PubMed PMID: 22440819.
- 34 Naumann L, Hermann KG, Huscher D, Lenz K, Burmester GR, Backhaus M, Buttgerit F. Quantification of periarticular demineralization and synovialitis of the hand in rheumatoid arthritis patients. *Osteoporos Int.* 2012 Nov;23(11):2671-9. doi: 10.1007/s00198-012-1897-x. Epub 2012 Feb 18. PubMed PMID: 22349908.
- 35 Braun J, Baraliakos X, Hermann KG, van der Heijde D, Inman RD, Deodhar AA, Baratelle A, Xu S, Xu W, Hsu B. Golimumab reduces spinal inflammation in ankylosing spondylitis: MRI results of the randomised, placebo- controlled GO-RAISE study. *Ann Rheum Dis.* 2012 Jun;71(6):878-84. doi: 10.1136/annrheumdis-2011-200308. Epub 2011 Nov 29. Erratum in: *Ann Rheum Dis.* 2013 May;72(5):788. PubMed PMID: 22128083; PubMed Central PMCID: PMC3371220.
- 36 Pedersen SJ, Sørensen IJ, Lambert RG, Hermann KG, Garnero P, Johansen JS, Madsen OR, Hansen A, Hansen MS, Thamsborg G, Andersen LS, Majgaard O, Loft AG, Eriksen S, Asmussen KH, Jurik AG, Møller J, Hasselquist M, Mikkelsen D, Østergaard M. Radiographic progression is associated with resolution of systemic inflammation in patients with axial spondylarthritis treated with tumor necrosis factor α inhibitors: a study of radiographic progression, inflammation on magnetic resonance imaging, and circulating biomarkers of inflammation, angiogenesis, and cartilage and bone turnover. *Arthritis Rheum.* 2011 Dec;63(12):3789-800. doi: 10.1002/art.30627. PubMed PMID: 22127697.
- 37 Ohrndorf S, Hensch A, Naumann L, Hermann KG, Scheurig-Münkler C, Meier S, Burmester GR, Backhaus M. Contrast-enhanced ultrasonography is more sensitive than grayscale and power Doppler ultrasonography compared to MRI in therapy monitoring of rheumatoid arthritis patients. *Ultraschall Med.* 2011 Dec;32 Suppl 2:E38-44. doi: 10.1055/s-0031-1281770. Epub 2011 Nov 3. PubMed PMID: 22052070.
- 38 de Bucourt M, Scheurig-Münkler C, Feist E, Juran R, Diekhoff T, Rogalla P, Hamm B, Hermann KG. Cyst-like lesions in finger joints detected by conventional radiography: comparison with 320-row multidetector computed tomography. *Arthritis Rheum.* 2012 Apr;64(4):1283-90. doi: 10.1002/art.33433. Epub 2011 Oct 27. PubMed PMID: 22033883.
- 39 van der Heijde D, Machado P, Braun J, Hermann KG, Baraliakos X, Hsu B, Baker D, Landewé R. MRI inflammation at the vertebral unit only marginally predicts new syndesmophyte formation: a multilevel analysis in patients with ankylosing spondylitis. *Ann Rheum Dis.* 2012 Mar;71(3):369-73. doi: 10.1136/annrheumdis-2011-200208. Epub 2011 Oct 6. PubMed PMID: 21979001.
- 40 Hoyer BF, Mumtaz IM, Loddenkemper K, Bruns A, Sengler C, Hermann KG, Maza S, Keitzer R, Burmester GR, Buttgerit F, Radbruch A, Hiepe F. Takayasu arteritis is characterised by disturbances of B cell homeostasis and responds to B cell depletion

- therapy with rituximab. *Ann Rheum Dis.* 2012 Jan;71(1):75-9. doi: 10.1136/ard.2011.153007. Epub 2011 Sep 27. PubMed PMID: 21953334.
- 41 Ostergaard M, Bøyesen P, Eshed I, Gandjbakhch F, Lillegraven S, Bird P, Foltz V, Boonen A, Lassere M, Hermann KG, Anandarajah A, Døhn UM, Freeston J, Peterfy CG, Genant HK, Haavardsholm EA, McQueen FM, Conaghan PG. Development and preliminary validation of a magnetic resonance imaging joint space narrowing score for use in rheumatoid arthritis: potential adjunct to the OMERACT RA MRI scoring system. *J Rheumatol.* 2011 Sep;38(9):2045-50. doi: 10.3899/jrheum.110422. PubMed PMID: 21885515.
 - 42 Conaghan PG, McQueen FM, Bird P, Peterfy CG, Haavardsholm EA, Gandjbakhch F, Bøyesen P, Coates L, Ejbjerg B, Eshed I, Foltz V, Hermann KG, Freeston J, Lillegraven S, Lassere M, Wiell C, Anandarajah A, Duer-Jensen A, O'Connor P, Genant HK, Emery P, Ostergaard M. Update on research and future directions of the OMERACT MRI inflammatory arthritis group. *J Rheumatol.* 2011 Sep;38(9):2031-3. doi: 10.3899/jrheum.110419. Review. PubMed PMID: 21885512.
 - 43 Machado P, Landewé R, Braun J, Hermann KG, Baraliakos X, Baker D, Hsu B, van der Heijde D. A stratified model for health outcomes in ankylosing spondylitis. *Ann Rheum Dis.* 2011 Oct;70(10):1758-64. doi: 10.1136/ard.2011.150037. Epub 2011 Jul 25. PubMed PMID: 21791453.
 - 44 Song IH, Hermann KG, Haibel H, Althoff CE, Poddubnyy D, Listing J, Weiss A, Freundlich B, Rudwaleit M, Sieper J. Relationship between active inflammatory lesions in the spine and sacroiliac joints and new development of chronic lesions on whole-body MRI in early axial spondyloarthritis: results of the ESTHER trial at week 48. *Ann Rheum Dis.* 2011 Jul;70(7):1257-63. doi: 10.1136/ard.2010.147033. Epub 2011 May 8. PubMed PMID: 21551507; PubMed Central PMCID: PMC3103667.
 - 45 Eshed I, Feist E, Althoff CE, Backhaus M, Burmester GR, Hamm B, Hermann KG. Early rheumatoid arthritis-do we really know what it means? Consistency and distribution of MRI findings according to different definitions for early rheumatoid arthritis. *Clin Rheumatol.* 2011 Apr;30(4):551-5. doi: 10.1007/s10067-010-1631-z. Epub 2010 Dec 15. PubMed PMID: 21161308.
 - 46 Machado P, Landewé R, Braun J, Hermann KG, Baker D, van der Heijde D. Both structural damage and inflammation of the spine contribute to impairment of spinal mobility in patients with ankylosing spondylitis. *Ann Rheum Dis.* 2010 Aug;69(8):1465-70. doi: 10.1136/ard.2009.124206. Epub 2010 May 24. PubMed PMID: 20498215.
 - 47 Fischer T, Ebert B, Voigt J, Macdonald R, Schneider U, Thomas A, Hamm B, Hermann KG. Detection of rheumatoid arthritis using non-specific contrast enhanced fluorescence imaging. *Acad Radiol.* 2010 Mar;17(3):375-81. doi: 10.1016/j.acra.2009.09.016. Epub 2009 Dec 6. PubMed PMID: 19969473.
 - 48 Pedersen SJ, Sørensen IJ, Hermann KG, Madsen OR, Tvede N, Hansen MS, Thamsborg G, Andersen LS, Majgaard O, Loft AG, Erlendsson J, Asmussen K, Johansen JS, Jurik AG, Møller J, Hasselquist M, Mikkelsen D, Skjød T, Hansen A, Ostergaard M. Responsiveness of the Ankylosing Spondylitis Disease Activity Score (ASDAS) and clinical and MRI measures of disease activity in a 1-year follow-up study of patients with axial spondyloarthritis treated with tumour necrosis factor alpha inhibitors. *Ann Rheum Dis.* 2010 Jun;69(6):1065-71. doi: 10.1136/ard.2009.111187. Epub 2009 Sep 9. PubMed PMID: 19740906.

- 49 Streitparth F, Walter T, Wonneberger U, Chopra S, Wichlas F, Wagner M, Hermann KG, Hamm B, Teichgräber U. Image-guided spinal injection procedures in open high-field MRI with vertical field orientation: feasibility and technical features. *Eur Radiol.* 2010 Feb;20(2):395-403. doi: 10.1007/s00330-009-1567-3. Epub 2009 Sep 2. PubMed PMID: 19727752.
- 50 Detection and characterization of crystal suspensions using single-source dual-energy computed tomography: a phantom model of crystal arthropathies. Diekhoff T, Kiefer T, Stroux A, Pilhofer I, Juran R, Mews J, Blobel J, Tsuyuki M, Ackermann B, Hamm B, **Hermann KG**. *Invest Radiol.* 2015 Apr;50(4):255-60.
- 51 CT-guided corticosteroid injection of the sacroiliac joints: quality assurance and standardized prospective evaluation of long-term effectiveness over six months. Althoff CE, Bollow M, Feist E, Marticorena-Garcia SR, Eshed I, Diekhoff T, Hamm B, **Hermann KG**. *Clin Rheumatol.* 2015 Jun;34(6):1079-84.
- 52 Near-infrared Fluorescence Optical Imaging in Early Rheumatoid Arthritis: A Comparison to Magnetic Resonance Imaging and Ultrasonography. Krohn M, Ohrndorf S, Werner SG, Schicke B, Burmester GR, Hamm B, Backhaus M, **Hermann KG**. *J Rheumatol.* 2015 Jul;42(7):1112-8.
- 53 Novel imaging modalities in spondyloarthritis. Eshed I, **Hermann KG**. *Curr Opin Rheumatol.* 2015 Jul;27(4):333-42.
- 54 First experience with single-source dual-energy computed tomography in six patients with acute arthralgia: a feasibility experiment using joint aspiration as a reference. Diekhoff T, Ziegeler K, Feist E, Kiefer T, Mews J, Hamm B, **Hermann KG**. *Skeletal Radiol.* 2015 Nov;44(11):1573-7.
- 55 Septic Sacroiliitis Following Corticosteroid Injection in a Patient Under Anti-Tumor Necrosis Factor Therapy. Rosenstock T, **Hermann KG**. *J Clin Rheumatol.* 2015 Sep;21(6):320-1.
- 56 Prevention of new osteitis on magnetic resonance imaging in patients with early axial spondyloarthritis during 3 years of continuous treatment with etanercept: data of the ESTHER trial. Song IH, Hermann KG, Haibel H, Althoff CE, Poddubnyy D, Listing J, Weiß A, Lange E, Freundlich B, Rudwaleit M, Sieper J. *Rheumatology (Oxford).* 2015 Feb;54(2):257-61.
- 57 Differentiation between osteoarthritis and psoriatic arthritis: implications for pathogenesis and treatment in the biologic therapy era. McGonagle D, Hermann KG, Tan AL. *Rheumatology (Oxford).* 2015 Jan;54(1):29-38.
- 58 The OMERACT MRI in Arthritis Working Group - Update on Status and Future Research Priorities. Østergaard M, Bird P, Gandjbakhch F, Eshed I, Haugen IK, Haavardsholm EA, Lillegraven S, Foltz V, Glinatsi D, Peterfy C, Ejbjerg B, Bøyesen P, Mease PJ, Hermann KG, Emery P, Genant HK, Conaghan PG. *J Rheumatol.* 2015 Dec;42(12):2470-2.

NELE HERREGODS

- 1 Herregods N, Vanhoenacker FM, Jaremko JL, Jans L. Update on Pediatric Hip Imaging. *Semin Musculoskelet Radiol.* 2017 Nov;21(5):561-581. doi: 10.1055/s-0037-1606134. Epub 2017 Oct 12.
- 2 Herregods N, Dehoorne J, Van den Bosch F, Jaremko JL, Van Vlaenderen J, Joos R, Baraliakos X, Varkas G, Verstraete K, Elewaut D, Jans L. ASAS definition for sacroiliitis on MRI in SpA: applicable to children? *Pediatr Rheumatol Online J.* 2017 Apr 11;15(1):24. doi: 10.1186/s12969-017-0159-z.
- 3 Laloo F, Herregods N, Varkas G, Jaremko JL, Baraliakos X, Elewaut D, Van den Bosch F, Verstraete K, Jans L. MR signal in the sacroiliac joint space in spondyloarthritis: a new sign. *Eur Radiol.* 2017 May;27(5):2024-2030. doi: 10.1007/s00330-016-4587-9. Epub 2016 Sep 20.
- 4 Herregods N, Dehoorne J, Pattyn E, Jaremko JL, Baraliakos X, Elewaut D, Van Vlaenderen J, Van den Bosch F, Joos R, Verstraete K, Jans L. Diagnostic value of pelvic enthesitis on MRI of the sacroiliac joints in enthesitis related arthritis. *Pediatr Rheumatol Online J.* 2015 Nov 10;13(1):46. doi: 10.1186/s12969-015-0045-5.
- 5 Herregods N, Dehoorne J, Joos R, Jaremko JL, Baraliakos X, Leus A, Van den Bosch F, Verstraete K, Jans L. Diagnostic value of MRI features of sacroiliitis in juvenile spondyloarthritis. *Clin Radiol.* 2015 Dec;70(12):1428-38. doi: 10.1016/j.crad.2015.09.003. Epub 2015 Oct 23.
- 6 Herregods N, Jaremko JL, Baraliakos X, Dehoorne J, Leus A, Verstraete K, Jans L. Limited role of gadolinium to detect active sacroiliitis on MRI in juvenile spondyloarthritis. *Skeletal Radiol.* 2015 Nov;44(11):1637-46. doi: 10.1007/s00256-015-2211-8. Epub 2015 Jul 24

LENNART JANS

- 7 Jans L, Coeman L, Van Praet L, Carron P, Elewaut D, Van den Bosch F, Jaremko JL, Huysse W, Verstraete KL. How sensitive and specific are MRI features of sacroiliitis for diagnosis of spondyloarthritis in patients with inflammatory back pain? *JBR-BTR.* 2014 Jul-Aug;97(4):202-5. PubMed PMID: 25603626. <http://www.ncbi.nlm.nih.gov/pubmed/25603626>
- 8 Jans L, Jaremko JL, Kaeley GS. Novel imaging modalities in spondyloarthritis. *Best Pract Res Clin Rheumatol.* 2014 Oct;28(5):729-45. doi: 10.1016/j.berh.2014.10.006. Epub 2014 Nov 4. PubMed PMID: 25488781. <http://www.ncbi.nlm.nih.gov/pubmed/25488781>
- 9 Jans L, van Langenhove C, Van Praet L, Carron P, Elewaut D, Van Den Bosch F, Lambrecht V, Jaremko JL, Verstraete K. Diagnostic value of pelvic enthesitis on MRI of the sacroiliac joints in spondyloarthritis. *Eur Radiol.* 2014 Apr;24(4):866-71. doi: 10.1007/s00330-013-3074-9. Epub 2013 Nov 22. PubMed PMID: 24272228. <http://www.ncbi.nlm.nih.gov/pubmed/24272228>
- 10 Jans L, Van Praet L, Elewaut D, Van den Bosch F, Carron P, Jaremko JL, Behaeghe M, Denis A, Huysse W, Lambrecht V, Verstraete K. MRI of the SI joints commonly shows non-inflammatory disease in patients clinically suspected of sacroiliitis. *Eur J Radiol.* 2014

- Jan;83(1):179-84. doi: 10.1016/j.ejrad.2013.10.001. Epub 2013 Oct 16. PubMed PMID: 24168927, <http://www.ncbi.nlm.nih.gov/pubmed/24168927>
- 11 Coeman L, Jans L, Van Praet L, Carron P, Elewaut D, Van Den Bosch F, Verstaete K. Active and structural lesions of the sacroiliac joints in spondyloarthritis. *JBR-BTR*. 2013 May-Jun;96(3):182. PubMed PMID: 23971181. <http://www.ncbi.nlm.nih.gov/pubmed/23971181>
 - 12 Van Langenhove C, Jans L, Van Praet L, Carron P, Elewaut D, Van Den Bosch F, Verstraete K. Pelvic girdle enthesitis in spondyloarthritis. *JBR-BTR*. 2013 May-Jun;96(3):181. PubMed PMID: 23971180. <http://www.ncbi.nlm.nih.gov/pubmed/239711807>
 - 13 Jans L, De Coninck T, Wittoek R, Lambrecht V, Huyse W, Verbruggen G, Verstraete K. 3 T DCE-MRI assessment of synovitis of the interphalangeal joints in patients with erosive osteoarthritis for treatment response monitoring. *Skeletal Radiol*. 2013 Feb;42(2):255-60. doi: 10.1007/s00256-012-1453-y. Epub 2012 Jun 6. PubMed PMID: 22669732. <http://www.ncbi.nlm.nih.gov/pubmed/22669732>

ANNE GRETHE JURIK

- 1 Madsen KB, **Jurik AG**. MRI grading system for active and chronic spondyloarthritis changes in the sacroiliac joint. *Arthritis Care and Res* 62(1): 11-18, 2010.
- 2 Madsen KB, **Jurik AG**. MRI grading method for active and chronic spinal changes in spondyloarthritis. *Clin Radiol* 65(1): 6-14, 2010.
- 3 Madsen KB, Egund N, **Jurik AG**. Grading of inflammatory disease activity in the sacroiliac joints with MR imaging: comparison between short-tau inversion recovery (STIR) and gadolinium contrast enhanced sequences. *J Rheumatol* 37(2): 393-400, 2010.
- 4 Madsen KB, Schiøtz-Christensen B., **Jurik AG**: Prognostic significance of MR changes of the sacroiliac joints in spondyloarthritis. A follow-up study. *J Rheumatol* 37(8): 1718-27, 2010.
- 5 Weber U, Hodler J, **Jurik AG**, Pfirrmann CW, Rufibach K, Kissling RO, Khan MA, Lambert RG, Maksymowych WP. Assessment of active spinal inflammatory changes in patients with axial spondyloarthritis: Validation of whole body MRI against conventional MRI. *Ann Rheum Dis* 69: 648-53, 2010.
- 6 Pedersen SJ, Sorensen IJ, Hermann KG, Madsen OR, Tvede N, Hansen MS, Thamsborg G, Andersen LS, Majgaard O, Loft AG, Erendsson J, Asmussen K, Johansen JS, **Jurik AG**, Moller J, Hasselquist M, Mikkelsen D, Skjodt T, Hansen A, Ostergaard M. Responsiveness of the Ankylosing Spondylitis Disease Activity Score (ASDAS), and clinical and magnetic resonance imaging measures of disease activity in a 1 year follow-up study of patients with axial spondyloarthritis treated with TNF- α inhibitors. *Ann Rheum Dis* 69(6): 1065-71, 2010.
- 7 Thomsen AH, **Jurik AG**, Uhrenholt L, Vesterby A. Traumatic death in ankylosing spondylitis – A case report. *J Forensic Sci* 55(4): 1126-29, 2010.
- 8 Christensen AF, Hørslev-Petersen K, Christgau S, Lindegaard HM, Lottenburger T, Junker K, Hetland ML, Stengaard-Pedersen K, Jacobsen S, Ellingsen T, Andersen LS, Hansen I, Skjødtt H, Pedersen JK, Lauridsen UB, Svendsen AJ, Tarp U, Pødenphant J, Heegaard NHH, Vestergaard A, **Jurik AG**, Østergaard M, Junker P. Uncoupling of collagen II metabolism

- in newly-diagnosed, untreated rheumatoid arthritis is linked to inflammation and antibodies against cyclic citrullinated peptides. *J Rheumatol* 37 (6): 1113-20, 2010.
- 9 Christensen AF, Sorensen GL, Horslev-Petersen K, Holmskov U, Lindegaard HM, Junker K, Hetland ML, Stengaard-Pedersen K, Jacobsen S, Lottenburger T, Ellingsen T, Andersen LS, Hansen I, Skjødt H, Pedersen JK, Lauridsen UB, Svendsen A, Tarp U, Podenphant J, Vestergaard A, **Jurik AG**, Østergaard M, Junker P. Circulating surfactant protein-D is low and correlates negatively with systemic inflammation in early, untreated rheumatoid arthritis. *Arthritis Res Ther* 12(2): R39, 2010.
 - 10 Sode-Carlson R, Farholt S, Rabben KF, Bollerslev J, Schreiner T, Jurik AG, Christiansen JS, Höybye C. Body composition, endocrine and metabolic profiles in adults with Prader-Willi syndrome. *Growth Hormone & IGF Research* 20(3):179-84, 2010.
 - 11 Videbaek TS, Egund N, Christensen FB, **Jurik AG**, Bünger CE. Adjacent Segment Degeneration after Lumbar Spinal Fusion: The impact of Anterior Column Support. A randomized clinical trial with an 8- to 13-year MRI follow-up. *Spine* 35(22): 1955-64, 2010.
 - 12 Hetland M, Stengaard-Pedersen K, Junker P, Østergaard M, Ejbjerg B, Jacobsen S, Lottenburger T, Hansen I, Tarp U, Andersen L, Svendsen A, Pedersen JK, Lauridsen U, Ellingsen T, Lindegaard H, Pødenphant J, Vestergaard A, **Jurik AG**, Petersen K. Radiographic progression and remission rates in early rheumatoid arthritis: MRI bone oedema and anti-CCP predicted radiographic progression in the 5-year extension of the double-blind randomized CIMESTRA trial. *Ann Rheum Dis* 69(10): 1789-95, 2010.
 - 13 Christensen AF, Junker P, Lindegaard H, Christgau S, Lottenburger T, Junker K, Hetland ML, Stengaard-Pedersen K, Jacobsen S, Ellingsen T, Andersen LS, Hansen I, Skjødt H, Pedersen JK, Lauridsen UB, Svendsen A, Tarp U, Pødenphant J, Heegaard NHH, Vestergaard A, **A.G Jurik**, Østergaard M, Hørslev-Petersen K. Cartilage collagen synthesis and degradation is differentially linked to anti-CCP antibodies and synovitis in early, untreated rheumatoid arthritis. *Ann Rheum Dis* 37(6): 1113-20, 2010.
 - 14 Sode-Carlson R, Farholt S, Rabben KF, Bollerslev J, Schreiner T, **Jurik AG**, Christiansen JS, Höybye C. One year of growth hormone treatment in adults with Prader-Willi syndrome improves body composition - results from a randomised, placebo controlled study. *J Clin Endocrin Metab* 95(11): 4943-50, 2010. *Led i Rasmus Sode's ph.d.*
 - 15 Uhrenholt L, Freeman MD, **Jurik AG**, Jensen LL, Gregersen M, Boel LW, Kohles SS, Thomsen AH. Esophageal injury in fatal rear-impact collisions. *Forensic Sci Int* 206(1):e52-7, 2011.
 - 16 Pedersen SJ, Sørensen IJ, Garnerø P, Johansen JS, Madsen OR, Tvede N, Hansen MS, Thamsborg G, Andersen LS, Majgaard O, Loft AG, Erlendsson J, Asmussen K, **Jurik AG**, Møller J, Hasselquist M, Mikkelsen D, Skjødt T, Lambert R, Hansen A, Østergaard M. ASDAS, BASDAI and different treatment responses and their relation to biomarkers of inflammation, cartilage and bone turnover in patients with axial spondyloarthritis treated with TNF α inhibitors. *Ann Rheum Dis* 70(8): 1375-81, 2011.
 - 17 Roussou E, **Jurik AG**. Difficulties for the detection of positive signs of sacroiliitis in spondyloarthritis by magnetic resonance imaging (MRI) in everyday clinical practice. Results from an audit circle (audit and re-audit). Letter to the Editor. *Clin Exp Rheumatol* 29(3): 594-5, 2011.
 - 18 Sode-Carlson R, Farholt S, Rabben KF, Bollerslev J, Schreiner T, **Jurik AG**, Frystyk J, Christiansen JS, Höybye C. Growth hormone treatment for two years is safe and effective

- in adults with Prader-Willi syndrome. *Growth Hormone IGF Research* 21(4): 185-90, 2011.
- 19 van Onna M, **Jurik AG**, van der Heijde D, van Tubergen A, Heuft-Dorenbosch L, Weijers R, Landewé R. HLA-B27 and gender independently determine the likelihood of a positive MRI of the sacroiliac joints in patients with early inflammatory back pain: a 2-year MRI follow-up study. *Ann Rheum Dis* 70(11): 1981-5, 2011.
 - 20 Pedersen SJ, Sørensen IJ, Lambert R, Hermann K-G, Garnero P, Johansen JS, Madsen OR, Hansen A, Hansen MS, Thamsborg G, Andersen LS, Majgaard O, Loft AG, Erlendsson J, Asmussen K, **Jurik AG**, Møller J, Hasselquist M, Mikkelsen D, Skjødt T, Østergaard M. Radiographic progression is associated with resolution of systemic inflammation in patients with axial spondyloarthritis treated with TNF α inhibitors. A study of radiographic progression, MRI inflammation and circulating biomarkers of inflammation, angiogenesis, cartilage and bone turnover. *Arthritis Rheum* 63(12): 3789-800, 2011.
 - 21 Andersen T, Rasmussen TAK, Hvid M, Holm CK, Madsen KB, **Jurik AG**, Hokland M, Stengaard-Pedersen K, Schiøttz-Christensen B, Deleuran B. Increased plasma levels of IL-21 and IL-23 in spondyloarthritis are not associated with clinical and MRI findings. *Rheumatol Int* 32(2):387-93, 2012.
 - 22 Sode-Carlsen R, Farholt S, Rabben KF, Bollerslev J, Schreiner T, **Jurik AG**, Christiansen JS, Høybye C. Growth Hormone Treatment in Adults with Prader-Willi Syndrome – The Scandinavian Study. *Endocrine* 41(2):191-199, 2012.
 - 23 Weber U, Lambert RGW, Rufibach K, Maksymowych PW, Hodler J, Zejden A, Duewell S, Kissling RO, Filipow PL, **Jurik AG**. Anterior chest wall inflammation by whole body MRI in patients with spondyloarthritis: Lack of association between clinical and imaging findings in a cross-sectional study. *Arthritis Res Therapy* 14:R3, 2012 (doi:10.1186/ar3551).
 - 24 Hermann KG, Baraliakos X, van der Heijde D, **Jurik AG**, Landewé R, Marzo-Ortega H, Østergaard M, Rudwaleit M, Sieper J, and Braun J. Descriptions of Spinal Magnetic Resonance Imaging (MRI) Lesions and Definition of a Positive MRI of the Spine in Axial Spondyloarthritis (SpA) – A Consensual Approach by the ASAS/ OMERACT MRI Study Group. *Ann Rheum Dis*. 71(8):1278-88, 2012.
 - 25 Jurik AG, Zejden A, Lambert R, Rufibach K, Hodler J, Maksymowych W, Duewell S, Kissling R, Weber U. Pitfalls in MR morphology of the anterior chest wall by whole body MRI. *Clinical Radiology* 68:785-791, 2013.
 - 26 Boedker T, Toettrup M, Petersen KK, **Jurik AG**. Clinical and radiological delay in diagnosing septic arthritis in the sternoclavicular region. *Acta Radiologica* 54(1):67-74, 2013.
 - 27 Hjelholt A, Carlsen T, Deleuran B, Jurik AG, Schiøttz-Christensen B, Christiansen G, Birkelund S. Increased Levels of IgG Antibodies against Human HSP60 in Patients with Spondyloarthritis. *PLOS ONE* 2013; doi: 10.1371/journal.pone.0056210.
 - 28 Carlsen T, Hjelholt A, **Jurik AG**, Schiøttz-Christensen B, Christiansen G, Deleuran B, Birkelund S. IgG subclass antibodies to human HSP60 in spondyloarthritis patients. *Arthritis Res Therapy* 15(3):R61, 2013; PMID: 23705835.
 - 29 Colebatch AN, Edwards CJ, Østergaard M, van der Heijde D, Balint PV, D'Agostino M-A, Forslind K, Grassi W, Haavardsholm EA, Haugeberg G, **Jurik AG**, Landewé RBM, Naredo E, O'Connor PJ, Ostendorf B, Potočki K, Schmidt WA, Smolen JS, Sokolovic S, Watt I, Conaghan PG. EULAR recommendations for the use of imaging of the joints in the clinical management of rheumatoid arthritis. *Ann Rheum Dis* 72(6):804-14, 2013.

- 30 Arnbak B, Jensen TS, Manniche C, Zeiden A, Egund N, **Jurik AG**. Spondyloarthritis-related and degenerative axial MRI changes, an inter- and intra-observer agreement study. *BMC Musculoskeletal Disord* 14:274, 2013; doi: 10.1186/1471-2474-14-274.
- 31 Jensen TW, Hansen MS, Hørslev-Petersen K, Hyldstrup L, Abrahamsen B, Langdahl B, Zerahn B, Pødenphant J, Stengaard-Petersen K, Junker P, Østergaard M, Lottenburger T, Ellingsen T, Andersen LS, Hansen I, Skjødt H, Pedersen JK, Lauridsen UB, Svendsen A, Tarp U, Lindegaard H, **Jurik AG**, Vestergaard A, Hetland ML. Periarticular and generalised bone loss in patients with early rheumatoid arthritis - influence of Alendronate and intraarticular glucocorticoid treatment. *Ann Rheum Dis* 73(6):1123-9, 2014.
- 32 Ellingsen T, Hansen I, Thorsen J, Møller BK, Tarp U, Lottenburger T, Andersen LS, Skjødt H, Pedersen JK, Lauridsen UB, Svendsen A, Lindegaard H, Hansen GV, Østergaard M, Vestergaard A, **Jurik AG**, Junker P, Hetland ML, Hørslev-Petersen K, Stengaard-Pedersen K. The CCL19 plasma level and CCR7 density on monocytes is up-regulated in active, untreated, early rheumatoid arthritis patients. Baseline plasma CCL19 level predicted 5-year radiographic progression. *Scand J Rheumatol* 43(2):91-100, 2014.
- 33 Lange B, Green C, **Jurik AG**. Hver tredje hoveduddannelseslæge i Diagnostisk Radiologi føler sig ikke rustede i rollen som medicinsk ekspert. *Ugeskr Læger* 176(6A), 2014 (pii: V02130120; PMID: 25347440).
- 34 van Onna M, van Tubergen A, van der Heijde D, **Jurik AG**, Robert Landewé. Gadolinium contrast-enhanced MRI sequence does not have an incremental value in the assessment of sacroiliitis in patients with early inflammatory back pain by using MRI in combination with pelvic radiographs: A 2-year follow-up study. *Clin Exp Rheumatol* 32(2):225-30, 2014.
- 35 Kragstrup TV, Jalilian B, Hvid M, Kjærgaard A, Østgård R, Schiøttz-Christensen B, **Jurik AG**, Robinson WH, Vorup-Jensen T, Deleuran B. Decreased plasma levels of soluble CD18 link leukocyte migration with disease activity in spondyloarthritis. *Arthritis Res Ther* 16(1):R42, 2014 (doi: 10.1186/ar4471).
- 36 van Onna M, van Tubergen A, **Jurik AG**, van der Heijde D, Landewé R. Bone marrow edema on MRI of the sacroiliac joints is associated with development of fatty lesions on MRI over a one-year interval in patients with early inflammatory low back pain: a 2-year follow-up study. *J Rheumatol*. 41(6):1088-94, 2014.
- 37 Egund N, **Jurik AG**. Anatomy and Histology of the Sacroiliac Joints. *Semin Musculoskelet Radiol* 2014;18(3):332-339.
- 38 van Onna M, van Tubergen A, **Jurik AG**, van der Heijde D, Landewé R. Natural course of bone marrow edema on magnetic resonance imaging of the sacroiliac joints in patients with early inflammatory back pain: a 2-year follow-up study. *Scand J Rheumatol* 2014 Sep 15:1-6 [Epub ahead of print, PMID: 25222204].
- 39 Olarescu NC, **Jurik AG**, Bollerslev J. Dual-energy x-ray absorptiometry is a valid method to estimate visceral adipose tissue in patients with Prader-Willi syndrome during treatment with growth hormone. *J Clinical Endocrinology & Metabolism* 99(9):E1727-31, 2014 (doi: 10.1210/jc.2014-2059).
- 40 Nielsen FK, Egund N, Peters D and **Jurik AG**. Measurement of bone marrow lesions by MRI imaging in knee osteoarthritis using quantitative segmentation methods - a reliability and sensitivity to change analysis. *BMC Musculoskeletal Disord*. 15:447, 2014 (doi: 10.1186/1471-2474-15-447).
- 41 Kragstrup TW, Jalilian B, Hvid M, Kjærgaard A, Østgård R, Schiøttz-Christensen B, **Jurik AG**, Vorup-Jensen T, Deleuran B. CD18-shedding connects cellular and enzymatic mechanisms with activity of spondyloarthritis. In press *J Clin Invest*.

- 42 Kragstrup T, Andersen T, Holm C, Schiøttz-Christensen B, **Jurik AG**, Hvid M, Deleuran B. Toll-like receptor 2 and 4 induced IL-19 dampens immune reactions and associate inversely with spondyloarthritis disease activity. *Clin Exp Immunol* doi:10.1111/cei.12577.

ANDREA KLAUSER

- 1 Gruber L, Martinoli C, Tagliafico AS, Gruber J, Klauser AS. A Rare Case of a Symptomatic Sternalis Muscle: Ultrasonography And MRI Correlation. *Ultrasound Int Open*. 2016 Nov;2(4):E140-E141.
- 2 Gabl M, Arora R, Klauser AS, Schmidle G. Characteristics of secondary arthrofibrosis after intra-articular distal radius fracture. *Arch Orthop Trauma Surg*. 2016;136(8):1181-8. doi: 10.1007/s00402-016-2490-0.
- 3 Gimber LH, Melville DM, Klauser AS, Witte RS, Arif-Tiwari H, Taljanovic MS. Artifacts at Musculoskeletal US: Resident and Fellow Education Feature. *Radiographics*. 2016;36(2):479-80. doi: 10.1148/rg.2016150200.
- 4 High-Resolution US of Rheumatologic Diseases. Taljanovic MS, Melville DM, Gimber LH, Scalcione LR, Miller MD, Kwok CK, Klauser AS. *Radiographics*. 2015;35(7):2026-48. doi: 10.1148/rg.2015140250.
- 5 Klauser AS, Abd Ellah MM, Halpern EJ, Sporer I, Martinoli C, Tagliafico A, Sojer M, Taljanovic MS, Jaschke WR. Meralgia paraesthetica: Ultrasound-guided injection at multiple levels with 12-month follow-up. *Eur Radiol*. 2016;26(3):764-70. doi: 10.1007/s00330-015-3874-1.
- 6 Klauser AS, Sailer-Hoeck M, Abdallah MM, Taljanovic MS, Siedentopf C, Auer T, Brunner J, Jaschke WR. Feasibility of Ultrasound-Guided Sacroiliac Joint Injections in Children Presenting with Sacroiliitis. *Ultraschall Med*. 2016;37(4):393-8. doi: 10.1055/s-0034-1399145.

MARIO MAAS

- 1 Nusman CM, Ording Muller LS, Hemke R, Doria AS, Avenarius D, Tzaribachev N, Malattia C, van Rossum MA, Maas M, Rosendahl K. Current Status of Efforts on Standardizing Magnetic Resonance Imaging of Juvenile Idiopathic Arthritis: Report from the OMERACT MRI in JIA Working Group and Health-e-Child.: <http://www.ncbi.nlm.nih.gov/pubmed/25979714> *J Rheumatol*. 2015 May 15. pii:

- jrheum.141276. [Epub ahead of print] PMID: 25979714 [PubMed - as supplied by publisher]
- 2 van der Leij C, Lavini C, van de Sande MG, de Hair MJ, Wijffels C, Maas M. Reproducibility of DCE-MRI time-intensity curve-shape analysis in patients with knee arthritis: A comparison with qualitative and pharmacokinetic analyses.: <http://www.ncbi.nlm.nih.gov/pubmed/25929459> J Magn Reson Imaging. 2015 Apr 29. doi: 10.1002/jmri.24933. [Epub ahead of print] PMID: 25929459 [PubMed - as supplied by publisher]
 - 3 Anink J, Nusman CM, van Suijlekom-Smit LW, van Rijn RR, Maas M, van Rossum MA. Automated determination of bone age and bone mineral density in patients with juvenile idiopathic arthritis: a feasibility study.: <http://www.ncbi.nlm.nih.gov/pubmed/25158602> Arthritis Res Ther. 2014 Aug 27;16(4):424. doi: 10.1186/s13075-014-0424-1. PMID: 25158602 [PubMed - in process] **Free PMC Article**
 - 4 Hemke R, Nusman CM, van der Heijde DM, Doria AS, Kuijpers TW, Maas M, van Rossum MA. Frequency of joint involvement in juvenile idiopathic arthritis during a 5-year follow-up of newly diagnosed patients: implications for MR imaging as outcome measure.: <http://www.ncbi.nlm.nih.gov/pubmed/25119829> Rheumatol Int. 2015 Feb;35(2):351-7. doi: 10.1007/s00296-014-3108-x. Epub 2014 Aug 14. PMID: 25119829 [PubMed - in process]
 - 5 Hemke R, Lavini C, Nusman CM, van den Berg JM, Dolman KM, Schonenberg-Meinema D, van Rossum MA, Kuijpers TW, Maas M. Pixel-by-pixel analysis of DCE-MRI curve shape patterns in knees of active and inactive juvenile idiopathic arthritis patients. <http://www.ncbi.nlm.nih.gov/pubmed/24770464> Eur Radiol. 2014 Jul;24(7):1686-93. doi: 10.1007/s00330-014-3168-z. Epub 2014 Apr 26. PMID: 24770464 [PubMed - indexed for MEDLINE]
 - 6 Nusman CM, Hemke R, Schonenberg D, Dolman KM, van Rossum MA, van den Berg JM, Kuijpers TW, Maas M. Distribution pattern of MRI abnormalities within the knee and wrist of juvenile idiopathic arthritis patients: signature of disease activity. <http://www.ncbi.nlm.nih.gov/pubmed/24758678> AJR Am J Roentgenol. 2014 May;202(5):W439-46. doi: 10.2214/AJR.13.11314. Erratum in: AJR Am J Roentgenol. 2014 Dec;203(6):1384. PMID: 24758678 [PubMed - indexed for MEDLINE]
 - 7 de Hair MJ, van de Sande MG, Ramwadhoebe TH, Hansson M, Landewé R, van der Leij C, Maas M, Serre G, van Schaardenburg D, Klareskog L, Gerlag DM, van Baarsen LG, Tak PP. Features of the synovium of individuals at risk of developing rheumatoid arthritis: implications for understanding preclinical rheumatoid arthritis. <http://www.ncbi.nlm.nih.gov/pubmed/24574210> Arthritis Rheumatol. 2014 Mar;66(3):513-22. doi: 10.1002/art.38273. PMID: 24574210 [PubMed - indexed for MEDLINE] **Free PMC Article**
 - 8 Hemke R, van Veenendaal M, van den Berg JM, Dolman KM, van Rossum MA, Maas M, Kuijpers TW. One-year followup study on clinical findings and changes in magnetic resonance imaging-based disease activity scores in juvenile idiopathic arthritis. <http://www.ncbi.nlm.nih.gov/pubmed/24293575> J Rheumatol. 2014 Jan;41(1):119-27. doi: 10.3899/jrheum.130235. Epub 2013 Dec 1. PMID: 24293575 [PubMed - indexed for MEDLINE]
 - 9 Hemke R, Doria AS, Tzaribachev N, Maas M, van der Heijde DM, van Rossum MA. Selecting magnetic resonance imaging (MRI) outcome measures for juvenile idiopathic

- arthritis (JIA) clinical trials: first report of the MRI in JIA special interest group.
<http://www.ncbi.nlm.nih.gov/pubmed/24187109> Rheumatol. 2014 Feb;41(2):354-8.
doi: 10.3899/jrheum.131081. Epub 2013 Nov 1. PMID: 24187109 [PubMed - indexed for MEDLINE]
- 10 Hemke R, Maas M, van Veenendaal M, Dolman KM, van Rossum MA, van den Berg JM, Kuijpers TW. Contrast-enhanced MRI compared with the physical examination in the evaluation of disease activity in juvenile idiopathic arthritis.
<http://www.ncbi.nlm.nih.gov/pubmed/24101236> Eur Radiol. 2014 Feb;24(2):327-34.
doi: 10.1007/s00330-013-3036-2. Epub 2013 Oct 8. PMID: 24101236 [PubMed - indexed for MEDLINE]
- 11 van Baarsen LG, de Hair MJ, Ramwadhoebe TH, Zijlstra IJ, Maas M, Gerlag DM, Tak PP. The cellular composition of lymph nodes in the earliest phase of inflammatory arthritis.
<http://www.ncbi.nlm.nih.gov/pubmed/23661491> Ann Rheum Dis. 2013 Aug;72(8):1420-4. doi: 10.1136/annrheumdis-2012-202990. Epub 2013 May 9. PMID: 23661491 [PubMed - indexed for MEDLINE] **Free PMC Article**
- 12 Paramarta JE, van der Leij C, Gofita I, Yeremenko N, van de Sande MG, de Hair MJ, Tak PP, Maas M, Baeten D. Peripheral joint inflammation in early onset spondyloarthritis is not specifically related to enthesitis. <http://www.ncbi.nlm.nih.gov/pubmed/23619158> Ann Rheum Dis. 2014 Apr;73(4):735-40. doi: 10.1136/annrheumdis-2012-203155. Epub 2013 Apr 25. PMID: 23619158 [PubMed - indexed for MEDLINE]
- 13 Hemke R, Kuijpers TW, van den Berg JM, van Veenendaal M, Dolman KM, van Rossum MA, Maas M. Eur Radiol. 2013 Jul;23(7):1998-2004. doi: 10.1007/s00330-013-2770-9. Epub 2013 Feb 1. PMID: 23370941 [PubMed - indexed for MEDLINE]
- 14 Hemke R, van Rossum MA, van Veenendaal M, Terra MP, Deurloo EE, de Jonge MC, van den Berg JM, Dolman KM, Kuijpers TW, Maas M. Reliability and responsiveness of the Juvenile Arthritis MRI Scoring (JAMRIS) system for the knee.
<http://www.ncbi.nlm.nih.gov/pubmed/23085866> Eur Radiol. 2013 Apr;23(4):1075-83. doi: 10.1007/s00330-012-2684-y. Epub 2012 Oct 20. PMID: 23085866 [PubMed - indexed for MEDLINE]
- 15 Hemke R, van Veenendaal M, Kuijpers TW, van Rossum MA, Maas M. Increasing feasibility and patient comfort of MRI in children with juvenile idiopathic arthritis.
<http://www.ncbi.nlm.nih.gov/pubmed/22246410> Pediatr Radiol. 2012 Apr;42(4):440-8. doi: 10.1007/s00247-011-2306-x. Epub 2012 Jan 13. PMID: 22246410 [PubMed - indexed for MEDLINE] **Free PMC Article**
- 16 van de Giessen M, de Raedt S, Stilling M, Hansen TB, Maas M, Streekstra GJ, van Vliet LJ, Vos FM. Localized component analysis for arthritis detection in the trapeziometacarpal joint. <http://www.ncbi.nlm.nih.gov/pubmed/21995049> Med Image Comput Comput Assist Interv. 2011;14(Pt 2):360-7. PMID: 21995049 [PubMed - indexed for MEDLINE]
- 17 van de Sande MG, de Hair MJ, van der Leij C, Klarenbeek PL, Bos WH, Smith MD, Maas M, de Vries N, van Schaardenburg D, Dijkmans BA, Gerlag DM, Tak PP. Different stages of rheumatoid arthritis: features of the synovium in the preclinical phase.
<http://www.ncbi.nlm.nih.gov/pubmed/21177292> Ann Rheum Dis. 2011 May;70(5):772-7. doi: 10.1136/ard.2010.139527. Epub 2010 Dec 21. PMID: 21177292 [PubMed - indexed for MEDLINE]
- 18 De Rycke L, Maas M, Tak PP, Baeten D. 'MRI-tis' in the early diagnosis of axial SpA: issues and limitations. <http://www.ncbi.nlm.nih.gov/pubmed/20924412> Nat Rev Rheumatol.

- 2010 Nov;6(11):666-9. doi: 10.1038/nrrheum.2010.161. Epub 2010 Oct 5. PMID: 20924412 [PubMed - indexed for MEDLINE]
- 19 van Kuijk AW, Vergunst CE, Gerlag DM, Bresnihan B, Gomez-Reino JJ, Rouzier R, Verschueren PC, van der Leij C, Maas M, Kraan MC, Tak PP., CCR5 blockade in rheumatoid arthritis: a randomised, double-blind, placebo-controlled clinical trial. <http://www.ncbi.nlm.nih.gov/pubmed/20693270> Ann Rheum Dis. 2010 Nov;69(11):2013-6. doi: 10.1136/ard.2010.131235. Epub 2010 Aug 6. Erratum in: Ann Rheum Dis. 2013 Apr;72(4):630. van de Leij, Christiaan [corrected to van der Leij, Christiaan]. PMID: 20693270 [PubMed - indexed for MEDLINE]
- 20 [Dynamic contrast-enhanced magnetic resonance imaging using pharmacokinetic modeling: Initial experience in early arthritis patients.](#)
Maijer KI, van der Leij C, de Hair MJ, Tas SW, Maas M, Gerlag DM, Tak PP, Lavini C. Arthritis Rheumatol. 2015 Oct 16. doi: 10.1002/art.39469. [Epub ahead of print] PMID: 26473331 [PubMed - as supplied by publisher]
- 21 [EULAR-PreS points to consider for the use of imaging in the diagnosis and management of juvenile idiopathic arthritis in clinical practice.](#)
Colebatch-Bourn AN, Edwards CJ, Collado P, D'Agostino MA, Hemke R, Jousse-Joulin S, Maas M, Martini A, Naredo E, Østergaard M, Rooney M, Tzaribachev N, van Rossum MA, Vojinovic J, Conaghan PG, Malattia C. Ann Rheum Dis. 2015 Nov;74(11):1946-57. doi: 10.1136/annrheumdis-2015-207892. Epub 2015 Aug 5. Review. PMID: 26245755 [PubMed - indexed for MEDLINE] **Free Article**
- 22 [Contrast-enhanced MRI of the knee in children unaffected by clinical arthritis compared to clinically active juvenile idiopathic arthritis patients.](#)
Nusman CM, Hemke R, Benninga MA, Schonenberg-Meinema D, Kindermann A, van Rossum MA, van den Berg JM, Maas M, Kuijpers TW. Eur Radiol. 2015 Aug 2. [Epub ahead of print] PMID: 26233246 [PubMed - as supplied by publisher]
- 23 [Techniques and applications of skeletal muscle diffusion tensor imaging: A review.](#)
Oudeman J, Nederveen AJ, Strijkers GJ, Maas M, Luijten PR, Froeling M. J Magn Reson Imaging. 2015 Jul 29. doi: 10.1002/jmri.25016. [Epub ahead of print] PMID: 26221741 [PubMed - as supplied by publisher]
- 24 [Feasibility of diffusion-weighted magnetic resonance imaging in patients with juvenile idiopathic arthritis on 1.0-T open-bore MRI.](#)
Barendregt AM, Nusman CM, Hemke R, Lavini C, Amiras D, Kuijpers TW, Maas M. Skeletal Radiol. 2015 Dec;44(12):1805-11. doi: 10.1007/s00256-015-2208-3. Epub 2015 Jul 24. PMID: 26205760 [PubMed - in process] **Free PMC Article**
- 25 [Computed tomography versus magnetic resonance imaging versus bone scintigraphy for clinically suspected scaphoid fractures in patients with negative plain radiographs.](#)
Mallee WH, Wang J, Poolman RW, Kloen P, Maas M, de Vet HC, Doornberg JN. Cochrane Database Syst Rev. 2015 Jun 5;6:CD010023. doi: 10.1002/14651858.CD010023.pub2. PMID: 26045406 [PubMed - in process]
- 26 [Contrast-enhanced MRI features in the early diagnosis of Juvenile Idiopathic Arthritis.](#)
Hemke R, Kuijpers TW, Nusman CM, Schonenberg-Meinema D, van Rossum MA, Dolman KM, van den Berg JM, Maas M.

Eur Radiol. 2015 Nov;25(11):3222-9. doi: 10.1007/s00330-015-3752-x. Epub 2015 May 23.

PMID: 26002127 [PubMed - in process] **Free PMC Article**

[Similar articles](#)

- 27 [Current Status of Efforts on Standardizing Magnetic Resonance Imaging of Juvenile Idiopathic Arthritis: Report from the OMERACT MRI in JIA Working Group and Health-e-Child.](#)

Nusman CM, Ording Muller LS, Hemke R, Doria AS, Avenarius D, Tzaribachev N, Malattia C, van Rossum MA, Maas M, Rosendahl K.

J Rheumatol. 2016 Jan;43(1):239-44. doi: 10.3899/jrheum.141276. Epub 2015 May 15.

PMID: 25979714 [PubMed - in process]

[Similar articles](#)

- 28 [Development and first validation of a simplified CT-based classification system of soft tissue changes in large-head metal-on-metal total hip replacement: intra- and interrater reliability and association with revision rates in a uniform cohort of 664 arthroplasties.](#)

Boomsma MF, Edens MA, Van Lingen CP, Warringa N, Ettema HB, Verheyen CC, Maas M. Skeletal Radiol. 2015 Aug;44(8):1141-9. doi: 10.1007/s00256-015-2146-0. Epub 2015 May 6.

PMID: 25943898 [PubMed - in process]

- 29 [Cross sectional imaging of metal-on-metal hip arthroplasties.](#)

Wellenberg RH, Ettema HB, Verheyen CC, Maas M, Boomsma MF.

Acta Orthop. 2015 Apr;86(2):272-3. doi: 10.3109/17453674.2015.1022106. Epub 2015 Feb 24. No abstract available.

PMID: 25708293 [PubMed - indexed for MEDLINE] **Free PMC Article**

- 30 [Frequency of joint involvement in juvenile idiopathic arthritis during a 5-year follow-up of newly diagnosed patients: implications for MR imaging as outcome measure.](#)

Hemke R, Nusman CM, van der Heijde DM, Doria AS, Kuijpers TW, Maas M, van Rossum MA. Rheumatol Int. 2015 Feb;35(2):351-7. doi: 10.1007/s00296-014-3108-x. Epub 2014 Aug 14.

PMID: 25119829 [PubMed - indexed for MEDLINE]

[Similar articles](#)

- 31 [Combining MRI and muscle biopsy improves diagnostic accuracy in subacute-onset idiopathic inflammatory myopathy.](#)

Van De Vlekkert J, Maas M, Hoogendijk JE, De Visser M, Van Schaik IN.

Muscle Nerve. 2015 Feb;51(2):253-8. doi: 10.1002/mus.24307.

PMID: 24895239 [PubMed - indexed for MEDLINE]

[Similar articles](#)

REINHARD MEIER

1. Mohajerani P, Koch M, Thürmel K, Haller B, Rummeny EJ, Ntziachristos V, Meier R. Fluorescence-aided Tomographic Imaging of Synovitis in the Human Finger. Radiology. 2014 Sep;272(3):865-74. doi: 10.1148/radiol.14132128. (Impact Factor 6.339)
2. Beziere N, von Schacky C, Kosanke Y, Kimm M, Nunes A, Licha K, Aichler M, Walch A, Rummeny EJ, Ntziachristos V, Meier R. Optoacoustic imaging and staging of arthritic

- inflammation. *Arthritis Rheumatol.* 2014 Aug;66(8):2071-8. doi: 10.1002/art.38642. (Impact Factor 7.871)
3. Vonnemann J, Beziere N, Böttcher C, Riese S, Kühne C, Dervedde J, Licha K, von Schacky C, Kosanke Y, Kimm M, Meier R, Ntziachristos V, Haag R. Polyglycerolsulfate functionalized gold nanorods as optoacoustic signal nanoamplifiers for in vivo bioimaging of rheumatoid arthritis. *Theranostics* 2014; 4(6): 629-641. doi: 10.7150/thno.8518 (Impact Factor 7.827)
 4. Mohajerani P, Meier R, Noël PB, Rummeny EJ, Ntziachristos V. Spatiotemporal analysis for indocyanine green-aided imaging of rheumatoid arthritis in hand joints. *Journal of Biomedical Optics* 09/2013 18(9):97004. (Impact Factor 2.945)
 5. Meier R, Thuermel K, Noël PB, Moog P, Sievert M, Ahari C, Nasirudin RA, Golovko D, Haller B, Ganter C, Wildgruber M, Schaeffeler C, Waldt S, Rummeny EJ. Synovitis in Patients with Early Inflammatory Arthritis Monitored with Quantitative Analysis of Dynamic Contrast-enhanced Optical Imaging and MR Imaging. *Radiology.* 2014 Jan;270(1):176-85. doi: 10.1148/radiol.13130039. (Impact Factor 6.339)
 6. Meier R, Thuermel K, Moog P, Noël PB, Ahari C, Sievert M, Dorn F, Waldt S, Schaeffeler C, Golovko D, Haller B, Ganter C, Weckbach S, Woertler K, Rummeny EJ. Detection of synovitis in the hands of patients with rheumatological disorders: Diagnostic performance of optical imaging in comparison to MRI. *Arthritis Rheum.* 2012 Mar 15. doi: 10.1002/art.34467. (Impact Factor 7.871)
 - 14 Meier R, Krug C, Golovko D, Boddington S, Piontek G, Rudelius M, Sutton EJ, Baur-Melnyk A, Jones EF, Daldrup-Link HE. Indocyanine green-enhanced imaging of antigen-induced arthritis with an integrated optical imaging/radiography system. *Arthritis Rheum.* 2010 Aug;62(8):2322-7. (Impact Factor 8.441)

ADAM MESTER

- 1 Sommer AP, **Mester AR**, Trelles MA
Tuning the mitochondrial rotary motor with light
ANNALS OF TRANSLATIONAL MEDICINE 3:(22) p. 346. 4 p. (2015)
- 2 Sudol Szopinska, I, Jurik AG, **Mester A**, Schueller Weiderkamm C,
Recommendations of the ESSR Arthritis Subcommittee for the Use of Magnetic Resonance Imaging in Musculoskeletal Rheumatic Diseases.
SEMINARS IN MUSCULOSKELETAL RADIOLOGY 19:(4) pp. 396411. (2015)
- 3 Hodinka L, Vereckei E, Molnar E, Kadar G, **Mester A**
Nontuberculous mycobacterium infection in two arthritic patients treated with TNF inhibitors
WIENER KLINISCHE WOCHENSCHRIFT: MIDDLE EUROPEAN JOURNAL OF MEDICINE 126:(Suppl.5) Paper P05.03. (2014)
- 4 Juhász P, **Mester Á**, Bíró AJ, Héjj G, Poór Gy
Clinical and radiological dissociation of antiTNF plus methotrexate treatment in early rheumatoid arthritis in routine care: results from the ABRAB study
BMC MUSCULOSKELETAL DISORDERS 15: Paper 251. (2014)
- 5 Schmidt Zsuzsa, Brozik Marta, Nagy E, Kaposi Novak P, **Mester Adam**, Hittner Gyoergy, Poor Gyula
THE ACR/EULAR CLASSIFICATION CRITERIA IN HUNGARIAN POLYMYALGIA

- RHEUMATICA PATIENTS RHEUMATOLOGY 53:(2) pp. 1617. (2014)
 2nd International Symposium and Imaging Workshop on Giant Cell Arteritis, Polymyalgia Rheumatica and Large Vessel Vasculitis. Anglia: 2013.11.22 2013.11.24.
- 6 Schueller Weidekamm Claudia, Mascarenhas Vasco V, Sudol Szopinska Iwona, Boutry Nathalie, Plagou Athena, Klauser Andrea, Wick Marius, Platzgummer Hannes, Jans Lennart, **Mester Adam**, Kainberger Franz, Astrom Gunnar, Guglielmi Giuseppe, Eshed Iris. Imaging and Interpretation of Axial Spondylarthritis: The Radiologist's Perspective Consensus of the Arthritis Subcommittee of the ESSR (vol 18, pg 523, 2014). SEMINARS IN MUSCULOSKELETAL RADIOLOGY 18:(5) p. 523. (2014)
 - 7 Verecke E, Sterba G, Kiss E, Nagy E, Rasonyi R, **Mester A**, Hodinka L, Poor G. Musculoskeletal manifestations in celiac disease. WIENER KLINISCHE WOCHENSCHRIFT: MIDDLE EUROPEAN JOURNAL OF MEDICINE 126:(Suppl.5) Paper 01.07. (2014)
 - 8 **Mester A** Controversies in sacroiliac joint imaging CORA 2013 Controversies in Rheumatology and Autoimmunity, Budapest, 46 April, 2013 (2013)
 - 9 **Mester A** Controversies of antiinflammatory laser therapy irradiation doses CORA 2013 Controversies in Rheumatology and Autoimmunity, Budapest, 46 April, 2013 (2013)
 - 10 Verecke E, **Mester A**, Hodinka L, Temesvari P, Kiss E, Poor G. Back pain and sacroiliitis in longstanding adult celiac disease: a cross-sectional and followup study. RHEUMATOLOGY INTERNATIONAL 30:(4) pp. 455-460. (2010)
 - 11 **Mester A**. Hip replacement hardware: review and radiographic evaluation. 16th Annual Congress of the European Society of Musculoskeletal Radiology (ESSR), Genoa, Italy, June 11-13, 2009 (2009)
 - 12 Verecke E, **Mester Á**, Hodinka L, Temesvári IP, Kiss E. Musculoskeletal manifestations of patients with longstanding coeliac disease on gluten-free diet (A cross-sectional and longitudinal study). ANNALS OF THE RHEUMATIC DISEASES 67:(Suppl. 2) p. 627. (2008)
 - 13 Mészáros S, Ferencz V, Csupor E, **Mester A**, Hosszú E, Tóth E, Horváth C. Comparison of the femoral neck bone density, quantitative ultrasound and bone density of the heel between dominant and nondominant side. EUROPEAN JOURNAL OF RADIOLOGY 60:(2) pp. 293-298. (2006)
 - 14 Szilvási J, **Mester AR**, Kaposi NP, Györke T, Karlinger K, Makó EK. Nuclear medicine and MRI in differential diagnosis of doubtful spinal disorders. WORLD JOURNAL OF NUCLEAR MEDICINE 3:(Suppl. 1.) p. S55. (2004)
 - 15 **Mester AR**, Makó E K, Karlinger K, Németh L. Computerized tomography scanning. In: Isenberg D A, Renton P. Imaging in rheumatology. Oxford: Univ Press, 2003. pp. 344-7. (ISBN: ISBN 0-19-263263-9)
 - 16 Németh L, **Mester Á**, Kákósy T, Posgay M, Karlinger K. Early differential diagnosis by high resolution computed tomography (HRCT) of occupational vibration-induced osteochondritis dissecans of elbow joint. CENTRAL EUROPEAN JOURNAL OF OCCUPATIONAL AND ENVIRONMENTAL MEDICINE 9:(1) pp. 31-2. (2003)
 - 17 Szilvási J, **Mester AR**, Kaposi PN, Györke T, Karlinger K, Makó EK. NUCLEAR MEDICINE AND MRI IN DIFFERENTIAL DIAGNOSIS OF DOUBTFUL SPINAL DISORDERS. NUCLEAR MEDICINE REVIEW: CENTRAL AND EASTERN EUROPE 6:(1) p. 89. (2003)

- 18 **Mester A R**, Kari B, Horvath C, Buzas E, Falus A, Mako E K
High resolution CT versus microfocus radiography and single photon absorptiometry in experimental osteoporosis. *EUROPEAN RADIOLOGY* 12:(Suppl. 1) p. 163. (2002)
- 19 **Mester A R**, Makó E K, Györke T, Duffek L, Karlinger K
Imaging of extraintestinal Crohn's disease in the sacroiliac joint
EUROPEAN RADIOLOGY 10:(6.) p. 26. (2000)
- 20 **Mester AR**, Mako EK, Karlinger K, Györke T, Tarjan Z, Marton E, Kiss K
Enteropathic arthritis in the sacroiliac joint. Imaging and differential diagnosis
EUROPEAN JOURNAL OF RADIOLOGY 35:(3) pp. 199208. (2000)
- 21 **Mester A**, Mako E, Nagylucskay S, Karlinger K, Marton E, Györke T
High resolution computed tomography detection of alimentary factors related to arthropathies in inflammatory bowel diseases
ACTA ALIMENTARIA 28:(2) pp. 171181. (1999)
- 22 **Mester A R**, Makó E, Karlinger K, Kiss K, Györke T, Márton E
HRCT morphology of apophyseal facet joints in systemic inflammatory diseases
EUROPEAN RADIOLOGY 9:(Suppl. 1.) p. 226. (1999)
- 23 **Mester Á**, Makó E K, Márton E, Dévai T, Györke T, Kiss K
Sacroiliac joint HRCT morphology in inflammatory diseases
RADIOLOGY 1998:(209. Suppl.) p. 612. (1998)
- 24 <https://www.omicsonline.org/open-access/laser-biostimulation-with-image-guidance-for-patients-with-arthritisrheumatoid-arthritis-and-other-related-diseases-2329-9096-1000368.pdf>

FALK MIESE

- 1 [Age-dependency of glycosaminoglycan content in lumbar discs: A 3t gagcEST study.](#) Müller-Lutz A, Schleich C, Pentang G, Schmitt B, Lanzman RS, Matuschke F, Wittsack HJ, **Miese F**. *J Magn Reson Imaging*. 2015 May 12. doi: 10.1002/jmri.24945. [Epub ahead of print] PMID: 25970563
- 2 [T2* mapping and delayed gadolinium-enhanced magnetic resonance imaging in cartilage \(dGEMRIC\) of humeral articular cartilage-a histologically controlled study.](#) Bittersohl B, Kircher J, Miese FR, Dekkers C, Habermeyer P, Fröbel J, Antoch G, Krauspe R, Zilkens C. *J Shoulder Elbow Surg*. 2015 May 7. pii: S1058-2746(15)00157-3. doi: 10.1016/j.jse.2015.03.016. [Epub ahead of print] PMID: 25958213
- 3 [Glycosaminoglycan chemical exchange saturation transfer of lumbar intervertebral discs in patients with spondyloarthritis.](#) Schleich C, Müller-Lutz A, Matuschke F, Sewerin P, Sengewein R, Schmitt B, Ostendorf B, Wittsack HJ, Stanke K, Antoch G, **Miese F**. *J Magn Reson Imaging*. 2015 Mar 11. doi: 10.1002/jmri.24877. [Epub ahead of print] PMID: 25758361
- 4 [Zonal T2* and T1Gd assessment of knee joint cartilage in various histological grades of cartilage degeneration: an observational in vitro study.](#) Bittersohl B, Hosalkar HS, Miese FR, Schibensky J, König DP, Herten M, Antoch G, Krauspe R, Zilkens C. *BMJ Open*. 2015 Feb 9;5(2):e006895. doi: 10.1136/bmjopen-2014-006895. PMID: 25667150
- 5 [Evaluation of a simplified version of the Rheumatoid Arthritis Magnetic Resonance Imaging Score \(RAMRIS\) comprising 5 joints \(RAMRIS5\).](#) Schleich C, Buchbender C, Sewerin P, **Miese**

- F, Aissa J, Brinks R, Schneider M, Antoch G, Ostendorf B. Clin Exp Rheumatol. 2015 Mar-Apr;33(2):209-15. Epub 2015 Jan 29. PMID: 25664925
- 6 [Quantitative T2\(*\) assessment of knee joint cartilage after running a marathon.](#) Hesper T, Miese FR, Hosalkar HS, Behringer M, Zilkens C, Antoch G, Krauspe R, Bittersohl B. Eur J Radiol. 2015 Feb;84(2):284-9. doi: 10.1016/j.ejrad.2014.11.021. Epub 2014 Dec 3. PMID: 25523822
 - 7 [Intra-individual assessment of inflammatory severity and cartilage composition of finger joints in rheumatoid arthritis.](#) Schleich C, Müller-Lutz A, Sewerin P, Ostendorf B, Buchbender C, Schneider M, Antoch G, **Miese F**. Skeletal Radiol. 2015 Apr;44(4):513-8. doi: 10.1007/s00256-014-2045-9. Epub 2014 Nov 1. PMID: 25367672
 - 8 [Comparison of quantitative and semiquantitative dynamic contrast-enhanced MRI with respect to their correlation to delayed gadolinium-enhanced MRI of the cartilage in patients with early rheumatoid arthritis.](#) Müller-Lutz A, Schleich C, Sewerin P, Gross J, Pentang G, Wittsack HJ, Antoch G, Schneider M, Ostendorf B, **Miese F**. J Comput Assist Tomogr. 2015 Jan-Feb;39(1):64-9. doi: 10.1097/RCT.0000000000000164. PMID: 25340588
 - 9 [Improvement of gagCEST imaging in the human lumbar intervertebral disc by motion correction.](#) Müller-Lutz A, Schleich C, Schmitt B, Topgöz M, Pentang G, Antoch G, Wittsack HJ, **Miese F**. Skeletal Radiol. 2015 Apr;44(4):505-11. doi: 10.1007/s00256-014-2034-z. Epub 2014 Oct 23. PMID: 25339437
 - 10 [Dynamic contrast-enhanced magnetic resonance imaging of metacarpophalangeal joints reflects histological signs of synovitis in rheumatoid arthritis.](#) Vordenbäumen S, Schleich C, Lögters T, Sewerin P, Bleck E, Pauly T, Müller-Lutz A, Antoch G, Schneider M, **Miese F**, Ostendorf B. Arthritis Res Ther. 2014 Oct 1;16(5):452. doi: 10.1186/s13075-014-0452-x. PMID: 25270553
 - 11 [Advantages of a combined rheumatoid arthritis magnetic resonance imaging score \(RAMRIS\) for hand and feet: does the RAMRIS of the hand alone underestimate disease activity and progression?](#) Sewerin P, Buchbender C, Vordenbäumen S, Scherer A, **Miese F**, Brinks R, Wittsack HJ, Klein S, Schneider M, Antoch G, Ostendorf B. BMC Musculoskelet Disord. 2014 Mar 26;15:104. doi: 10.1186/1471-2474-15-104. PMID: 24669889
 - 12 [Spectrum of T2* values in knee joint cartilage at 3 T: a cross-sectional analysis in asymptomatic young adult volunteers.](#) Bittersohl B, Hosalkar HS, Sondern M, Miese FR, Antoch G, Krauspe R, Zilkens C. Skeletal Radiol. 2014 Apr;43(4):443-52. doi: 10.1007/s00256-013-1806-1. Epub 2014 Jan 15. PMID: 24425347
 - 13 [Inflammation and vascularisation markers of arthroscopically-guided finger joint synovial biopsies reflect global disease activity in rheumatoid arthritis.](#) Vordenbäumen S, Sewerin P, Lögters T, **Miese F**, Schleich C, Bleck E, Philippski P, Schädel-Höpfner M, Pauly T, Schneider M, Ostendorf B. Clin Exp Rheumatol. 2014 Jan-Feb;32(1):117-20. Epub 2014 Jan 3.
 - 14 [Direct comparison of intra-articular versus intravenous delayed gadolinium-enhanced MRI of hip joint cartilage.](#) Zilkens C, **Miese F**, Kim YJ, Jäger M, Mamisch TC, Hosalkar H, Antoch G, Krauspe R, Bittersohl B. J Magn Reson Imaging. 2014 Jan;39(1):94-102. doi: 10.1002/jmri.24096. Epub 2013 Jun 6. PMID: 23744796
 - 15 [Symptomatic femoroacetabular impingement: does the offset decrease correlate with cartilage damage? A pilot study.](#) Zilkens C, **Miese F**, Krauspe R, Bittersohl B. Clin Orthop Relat Res. 2013 Jul;471(7):2173-82. doi: 10.1007/s11999-013-2812-2. PMID: 23361934

- 16 [\[Internet resources for radiologists : a positive selection\]](#). **Miese F**, Rubbert C, Buchbender C, Miese C, Quentin M, Lanzman R, Antoch G, Scherer A. *Radiologe*. 2013 Jan;53(1):65-8, 70-4. doi: 10.1007/s00117-012-2430-0. Review. German. PMID: 23338249
- 17 [Patterns of magnetic resonance imaging of the foot in rheumatoid arthritis: which joints are most frequently involved?](#) Buchbender C, Scherer A, **Miese F**, Sewerin P, Haferkamp A, Brinks R, Wittsack HJ, Antoch G, Schneider M, Ostendorf B. *Rheumatol Int*. 2013 Jul;33(7):1731-6. doi: 10.1007/s00296-012-2648-1. Epub 2013 Jan 3. PMID: 23283542
- 18 [Magnetic resonance imaging and histology of ovine hip joint cartilage in two age populations: a sheep model with assumed healthy cartilage](#). Zilkens C, Miese FR, Crumbiegel C, Kim YJ, Herten M, Antoch G, Krauspe R, Bittersohl B. *Skeletal Radiol*. 2013 May;42(5):699-705. doi: 10.1007/s00256-012-1554-7. Epub 2012 Dec 30. PMID: 23275026
- 19 [Synovitis and bone inflammation in early rheumatoid arthritis: high-resolution multi-pinhole SPECT versus MRI](#). Buchbender C, Ostendorf B, Mattes-György K, **Miese F**, Wittsack HJ, Quentin M, Specker C, Schneider M, Antoch G, Müller HW, Scherer A. *Diagn Interv Radiol*. 2013 Jan-Feb;19(1):20-4. doi: 10.4261/1305-3825.DIR.5922-12.1. Epub 2012 Dec 13. PMID: 23255070
- 20 [Utility of combined high-resolution bone SPECT and MRI for the identification of rheumatoid arthritis patients with high-risk for erosive progression](#). Buchbender C, Sewerin P, Mattes-György K, **Miese F**, Wittsack HJ, Specker C, Antoch G, Müller HW, Schneider M, Scherer A, Ostendorf B. *Eur J Radiol*. 2013 Feb;82(2):374-9. doi: 10.1016/j.ejrad.2012.10.011. Epub 2012 Nov 20. PMID: 23181974
- 21 [T2* mapping and delayed gadolinium-enhanced magnetic resonance imaging in cartilage \(dGEMRIC\) of glenohumeral cartilage in asymptomatic volunteers at 3 T](#). Bittersohl B, Miese FR, Dekkers C, Senyurt H, Kircher J, Wittsack HJ, Antoch G, Krauspe R, Zilkens C. *Eur Radiol*. 2013 May;23(5):1367-74. doi: 10.1007/s00330-012-2718-5. Epub 2012 Nov 24. PMID: 23179527
- 22 [Validity of gradient-echo three-dimensional delayed gadolinium-enhanced magnetic resonance imaging of hip joint cartilage: a histologically controlled study](#). Zilkens C, **Miese F**, Herten M, Kurzidem S, Jäger M, König D, Antoch G, Krauspe R, Bittersohl B. *Eur J Radiol*. 2013 Feb;82(2):e81-6. doi: 10.1016/j.ejrad.2012.09.024. Epub 2012 Nov 2. PMID: 23122675
- 23 [T2* mapping of acetabular and femoral hip joint cartilage at 3 T: a prospective controlled study](#). Bittersohl B, Miese FR, Hosalkar HS, Mamisch TC, Antoch G, Krauspe R, Zilkens C. *Invest Radiol*. 2012 Jul;47(7):392-7. doi: 10.1097/RLI.0b013e3182518d57. PMID: 22627944
- 24 [Three-dimensional delayed gadolinium-enhanced magnetic resonance imaging of hip joint cartilage at 3T: a prospective controlled study](#). Zilkens C, **Miese F**, Kim YJ, Hosalkar H, Antoch G, Krauspe R, Bittersohl B. *Eur J Radiol*. 2012 Nov;81(11):3420-5. doi: 10.1016/j.ejrad.2012.04.008. Epub 2012 May 14. PMID: 22591759
- 25 [T2* mapping of hip joint cartilage in various histological grades of degeneration](#). Bittersohl B, Miese FR, Hosalkar HS, Herten M, Antoch G, Krauspe R, Zilkens C. *Osteoarthritis Cartilage*. 2012 Jul;20(7):653-60. doi: 10.1016/j.joca.2012.03.011. Epub 2012 Mar 30. PMID: 22469845
- 26 [Cone beam CT in assessment of tibial bone defect healing: an animal study](#). Kröpil P, Hakimi AR, Jungbluth P, Riegger C, Rubbert C, **Miese F**, Lanzman RS, Wild M, Schek A,

- Scherer A, Windolf J, Antoch G, Becker J, Hakimi M. Acad Radiol. 2012 Mar;19(3):320-5. doi: 10.1016/j.acra.2011.10.022. Epub 2011 Dec 14. PMID: 22173320
- 27 [Nonenhanced ECG-gated quiescent-interval single-shot MRA \(QUISS-MRA\) of the lower extremities: comparison with contrast-enhanced MRA.](#) Klasen J, Blondin D, Schmitt P, Bi X, Sansone R, Wittsack HJ, Kröpil P, Quentin M, Kuhlemann J, **Miese F**, Heiss C, Kelm M, Antoch G, Lanzman RS. Clin Radiol. 2012 May;67(5):441-6. doi: 10.1016/j.crad.2011.10.014. Epub 2011 Dec 3. PMID: 22142498
- 28 [Magnetic resonance imaging of hip joint cartilage and labrum.](#) Zilkens C, **Miese F**, Jäger M, Bittersohl B, Krauspe R. Orthop Rev (Pavia). 2011;3(2):e9. doi: 10.4081/or.2011.e9. Epub 2011 Jun 29. PMID: 22053256
- 29 [Molecular imaging of cartilage damage of finger joints in early rheumatoid arthritis with delayed gadolinium-enhanced magnetic resonance imaging.](#) **Miese F**, Buchbender C, Scherer A, Wittsack HJ, Specker C, Schneider M, Antoch G, Ostendorf B. Arthritis Rheum. 2012 Feb;64(2):394-9. doi: 10.1002/art.33352. PMID: 21952736
- 30 [Cartilage quality in rheumatoid arthritis: comparison of T2* mapping, native T1 mapping, dGEMRIC, ΔR1 and value of pre-contrast imaging.](#) Buchbender C, Scherer A, Kröpil P, Körbl B, Quentin M, Reichelt DCh, Lanzman RS, Mathys C, Blondin D, Bittersohl B, Zilkens C, Hofer M, Wittsack HJ, Schneider M, Antoch G, Ostendorf B, **Miese F**. Skeletal Radiol. 2012 Jun;41(6):685-92. doi: 10.1007/s00256-011-1276-2. Epub 2011 Sep 20. PMID: 21932053
- 31 [Quantitative assessment of bone defect healing by multidetector CT in a pig model.](#) Riegger C, Kröpil P, Jungbluth P, Lanzman RS, Miese FR, Hakimi AR, Hakimi M, Wild M, Antoch G, Scherer A. Skeletal Radiol. 2012 May;41(5):531-7. doi: 10.1007/s00256-011-1203-6. Epub 2011 Jun 24. PMID: 21701952
- 32 [Delayed gadolinium-enhanced MRI of cartilage \(dGEMRIC\) and morphologic MRI of cartilage in the long-term follow-up after Legg-Calvé-Perthes disease \(LCPD\).](#) Holstein A, Zilkens C, Bittersohl B, Jäger M, Haamberg T, Mamisch TC, Lanzman RS, Kröpil P, Blondin D, Krauspe R, Antoch G, Fürst G, **Miese F**. J Med Imaging Radiat Oncol. 2011 Jun;55(3):259-65. doi: 10.1111/j.1754-9485.2011.02262.x. PMID: 21696558
- 33 [Hybrid 18F-FDG PET-MRI of the hand in rheumatoid arthritis: initial results.](#) **Miese F**, Scherer A, Ostendorf B, Heinzl A, Lanzman RS, Kröpil P, Blondin D, Hautzel H, Wittsack HJ, Schneider M, Antoch G, Herzog H, Shah NJ. Clin Rheumatol. 2011 Sep;30(9):1247-50. doi: 10.1007/s10067-011-1777-3. Epub 2011 May 18. PMID: 21590292
- 34 [Motion correction improves image quality of dGEMRIC in finger joints.](#) **Miese F**, Kröpil P, Ostendorf B, Scherer A, Buchbender C, Quentin M, Lanzman RS, Blondin D, Schneider M, Bittersohl B, Zilkens C, Jellus V, Ch Mamisch T, Wittsack HJ. Eur J Radiol. 2011 Dec;80(3):e427-31. doi: 10.1016/j.ejrad.2011.01.006. Epub 2011 Feb 24. PMID: 2135342
- 35 [Assessment of early cartilage degeneration after slipped capital femoral epiphysis using T2 and T2* mapping.](#) Miese FR, Zilkens C, Holstein A, Bittersohl B, Kröpil P, Mamisch TC, Lanzman RS, Bilk P, Blondin D, Jäger M, Krauspe R, Fürst G. Acta Radiol. 2011 Feb 1;52(1):106-10. doi: 10.3109/02841851.2010.516015. PMID: 20954816
- 36 [Metacarpophalangeal joints in rheumatoid arthritis: delayed gadolinium-enhanced MR imaging of cartilage--a feasibility study.](#) Miese FR, Ostendorf B, Wittsack HJ, Reichelt DC, Mamisch TC, Zilkens C, Lanzman RS, Schneider M, Scherer A. Radiology. 2010 Nov;257(2):441-7. doi: 10.1148/radiol.10100459. Epub 2010 Aug 31. PMID: 20807848

- 37 [\[Cartilage quality in finger joints: delayed Gd\(DTPA\)²-enhanced MRI of the cartilage \(dGEMRIC\) at 3T\].](#) Miese FR, Ostendorf B, Wittsack HJ, Reichelt DC, Kröpil P, Lanzman RS, Mamisch TC, Zilkens C, Jellus V, Quentin M, Schneider M, Scherer A. *Rofo*. 2010 Oct;182(10):873-8. doi: 10.1055/s-0029-1245596. Epub 2010 Aug 19. German. PMID: 20725879
- 38 [Significance of clinical and radiographic findings in young adults after slipped capital femoral epiphysis.](#) Zilkens C, Bittersohl B, Jäger M, **Miese F**, Schultz J, Kircher J, Westhoff B, Krauspe R. *Int Orthop*. 2011 Sep;35(9):1295-301. doi: 10.1007/s00264-010-1106-5. Epub 2010 Aug 8. PMID: 20694725
- 39 [Magnetization transfer imaging provides no evidence of demyelination in methotrexate-induced encephalopathy.](#) Miese FR, Schuster FR, Pierstorff K, Karenfort M, Laws HJ, Borkhardt A, Saleh A. *AJNR Am J Neuroradiol*. 2011 Jun-Jul;32(6):E110-2. doi: 10.3174/ajnr.A2181. Epub 2010 Jul 22. PMID: 20651019
- 40 [Delayed gadolinium-enhanced magnetic resonance imaging of cartilage \(dGEMRIC\), after slipped capital femoral epiphysis.](#) Zilkens C, **Miese F**, Bittersohl B, Jäger M, Schultz J, Holstein A, Kim YJ, Millis MB, Mamisch TC, Krauspe R. *Eur J Radiol*. 2011 Sep;79(3):400-6. doi: 10.1016/j.ejrad.2010.04.022. Epub 2010 May 26. PMID: 20510564
- 41 [Delayed gadolinium-enhanced magnetic resonance imaging of cartilage in the long-term follow-up after Perthes disease.](#) Zilkens C, Holstein A, Bittersohl B, Jäger M, Haamberg T, **Miese F**, Kim YJ, Mamisch TC, Krauspe R. *J Pediatr Orthop*. 2010 Mar;30(2):147-53. doi: 10.1097/BPO.0b013e3181cf13e6. PMID: 20179562
- 42 [MRI morphometry, cartilage damage and impaired function in the follow-up after slipped capital femoral epiphysis.](#) **Miese FR**, Zilkens C, Holstein A, Bittersohl B, Kröpil P, Jäger M, Mamisch TC, Krauspe R, Mödder U, Fürst G. *Skeletal Radiol*. 2010 Jun;39(6):533-41. doi: 10.1007/s00256-010-0903-7. Epub 2010 Feb 24. PMID: 20177672
- 43 Hybrid 18F-labeled Fluoride Positron Emission Tomography/Magnetic Resonance (MR) Imaging of the Sacroiliac Joints and the Spine in Patients with Axial Spondyloarthritis: A Pilot Study Exploring the Link of MR Bone Pathologies and Increased Osteoblastic Activity. Buchbender C, Ostendorf B, Ruhlmann V, Heusch P, **Miese F**, Beiderwellen K, Schneider M, Braun J, Antoch G, Baraliakos X. *J Rheumatol*. 2015 Sep;42(9):1631-7. doi: 10.3899/jrheum.150250. Epub 2015 Jul 1.
- 44 T2* mapping and delayed gadolinium-enhanced magnetic resonance imaging in cartilage (dGEMRIC) of humeral articular cartilage--a histologically controlled study. Bittersohl B, Kircher J, **Miese FR**, Dekkers C, Habermeyer P, Fröbel J, Antoch G, Krauspe R, Zilkens C. *J Shoulder Elbow Surg*. 2015 Oct;24(10):1644-52. doi: 10.1016/j.jse.2015.03.016. Epub 2015 May 7.
- 45 Glycosaminoglycan chemical exchange saturation transfer of lumbar intervertebral discs in patients with spondyloarthritis. Schleich C, Müller-Lutz A, Matuschke F, Sewerin P, Sengewein R, Schmitt B, Ostendorf B, Wittsack HJ, Stanke K, Antoch G, **Miese F**. *J Magn Reson Imaging*. 2015 Oct;42(4):1057-63. doi: 10.1002/jmri.24877. Epub 2015 Mar 11.
- 46 Zonal T2* and T1Gd assessment of knee joint cartilage in various histological grades of cartilage degeneration: an observational in vitro study. Bittersohl B, Hosalkar HS, **Miese FR**, Schibensky J, König DP, Herten M, Antoch G, Krauspe R, Zilkens C. *BMJ Open*. 2015 Feb 9;5(2):e006895. doi: 10.1136/bmjopen-2014-006895.

- 47 Evaluation of a simplified version of the Rheumatoid Arthritis Magnetic Resonance Imaging Score (RAMRIS) comprising 5 joints (RAMRIS5).
Schleich C, Buchbender C, Sewerin P, **Miese F**, Aissa J, Brinks R, Schneider M, Antoch G, Ostendorf B. *Clin Exp Rheumatol*. 2015 Mar-Apr;33(2):209-15. Epub 2015 Jan 29.
- 48 Intra-individual assessment of inflammatory severity and cartilage composition of finger joints in rheumatoid arthritis. Schleich C, Müller-Lutz A, Sewerin P, Ostendorf B, Buchbender C, Schneider M, Antoch G, **Miese F**.
Skeletal Radiol. 2015 Apr;44(4):513-8. doi: 10.1007/s00256-014-2045-9. Epub 2014 Nov 1.
- 49 Comparison of quantitative and semiquantitative dynamic contrast-enhanced MRI with respect to their correlation to delayed gadolinium-enhanced MRI of the cartilage in patients with early rheumatoid arthritis. Müller-Lutz A, Schleich C, Sewerin P, Gross J, Pentang G, Wittsack HJ, Antoch G, Schneider M, Ostendorf B, **Miese F**. *J Comput Assist Tomogr*. 2015 Jan-Feb;39(1):64-9. doi: 10.1097/RCT.0000000000000164.
- 50 Value of Delayed Gadolinium-Enhanced Magnetic Resonance Imaging of Cartilage for the pre-operative assessment of cervical intervertebral discs. Schleich C, **Miese F**, Müller-Lutz A, Boos J, Aissa J, Nasca A, Zaucke F, Bostelmann T, Schimmöller L, Bittersohl B, Steiger HJ, Antoch G, Bostelmann R. *J Orthop Res*. 2016 Oct 4. doi: 10.1002/jor.23454
- 51 Facet tropism and facet joint orientation: risk factors for the development of early biochemical alterations of lumbar intervertebral discs. Schleich C, Müller-Lutz A, Blum K, Boos J, Bittersohl B, Schmitt B, Gerß J, Matuschke F, Wittsack HJ, Antoch G, **Miese F**.
Osteoarthritis Cartilage. 2016 Oct;24(10):1761-8. doi: 10.1016/j.joca.2016.05.004.
- 52 Diagnostic value of CT-localizer and axial low-dose computed tomography for the detection of drug body packing. Aissa J, Kohlmeier A, Rubbert C, Hohn U, Blondin D, Schleich C, Kröpil P, Boos J, Antoch G, **Miese F**. *J Forensic Leg Med*. 2016 Jan;37:55-60. doi: 10.1016/j.jflm.2015.10.009.
- 53 Glycosaminoglycan Chemical Exchange Saturation Transfer of Lumbar Intervertebral Discs in Healthy Volunteers. Schleich C, Müller-Lutz A, Eichner M, Schmitt B, Matuschke F, Bittersohl B, Zilkens C, Wittsack HJ, Antoch G, **Miese F**. *Spine (Phila Pa 1976)*. 2016 Jan;41(2):146-52.
- 54 Gender, BMI and T2 dependencies of glycosaminoglycan chemical exchange saturation transfer in intervertebral discs. Müller-Lutz A, Schleich C, Schmitt B, Antoch G, Matuschke F, Quentin M, Wittsack HJ, **Miese F**. *Magn Reson Imaging*. 2016 Apr;34(3):271-5.
- 55 Biochemical imaging of cervical intervertebral discs with glycosaminoglycan chemical exchange saturation transfer magnetic resonance imaging: feasibility and initial results. Schleich C, Müller-Lutz A, Zimmermann L, Boos J, Schmitt B, Wittsack HJ, Antoch G, **Miese F**. *Skeletal Radiol*. 2016 Jan;45(1):79-85
- 56 Glycosaminoglycan chemical exchange saturation transfer at 3T MRI in asymptomatic knee joints. Schleich C, Bittersohl B, **Miese F**, Schmitt B, Müller-Lutz A, Sondern M, Antoch G, Krauspe R, Zilkens C. *Acta Radiol*. 2016 May;57(5):627-32.

PHIL O'CONNOR

- 1 Ostergaard, M., F. McQueen, et al. (2009). "The OMERACT psoriatic arthritis magnetic resonance imaging scoring system (PsAMRIS): definitions of key pathologies, suggested

- MRI sequences, and preliminary scoring system for PsA Hands." *J Rheumatol* 36(8): 1816-1824.
- 2 Chitale, S., A. Ciapetti, et al. (2010). "Magnetic resonance imaging and musculoskeletal ultrasonography detect and characterize covert inflammatory arthropathy in systemic sclerosis patients with arthralgia." *Rheumatology (Oxford)* 49(12): 2357-2361.
 - 3 Hodgson, R. J., A. J. Grainger, et al. (2010). "Imaging of the Achilles tendon in spondyloarthritis: a comparison of ultrasound and conventional, short and ultrashort echo time MRI with and without intravenous contrast." *Eur Radiol*.
 - 4 Hodgson, R. J., R. Evans, et al. (2011). "Quantitative magnetization transfer ultrashort echo time imaging of the Achilles tendon." *Magn Reson Med* 65(5): 1372-1376.
 - 5 Hodgson, R. J., A. J. Grainger, et al. (2011). "Imaging of the Achilles tendon in spondyloarthritis: a comparison of ultrasound and conventional, short and ultrashort echo time MRI with and without intravenous contrast." *Eur Radiol* 21(6): 1144-1152.
 - 6 Grainger, A. J. and P. J. O'Connor (2012). "Advanced imaging of arthritis." *Semin Musculoskelet Radiol* 16(5): 351.
 - 7 Hodgson, R., N. Menon, et al. (2012). "Quantitative MRI measurements of the Achilles tendon in spondyloarthritis using ultrashort echo times." *British Journal of Radiology* 85(1015): e293-e299.
 - 8 Hodgson, R., P. O'Connor, et al. (2012). "Tendon and ligament imaging." *British Journal of Radiology* 85(1016): 1157-1172.
 - 9 156. Hodgson, R., P. O'Connor, et al. (2012). "Contrast-enhanced MRI of the subdeltoid, subacromial bursa in painful and painless rotator cuff tears." *British Journal of Radiology* 85(1019): 1482-1487.
 - 10 157. Hodgson, R. J., P. J. O'Connor, et al. (2012). "Optimizing MRI for imaging peripheral arthritis." *Semin Musculoskelet Radiol* 16(5): 367-376.
 - 11 Siddle, H. J., R. J. Hodgson, et al. (2012). "Magnetic Resonance Arthrography of Lesser Metatarsophalangeal Joints in Patients with Rheumatoid Arthritis: Relationship to Clinical, Biomechanical, and Radiographic Variables." *The Journal of Rheumatology* 39(9): 1786-1791.
 - 12 Colebatch, A. N., C. J. Edwards, et al. (2013). "EULAR recommendations for the use of imaging of the joints in the clinical management of rheumatoid arthritis." *Ann Rheum Dis*.
 - 13 O'Connor, P. J. (2013). "Crystal Deposition Disease and Psoriatic Arthritis." *Seminars in musculoskeletal radiology* 17(01): 074-079.
 - 14 171. Conaghan, P. G., F. M. McQueen, et al. (2013). "Update on the OMERACT Magnetic Resonance Imaging Task Force: Research and Future Directions." *J Rheumatol*.
 - 15 Freeston, J., Conaghan, P., Grainger, A., O'Connor, P. J., Evans, R., Emery, P., & Hodgson, R. (2012, May). Usefulness of novel whole body multiple joint mri imaging in establishing accurate and timely diagnoses in patients presenting with inflammatory arthritis. In *rheumatology* (vol. 51, pp. 68-68). Great clarendon st, oxford ox2 6dp, England: Oxford Univ Press.
 - 16 Conaghan, P. G., F. M. McQueen, et al. (2014). "Update on the OMERACT magnetic resonance imaging task force: research and future directions." *J Rheumatol* 41(2): 383-

1. Koster IM, Oei EHG, Hensen JJ, et al. Predictive factors for new onset or progression of knee osteoarthritis one year after trauma: MRI follow-up in general practice. *European Radiology* 2011 Jul;21(7):1509-16. doi: 10.1007/s00330-011-2089-3. Epub 2011 Mar 6. <http://www.ncbi.nlm.nih.gov/pubmed/21380741>
2. Siebelt M, van Tiel J, Waarsing JH, Piscaer TM, van Straten M, Booij R, Dijkshoorn ML, Kleinrensink GJ, Verhaar JA, Krestin GP, Weinans H, Oei EHG. Clinically applied CT arthrography to measure the sulphated glycosaminoglycan content of cartilage. *Osteoarthritis and Cartilage* 2011 Oct;19(10):1183-9. doi: 10.1016/j.joca.2011.07.006. Epub 2011 Jul 23. <http://www.ncbi.nlm.nih.gov/pubmed/21820067>
3. Van Tiel J, Siebelt M, Waarsing JH, Piscaer TM, Van Straten M, Booij R, Dijkshoorn ML, Kleinrensink GJ, Verhaar JAN, Krestin GP, Weinans H, Oei EHG CT arthrography of the human knee to measure cartilage quality with low radiation exposure. *Osteoarthritis and Cartilage* 2012 Jul;20(7):678-85. doi: 10.1016/j.joca.2012.03.007. Epub 2012 Mar 21. <http://www.ncbi.nlm.nih.gov/pubmed/22445917>
4. Bron EE, Van Tiel J, Smit H, Poot DHJ, Niessen WJ, Krestin GP, Weinans H, Oei EHG, Kotek G, Klein S Image registration improves human knee cartilage T1 mapping with delayed gadolinium-enhanced MRI of cartilage (dGEMRIC). *European Radiology* 2013 Jan;23(1):246-52. doi: 10.1007/s00330-012-2590-3. Epub 2012 Aug 4. <http://www.ncbi.nlm.nih.gov/pubmed/22865226>
5. Van Tiel J, Kotek G, Smit H, Bron E, Klein S, Krestin GP, Weinans H, Oei EHG Reproducibility of 3D delayed gadolinium enhanced MRI of cartilage (dGEMRIC) of the knee at 3.0 T in patients with early stage osteoarthritis. *European Radiology* 2013 Feb;23(2):496-504. doi: 10.1007/s00330-012-2616-x. Epub 2012 Aug 11. <http://www.ncbi.nlm.nih.gov/pubmed/22886535>
6. Matzat SJ, Van Tiel J, Gold GE, Oei EHG Quantitative MRI techniques of cartilage composition. *Quantitative Imaging in Medicine and Surgery*. 2013 Jun;3(3):162-74. doi: 10.3978/j.issn.2223-4292.2013.06.04. <http://www.ncbi.nlm.nih.gov/pubmed/23833729>
7. Van Tiel J, Reijman M, Bos PK, Hermans J, Van Buul G, Bron EE, Klein S, Verhaar JAN, Krestin GP, Bierma-Zeinstra SMA, Weinans H, Kotek G, Oei EHG Delayed gadolinium-enhanced MRI of cartilage (dGEMRIC) shows no change in cartilage structural composition after viscosupplementation in patients with early-stage knee osteoarthritis. *Rejected, Am J Sports Med, Osteoarthritis and Cartilage, Arthritis Research and Therapy PLoS One*. 2013 Nov 6;8(11):e79785. doi: 10.1371/journal.pone.0079785. <http://www.ncbi.nlm.nih.gov/pubmed/24223194>
8. Schiphof D, Oei EHG, Hofman A, Waarsing JH, Weinans H, Bierma-Zeinstra SMA Sensitivity and associations with pain and body weight of an MRI definition of knee osteoarthritis compared with radiographic Kellgren and Lawrence criteria: a population based study in middle-aged females *Osteoarthritis Cartilage*. 2014 Mar;22(3):440-6. doi: 10.1016/j.joca.2013.12.017. Epub 2014 Jan 11. <http://www.ncbi.nlm.nih.gov/pubmed/24418678>
9. Oei EHG, Van Tiel J, Robinson WH, Gold GE. Quantitative radiologic imaging techniques for articular cartilage composition: toward early diagnosis and development of disease-

- modifying therapeutics for osteoarthritis. *Arthritis Care Res (Hoboken)*. 2014 Aug;66(8):1129-41. doi: 10.1002/acr.22316.
<http://www.ncbi.nlm.nih.gov/pubmed/24578345>
10. Van Tiel J, Kotek G, Reijman M, Bos PK, Bron EE, Klein S, Verhaar JAN, Krestin GP, Weinans H, Oei EHG Delayed gadolinium-enhanced MRI of the meniscus (dGEMRIM) in patients with knee osteoarthritis: relation with meniscal degeneration on conventional MRI, reproducibility, and correlation with dGEMRIC *Eur Radiol*. 2014 Sep;24(9):2261-70. doi: 10.1007/s00330-014-3204-z. Epub 2014 May 10.
<http://www.ncbi.nlm.nih.gov/pubmed/24816941>
 11. Damen J, Schiphof D, Wolde ST, Cats HA, Bierma-Zeinstra SMA, Oei EHG Inter-observer reliability for radiographic assessment of early osteoarthritis features: the CHECK (cohort hip and cohort knee) study. *Osteoarthritis Cartilage*. 2014 Jul;22(7):969-74. doi: 10.1016/j.joca.2014.05.007. Epub 2014 May 21.
<http://www.ncbi.nlm.nih.gov/pubmed/24857977>
 12. Runhaar J, Schiphof D, Reijman M, Bierma-Zeinstra SMA, Oei EHG How to define progression of osteoarthritis using semi-quantitative MRI Osteoarthritis Knee Score (MOAKS) *Osteoarthritis Cartilage*. 2014 Oct;22(10):1533-6. doi: 10.1016/j.joca.2014.06.022. <http://www.ncbi.nlm.nih.gov/pubmed/25278062>
 13. Roze RH, Bierma-Zeinstra SMA, Agricola R, Oei EHG, Waarsing JH Sex related differences in MRI features between two different osteoarthritis subpopulations: data from the Osteoarthritis Initiative. Accepted, *Osteoarthritis and Cartilage*
 14. Runhaar J, Middelkoop van M, Reijman M, Willemsen S, Oei EHG, Vroegindewij D, Osch van G, Koes B, Bierma-Zeinstra SMA Prevention of knee osteoarthritis in overweight females; the first preventive randomized controlled trial in osteoarthritis *Am J Med*. 2015 Aug;128(8):888-895.e4. doi: 10.1016/j.amjmed.2015.03.006. Epub 2015 Mar 26. PMID: 25818496 <http://www.ncbi.nlm.nih.gov/pubmed/25818496>
 15. Landsmeer MLA, Runhaar J, Henrotin YE, Van Middelkoop M, Oei EHG, Vroegindewij D, Reijman M, Van Osch GJVM, Koes B, Bindels PJE, Bierma-Zeinstra SMA Association of urinary biomarker COLL2-1NO2 with incident clinical and radiographic knee OA in overweight and obese women. *Osteoarthritis Cartilage*. 2015 Aug;23(8):1398-404. doi: 10.1016/j.joca.2015.04.011. Epub 2015 Apr 17. PMID: 25891749
 16. Oei L, Zillikens MC, Oei EHG Osteoporotic vertebral fractures as part of systemic disease. *J Clin Densitom*. 2015 Sep 12. pii: S1094-6950(15)00176-6. doi: 10.1016/j.jocd.2015.08.012. [Epub ahead of print] PMID: 26376172
 17. Van Tiel J, Kotek G, Reijman M, Bos PK, Bron EE, Klein S, Nasserinejad K, Van Osch GJ, Verhaar JAN, Krestin GP, Weinans H, Oei EHG Is T1ρ mapping an alternative to delayed gadolinium-enhanced MR imaging of cartilage in the assessment of sulphated glycosaminoglycan content in human osteoarthritic knees? An in vivo validation study. *Radiology*. 2015 Nov 20:150693. [Epub ahead of print] PMID: 26588020
 18. De Schepper EI, Koes BW, Veldhuizen EF, Oei EHG, Bierma-Zeinstra SMA, Luijsterburg PA Prevalence of spinal pathology in patients presenting for lumbar MRI as referred from

- general practice *Fam Pract*. 2015 Dec 8. pii: cmv097. [Epub ahead of print] PMID: 26659653
19. Roze RH, Bierma-Zeinstra SMA, Agricola R, Oei EHG, Waarsing JH Sex related differences in MRI features between two different osteoarthritis subpopulations: data from the Osteoarthritis Initiative *Osteoarthritis Cartilage*. 2015 Dec 18. pii: S1063-4584(15)01428-4. doi: 10.1016/j.joca.2015.12.006. [Epub ahead of print] PMID: 26708257
 20. Runhaar J, Deroisy R, Van Middelkoop M, Barretta F, Barbeta B, Oei EHG, Vroegindewij D, Giacobelli G, Bruyere O, Rovati LC, Reginster JY, Bierma-Zeinstra SMA The role of diet & exercise and of glucosamine sulfate in the prevention of knee osteoarthritis: further results from the Prevention of Knee Osteoarthritis in Overweight Females (PROOF) study. Accepted, *Seminars in Arthritis and Rheumatism*
 21. Landsmeer MLA, Runhaar J, Van der Plas P, Van Middelkoop M, Reijman M, Vroegindewij D, Koes BW, Bindels PJE, Oei EHG, Bierma-Zeinstra SMA Reducing progression of knee OA features assessed by MRI in overweight and obese women: secondary outcomes of a preventive RCT." Accepted, *Osteoarthritis and Cartilage*
 22. Van Tiel J, Siebelt M, Reijman M, Bos PK, Waarsing JH, Zuurmond A-M, Nasserinejad K, Van Osch GJ, Verhaar JAN, Krestin GP, Weinans H, Oei EHG Quantitative in vivo CT arthrography of the human osteoarthritic knee to measure cartilage sulphated glycosaminoglycan content: validation using ex-vivo reference standards. Accepted, *Osteoarthritis and Cartilage*
 23. Damen J, Runhaar J, Kloppenburg M, Meijer R, Bierma-Zeinstra SMA, Oei EHG Differences in early radiographic osteoarthritis cases identified with different view radiographs of the hip and knee: the CHECK (cohort hip and cohort knee) study. Accepted, *Arthritis Care Res (Hoboken)*.
 24. Lankhorst NE, Damen J, Oei EHG, Verhaar JAN, Kloppenburg M, Bierma-Zeinstra SMA, Van Middelkoop M. Incidence, prevalence, natural course and prognosis of patellofemoral osteoarthritis: the Cohort Hip and Cohort Knee study. Accepted, *Osteoarthritis and Cartilage*
 25. Kastelein M, Luijsterburg PAJ, Koster IM, Verhaar JAN, Koes BW, Bierma-Zeinstra SMA, Oei EHG Knee osteoarthritis in traumatic knee symptoms in general practice: 6-year cohort study. *BMJ Open Sport Exerc Med* 2016;2:1 e000153 doi:10.1136/bmjsem-2016-000153
 26. Kogan F, Fan AP, McWalter EJ, Oei EHG, Quon A, Gold GE PET/MRI of metabolic activity in osteoarthritis: A feasibility Study. *J Magn Reson Imaging*. 2016 Oct 31. doi: 10.1002/jmri.25529. [Epub ahead of print] PMID: 27796082
 27. Runhaar J, de Vos BC, van Middelkoop M, Vroegindewij D, Oei EHG, Bierma-Zeinstra SM

- Prevention of Incident Knee Osteoarthritis by Moderate Weight Loss in Overweight and Obese Females.
Arthritis Care Res (Hoboken). 2016 Oct;68(10):1428-33. doi: 10.1002/acr.22854.
PMID: 26866630
28. Hosnijeh FS, Zuiderwijk ME, Versteeg M, Smeele HT, Hofman A, Uitterlinden AG, Agricola R, Oei EHG, Waarsing JH, Bierma-Zeinstra SM, van Meurs JB
Cam deformity and acetabular dysplasia as risk factors for hip osteoarthritis.
Arthritis Rheumatol. 2016 Oct 1. doi: 10.1002/art.39929.
PMID: 27696746
29. Van der Heijden RA, De Kanter JLM, Bierma-Zeinstra SMA, Verhaar JAN, Van Veldhoven PLJ, Krestin GP, Oei EHG, Van Middelkoop M
Structural Abnormalities on Magnetic Resonance Imaging in Patients With Patellofemoral Pain: A Cross-sectional Case-Control Study.
Am J Sports Med. 2016 Sep;44(9):2339-46. doi: 10.1177/0363546516646107. PMID: 27206691
30. Van Meer BL, Oei EHG, Meuffels DE, Van Arkel ERA, Verhaar JAN, Bierma-Zeinstra SMA, Reijman M
Degenerative changes in the knee two years after anterior cruciate ligament rupture and related risk factors: a prospective observational follow-up study.
Am J Sports Med. 2016 Jun;44(6):1524-33. doi: 10.1177/0363546516631936.
PMID: 26965680
31. Landsmeer ML, Runhaar J, Van der Plas P, Van Middelkoop M, Vroegindewijj D, Koes BW, Bindels PJ, Oei EHG, Bierma-Zeinstra SMA
Reducing progression of knee OA features assessed by MRI in overweight and obese women: secondary outcomes of a preventive RCT.
Osteoarthritis Cartilage. 2016 Jun;24(6):982-90. doi: 10.1016/j.joca.2015.12.016.
PMID: 26748391
32. Van der Heijden RA, Oei EHG, Bron EE, Van Tiel J, Van Veldhoven PLJ, Klein S, Verhaar JAN, Krestin GP, Bierma-Zeinstra SMA, Van Middelkoop M
No difference on quantitative MRI in patellofemoral cartilage composition between patients with patellofemoral pain and healthy controls.
Am J Sports Med. 2016 May;44(5):1172-8. doi: 10.1177/0363546516632507.
PMID: 26951075
33. Saberi Hosnijeh F, Siebuhr AS, Uitterlinden AG, Oei EHG, Hofman A, Karsdahl MA, Bierma-Zeinstra SMA, Bay-Jensen AC, Van Meurs JBJ
Association between biomarkers of tissue inflammation and progression of osteoarthritis: evidence from the Rotterdam Study cohort.
Arthritis Res Ther. 2016 Apr 1;18(1):81. doi: 10.1186/s13075-016-0976-3.
PMID: 27039382

34. Peters MJ, Ramos YF, den Hollander W, Schiphof D, Hofman A, Uitterlinden AG, Oei EHG, Slagboom PE, Kloppenburg M, Bloem JL, Bierma-Zeinstra SM, Meulenbelt I, van Meurs JB. Associations between joint effusion in the knee and gene expression levels in the circulation: a meta-analysis. *F1000Res*. 2016 Jan 27;5:109. doi: 10.12688/f1000research.7763.1. PMID: 27134727
35. Sudot-Szopińska I, Jurik AG, Eshed I, Lennart J, Grainger A, Østergaard M, Klauser A, Cotten AB, Wick MC, Maas M, Miese F, Egund N, Boutry N, Ruprecht M, Reijnierse M, Oei EHG, Meier R, O'Connor P, Feydy A, Mascarenhas V, Plagou A, Simoni P, Platzgummer H, Rennie WJ, Mester A, Teh J, Robinson P, Guglielmi G, Åström G, Schueller-Weiderkamm C. Recommendations of the ESSR Arthritis Subcommittee for the use of magnetic resonance imaging in musculoskeletal rheumatic diseases. *Semin Musculoskelet Radiol*. 2015 Sep;19(4):396-411. doi: 10.1055/s-0035-1564696 PMID: 26583367
36. Runhaar J, Middelkoop van M, Reijman M, Willemsen S, Oei EHG, Vroegindewei D, Osch van G, Koes B, Bierma-Zeinstra SMA. Prevention of knee osteoarthritis in overweight females; the first preventive randomized controlled trial in osteoarthritis. *Am J Med*. 2015 Aug;128(8):888-895.e4. doi: 10.1016/j.amjmed.2015.03.006. PMID: 25818496
37. Chaudhari AS, Black MS, Eijgenraam S, Wirth W, Maschek S, Sveinsson B, Eckstein F, Oei EHG, Gold GE, Hargreaves BA. Five-minute knee MRI for simultaneous morphometry and T2 relaxometry of cartilage and meniscus and for semiquantitative radiological assessment using double-echo in steady-state at 3T. *J Magn Reson Imaging*. 2017 Nov 1. doi: 10.1002/jmri.25883. [Epub ahead of print] PMID:29090500
38. van Middelkoop M, Bennell KL, Callaghan MJ, Collins NJ, Conaghan PG, Crossley KM, Eijkenboom JJFA, van der Heijden RA, Hinman RS, Hunter DJ, Meuffels DE, Mills K, Oei EHG, Runhaar J, Schiphof D, Stefanik JJ, Bierma-Zeinstra SMA. International patellofemoral osteoarthritis consortium: Consensus statement on the diagnosis, burden, outcome measures, prognosis, risk factors and treatment. *Semin Arthritis Rheum*. 2017 Sep 23. pii: S0049-0172(17)30224-X. doi: 10.1016/j.semarthrit.2017.09.009. [Epub ahead of print] Review. PMID: 29056348
- Verschueren J, Meuffels DE, Bron EE, Klein S, Kleinrensink GJ, Verhaar JAN, Bierma-Zeinstra SMA, Krestin GP, Wielopolski PA, Reijman M, Oei EHG. Possibility of quantitative T2-mapping MRI of cartilage near metal in high tibial osteotomy: A human cadaver study. *J Orthop Res*. 2017 Sep 11. doi: 10.1002/jor.23729. [Epub ahead of print] PMID:28892256

39. van Ochten JM, de Vries AD, van Putte N, Oei EHG, Bindels PJE, Bierma-Zeinstra SMA, van Middelkoop M.
Association between Patient History and Physical Examination and Osteoarthritis after Ankle Sprain.
Int J Sports Med. 2017 Sep;38(9):717-724. doi: 10.1055/s-0043-109554. Epub 2017 Jul 24.
PMID:28738428
40. Poot DHJ, van der Heijden RA, van Middelkoop M, Oei EHG, Klein S.
Dynamic contrast-enhanced MRI of the patellar bone: How to quantify perfusion.
J Magn Reson Imaging. 2017 Jul 14. doi: 10.1002/jmri.25817. [Epub ahead of print]
PMID:28707311
41. van den Berg R, Jongbloed LM, Kuchuk NO, Roorda LD, Oostveen JCM, Koes BW, Oei EHG, Bierma-Zeinstra SMA, Luijsterburg PAJ.
The Association Between Self-reported Low Back Pain and Radiographic Lumbar Disc Degeneration of the Cohort Hip and Cohort Knee (CHECK) Study. Spine (Phila Pa 1976). 2017 Oct 1;42(19):1464-1471. doi: 10.1097/BRS.0000000000002228.
PMID:28542106
42. de Vos BC, Landsmeer MLA, van Middelkoop M, Oei EHG, Krul M, Bierma-Zeinstra SMA, Runhaar J.
Long-term effects of a lifestyle intervention and oral glucosamine sulphate in primary care on incident knee OA in overweight women.
Rheumatology (Oxford). 2017 Aug 1;56(8):1326-1334. doi: 10.1093/rheumatology/kex145.
PMID: 28431145
43. Ferket BS, Feldman Z, Zhou J, Oei EH, Bierma-Zeinstra SM, Mazumdar M.
Impact of total knee replacement practice: cost effectiveness analysis of data from the Osteoarthritis Initiative.
BMJ. 2017 Mar 28;356:j1131. doi: 10.1136/bmj.j1131.
PMID: 28351833 Free Article
44. van der Voet JA, Runhaar J, van der Plas P, Vroegindewij D, Oei EH, Bierma-Zeinstra SMA.
Baseline meniscal extrusion associated with incident knee osteoarthritis after 30 months in overweight and obese women.
Osteoarthritis Cartilage. 2017 Aug;25(8):1299-1303. doi: 10.1016/j.joca.2017.03.014. Epub 2017 Mar 27.
PMID: 28351706
45. Saltzherr MS, Coert JH, Selles RW, van Neck JW, Jaquet JB, van Osch GJ, Oei EH, Luime JJ, Muradin GS.
Accuracy of magnetic resonance imaging to detect cartilage loss in severe osteoarthritis of the first carpometacarpal joint: comparison with histological evaluation.
Arthritis Res Ther. 2017 Mar 14;19(1):55. doi: 10.1186/s13075-017-1262-8.

PMID: 28288684 Free PMC Article

46. Visser JJ, Oei EH, Hunink MG.
Semin Using Cost-Effectiveness Analysis to Measure Value in Musculoskeletal Imaging. *Musculoskelet Radiol*. 2017 Feb;21(1):37-42. doi: 10.1055/s-0036-1597254. Epub 2017 Mar 2. Review.
PMID: 28253532

47. Visser JJ, Oei EH, Hunink MG.
Semin Using Cost-Effectiveness Analysis to Measure Value in Musculoskeletal Imaging. *Musculoskelet Radiol*. 2017 Feb;21(1):37-42. doi: 10.1055/s-0036-1597254. Epub 2017 Mar 2. Review.
PMID: 28253532

48. Damen J, Runhaar J, Kloppenburg M, Meijer R, Bierma-Zeinstra SMA, Oei EHG. Additional Value of Different Radiographic Views on the Identification of Early Radiographic Hip and Knee Osteoarthritis and Its Progression: A Cohort Study. *Arthritis Care Res (Hoboken)*. 2017 Nov;69(11):1644-1650. doi: 10.1002/acr.23206. Epub 2017 Sep 26.
PMID: 28125169

49. Plagou A, Teh J, Grainger AJ, Schueller-Weidekamm C, Sudot-Szopińska I, Rennie W, Åström G, Feydy A, Giraud C, Guerini H, Guglielmi G, Isaac A, Jans L, Jurik AG, Kainberger F, Maas M, Martinoli C, Mascarenhas VV, Miese F, O'Connor P, Oei EH, Østergaard M, Peetrons P, Platzgummer H, Reijnierse M, Robinson P, Rupprecht M, Simoni P, Wick MC, Zejden A, Klauser AS.
Recommendations of the ESSR Arthritis Subcommittee on Ultrasonography in Inflammatory Joint Disease.
Semin Musculoskelet Radiol. 2016 Nov;20(5):496-506. doi: 10.1055/s-0036-1593533. Epub 2016 Dec 21. Review.
PMID: 28002871

50. Lankhorst NE, Damen J, Oei EHG, Verhaar JAN, Kloppenburg M, Bierma-Zeinstra SMA, Van Middelkoop M.
Incidence, prevalence, natural course and prognosis of patellofemoral osteoarthritis: the Cohort Hip and Cohort Knee study.
Osteoarthritis Cartilage. 2017 May;25(5):647-653. doi: 10.1016/j.joca.2016.12.006. Epub 2016 Dec 9.
PMID: 27940216

51. Zhang F, Bierma-Zeinstra SMA, Oei EHG, Turkiewicz A, Englund M, Runhaar J.
Factors associated with meniscal body extrusion on knee MRI in overweight and obese women.

- Osteoarthritis Cartilage. 2017 May;25(5):694-699. doi: 10.1016/j.joca.2016.12.001.
Epub 2016 Dec 7.
PMID: 27939623
52. Kogan F, Fan AP, McWalter EJ, Oei EHG, Quon A, Gold GE.
PET/MRI of metabolic activity in osteoarthritis: A feasibility study.
J Magn Reson Imaging. 2017 Jun;45(6):1736-1745. doi: 10.1002/jmri.25529. Epub
2016 Oct 31.
PMID:27796082
53. Saberi Hosnijeh F, Zuiderwijk ME, Versteeg M, Smeele HT, Hofman A, Uitterlinden AG,
Agricola R, Oei EHG, Waarsing JH, Bierma-Zeinstra SM, van Meurs JB
Cam deformity and acetabular dysplasia as risk factors for hip osteoarthritis.
Arthritis Rheumatol. 2017 Jan;69(1):86-93. doi: 10.1002/art.39929.
PMID: 27696746
54. De Schepper EI, Koes BW, Oei EHG, Bierma-Zeinstra SMA, Luijsterburg PA
The added prognostic value of MRI findings for recovery in patients with low back pain in
primary care: a 1-year follow-up cohort study.
Eur Spine J. 2016 Apr;25(4):1234-41. doi: 10.1007/s00586-016-4423-6.
PMID: 26858135
55. Van Tiel J, Siebelt M, Reijman M, Bos PK, Waarsing JH, Zuurmond AM, Nasserinejad K,
Van Osch GJ, Verhaar JAN, Krestin GP, Weinans H, Oei EHG
Quantitative in vivo CT arthrography of the human osteoarthritic knee to measure
cartilage sulphated glycosaminoglycan content: correlation with ex-vivo reference
standards.
Osteoarthritis Cartilage. 2016 Jun;24(6):1012-20. doi: 10.1016/j.joca.2016.01.137.
PMID: 26851449
56. Runhaar J, Deroisy R, Van Middelkoop M, Barretta F, Barretta B, Oei EHG,
Vroegindewij D, Giacobelli G, Bruyere O, Rovati LC, Reginster JY, Bierma-Zeinstra SMA
The role of diet and exercise and of glucosamine sulfate in the prevention of knee
osteoarthritis: Further results from the PREvention of knee Osteoarthritis in Overweight
Females (PROOF) study.
Semin Arthritis Rheum. 2016 Feb;45(4 Suppl):S42-8. doi:
10.1016/j.semarthrit.2015.11.001. PMID: 26806185
57. Lankhorst NE, Van Middelkoop M, Crossley KM, Bierma-Zeinstra SMA, Oei EHG, Vicenzino
B., Collins NJ
Factors that predict a poor outcome 5-8 years after the diagnosis of patellofemoral pain:
a multicentre observational analysis.
Br J Sports Med. 2016 Jul;50(14):881-6. doi: 10.1136/bjsports-2015-094664.
PMID: 26463119

58. Accepted for publication (not yet Pubmed-indexed)

Kogan F, Levine EG, Chaudhari AS, Monu UD, Epperson K, Oei EHG, Gold GE,
Hargreaves BA
Simultaneous Bilateral Knee MR Imaging
Accepted, Magn Reson Med

PATRICK OMOUMI

- 1 Omoumi P, Babel H, Jolles BM, Favre J. [Quantitative regional and sub-regional analysis of femoral and tibial subchondral bone mineral density \(sBMD\) using computed tomography \(CT\): comparison of non-osteoarthritic \(OA\) and severe OA knees. Osteoarthritis Cartilage. 2017 Jul 23.](#)
- 2 Colotti R, Omoumi P, Bonanno G, Ledoux JB, van Heeswijk RB. [Isotropic three-dimensional T2 mapping of knee cartilage: Development and validation. J Magn Reson Imaging. 2017 May 10.](#)
- 3 Omoumi P, Michoux N, Larbi A, Lacoste L, Lecouvet FE, Perlepe V, Vande Berg BC. [Multirater agreement for grading the femoral and tibial cartilage surface lesions at CT arthrography and analysis of causes of disagreement. Eur J Radiol. 2017 Mar;88:95-101.](#)
- 4 Edd SN, Favre J, Blazek K, Omoumi P, Asay JL, Andriacchi TP. [Altered gait mechanics and elevated serum pro-inflammatory cytokines in asymptomatic patients with MRI evidence of knee cartilage loss. Osteoarthritis Cartilage. 2017 Jan 5.](#)
- 5 Omoumi P, Zufferey P, Malghem J, So A. [Imaging in Gout and Other Crystal-Related Arthropathies. Rheum Dis Clin North Am. 2016 Nov;42\(4\):621-644](#)
- 6 Omoumi P, Larbi A, Zufferey P, So A, Becce F, Vande Berg B, Malghem J. MRI of axial spondyloarthritis: diagnostic role and pitfalls. Rev Med Suisse. 2016 Mar 9;12(509):495-6, 498-502.
- 7 Zufferey P, Valcov R, Fabreguet I, Dumusc A, Omoumi P, So A. A prospective evaluation of ultrasound as a diagnostic tool in acute microcrystalline arthritis. Arthritis Res Ther. 2015 Jul 22;17:188.
- 8 Lecouvet FE, Michoux N, Nzeuseu Toukap A, Larbi A, Berg BV, Malghem J, Triqueneaux P, Omoumi P, Stoeniu MS. [The Increasing Spectrum of Indications of Whole-Body MRI Beyond Oncology: Imaging Answers to Clinical Needs. Semin Musculoskelet Radiol. 2015 Sep;19\(4\):348-62.](#)
- 9 Omoumi P, Michoux N, Thienpont E, Roemer FW, Vande Berg BC. [Anatomical distribution of areas of preserved cartilage in advanced femorotibial osteoarthritis using CT arthrography \(Part 1\). Osteoarthritis Cartilage. 2015 Jan;23\(1\):83-7.](#)
- 10 Omoumi P, Michoux N, Roemer FW, Thienpont E, Vande Berg BC. [Cartilage thickness at the posterior medial femoral condyle is increased in femorotibial knee osteoarthritis: a](#)

- [cross-sectional CT arthrography study \(Part 2\). Osteoarthritis Cartilage. 2015 Feb;23\(2\):224-31.](#)
- 11 Thienpont E, Schwab PE, Omoumi P. [Wear patterns in anteromedial osteoarthritis of the knee evaluated with CT-arthrography. Knee. 2014;21 Suppl 1:S15-9.](#)
 - 12 Vande Berg BC, Omoumi P, Larbi A, Lecouvet F, Malghem J. [Update on MR imaging of spondyloarthritis. part two: spine MR imaging. JBR-BTR. 2014 Jul-Aug;97\(4\):228-32.](#)
 - 13 Vande Berg BC, Omoumi P, Larbi A, Lecouvet F, Malghem J. [Update on MRI of spondyloarthritis. part one: the sacro-iliac joint. JBR-BTR. 2014 Jul-Aug;97\(4\):222-7.](#)
 - 14 Omoumi P, Rubini A, Dubuc JE, Vande Berg BC, Lecouvet FE. [Diagnostic performance of CT-arthrography and 1.5T MR-arthrography for the assessment of glenohumeral joint cartilage: a comparative study with arthroscopic correlation. Eur Radiol. 2014 Nov 8.](#)
 - 15 Lepage-Saucier M, Thiéry C, Larbi A, Lecouvet FE, Vande Berg BC, Omoumi P. [Femoroacetabular impingement: normal values of the quantitative morphometric parameters in asymptomatic hips. Eur Radiol. 2014 Jul;24\(7\):1707-14.](#)
 - 16 Omoumi P, Thiery C, Michoux N, Malghem J, Lecouvet FE, Vande Berg BC. Anatomic features associated with femoroacetabular impingement are equally common in hips of old and young asymptomatic individuals without CT signs of osteoarthritis. *AJR Am J Roentgenol.* 2014 May;202(5):1078-86.
 - 17 Omoumi P, Bae WC, Du J, Diaz E, Statum S, Bydder GM, Chung CB. [Meniscal calcifications: morphologic and quantitative evaluation by using 2D inversion-recovery ultrashort echo time and 3D ultrashort echo time 3.0-T MR imaging techniques--feasibility study. Radiology. 2012 Jul;264\(1\):260-8.](#)
 - 18 Omoumi P, Teixeira P, Delgado G, Chung CB. [Imaging of lower limb cartilage. Top Magn Reson Imaging. 2009 Jun;20\(3\):189-201.](#)
 - 19 Omoumi P, Mercier GA, Lecouvet F, Simoni P, Vande Berg BC. [CT arthrography, MR arthrography, PET, and scintigraphy in osteoarthritis. Radiol Clin North Am. 2009 Jul;47\(4\):595-615.](#)

MIKKEL ØSTERGAARD

- 1 Pedersen SJ, Sørensen IJ, Hermann K-GA, Madsen OR, Tvede N, Hansen MS, Thamsborg G, Smedegaard Andersen L, Majgaard O, Loft AG, Erlendsson J, Asmussen K, Johansen JS, Jurik AG, Møller J, Hasselquist M, Mikkelsen D, Skjødt T, Hansen A, Østergaard M: **Responsiveness of the ankylosing spondylitis disease activity index (ASDAS), and clinical and magnetic resonance imaging measures of disease activity in a 1 year follow-up study of patients with axial spondyloarthritis treated with TNF- α inhibitors.** *Annals of the Rheumatic Diseases* 69: 1065-71; 2010
- 2 Spannow AH, Stenbøg E, Pfeiffer-Jensen M, Fiirgaard B, Haislund M, Østergaard M, Andersen NT, Herlin T: **Ultrasound and MRI measurements of joint cartilage in healthy children: A validation study.** *Ultraschall in Medizin* 32, Suppl. 1: 110-116; 2010.

- 3 Hetland ML, Stengaard-Pedersen K, Junker P, Ejbjerg B, Lottenburger T, Hansen I, Tarp U, Skjødt H, Andersen LS, Svendsen A, Pedersen JK, Lauridsen UB, Ellingsen T, Lindegaard H, Pødenphant J, Vestergaard Aa, Jurik AG, Østergaard M, Hørslev-Petersen K:
Radiographic progression and remission rates in early rheumatoid arthritis – MRI bone oedema and anti-CCP predicted radiographic progression in the 5-year extension of the double-blind randomized CIMESTRA trial. Annals of the Rheumatic Diseases 69: 1789-95; 2010.
- 4 **The diagnostic utility of MRI in spondyloarthritis: An international multicentre evaluation of 187 subjects (The MORPHO study)** Arthritis and Rheumatism 62: 3048-58; 2010.
- 5 Østergaard M, Poggenborg RP, Axelsen MB, Pedersen SJ:
Magnetic resonance imaging in spondyloarthritis - how to quantify findings and measure response.
Best Practice & Research Clinical Rheumatology 24: 637-57; 2010.
- 6 Bøyesen P, Haavardsholm EA, Østergaard M, van der Heijde D, Sesseng S, Kvien TK:
MRI in early rheumatoid arthritis: Both synovitis and bone marrow edema are independent predictors of subsequent radiographic progression.
Annals of the Rheumatic Diseases 70: 428-33; 2010.
- 7 Østergaard M: **Clarification of the role of ultrasonography, magnetic resonance imaging and conventional radiography in the ACR/EULAR 2010 rheumatoid arthritis classification criteria - comment to the article by Aletaha et al.** Annals of the Rheumatic Diseases (published online December 2, 2010)(e-letter)
- 8 Weber U, Lambert R, Pedersen SJ, Hodler J, Østergaard M, Maksymowych WP:
Assessment of structural lesions in sacroiliac joints enhances diagnostic utility of MRI in early spondyloarthritis. Arthritis Care and Research 62: 1763-71; 2010.
- 9 Bøyesen P, Haavardsholm EA, van der Heijde D, Østergaard M, Hammer HB, Sesseng S, Kvien TK.
Prediction of magnetic resonance imaging erosive progression: A comparison of modern imaging modalities in early rheumatoid arthritis patients. Annals of the Rheumatic Diseases 70: 176-9; 2011.
- 10 Døhn UM, Ejbjerg B, Boonen A, Hetland ML, Hansen MS, Knudsen LS, Hansen A, Madsen OR, Hasselquist M, Møller JM, Østergaard M: **No overall progression and occasional repair of erosions despite persistent inflammation in adalimumab treated rheumatoid arthritis patients – results from a longitudinal comparative MRI, ultrasonography, CT and radiography study.**
Annals of the Rheumatic Diseases 70: 252-8; 2011
- 11 Poggenborg RP, Terslev L, Pedersen SJ, Østergaard M: **Recent advances in imaging in psoriatic arthritis.**
Therapeutic Advances in Musculoskeletal Diseases 3: 43-53; 2011.
- 12 Cohen S, Potter H, Deodhar A, Emery P, Conaghan P, Østergaard M: **Extremity magnetic resonance imaging in rheumatoid arthritis: Updated literature review.** Arthritis Care and Research (Hoboken) 63: 660-5; 2011.
- 13 Boesen M, Kubassova O, Cimmino MA, Østergaard M, Taylor PC, Danneskiold-Samsøe B, Bliddal H:
Dynamic Contrast Enhanced MRI can monitor the very early inflammatory treatment response upon intra articular steroid injection in the knee joint? A case report with

review of the literature.

Arthritis 2011: 578252; 2011.

- 14 Pedersen SJ, Chiowchanwisawakit P, Lambert RQW, Østergaard M, Maksymowych WP: **Resolution of inflammation following treatment of ankylosing spondylitis is associated with new bone formation.** The Journal of Rheumatology 38: 1349-54; 2011.
- 15 Strand V, Kingsbury SR, Woodworth T, Landewe R, Østergaard M, Peterfy C, van der Heijde D, d'Agostino MA, Maksymowych W, Tak PP, Wells G, Conaghan PG: **OMERACT 10 Sharp symposium: important findings in examination of imaging methods for measurement of joint damage in rheumatoid arthritis.** The Journal of Rheumatology: 2009-13; 2011
- 16 Østergaard M, Døhn UM, Duer-Jensen A, Hetland ML, Hørslev-Petersen K, Stengaard-Pedersen K, Junker P, Pødenphant J, Ejbjerg B: **Patterns of MRI bone erosion in rheumatoid arthritis – which bones are most frequently involved and show most change?** The Journal of Rheumatology 38: 2014-7; 2011.
- 17 Conaghan PG, McQueen F, Bird P, Peterfy C, Haavardsholm E, Gandjbakhch F, Bøyesen P, Coates L, Ejbjerg B, Eshed I, Foltz V, Hermann K-G, Freeston J, Lillegraven S, Lassere M, Wiell C, Anandarajah A, Duer-Jensen A, O'Connor P, Genant H, Emery P, Østergaard M: **Update on research and future directions of the OMERACT MRI Inflammatory Arthritis Group** The Journal of Rheumatology 38: 2031-3; 2011.
- 18 Gandjbakhch F, Conaghan PG, Ejbjerg B, Haavardsholm EA, Foltz V, Brown AK, Døhn UM, Lassere M, Freeston J, Bøyesen P, Bird P, Fautrel B, Hetland ML, Emery P, Bourgeois P, Hørslev-Petersen K, Kvien TK, McQueen F, Østergaard M: **Synovitis and osteitis are very frequent in rheumatoid arthritis clinical remission: Results from an MRI study of 294 patients in clinical remission or low disease activity state.** The Journal of Rheumatology 38: 2039-44; 2011.
- 19 Østergaard M, Bøyesen P, Eshed I, Gandjbakhch F, Lillegraven S, Bird P, Foltz V, Boonen A, Lassere M, Hermann K-G, Anandarajah A, Døhn UM, Freeston J, Peterfy CG, Genant HK, Haavardsholm E, McQueen FM, Conaghan PG: **Development and preliminary validation of an MRI joint space narrowing score for use in rheumatoid arthritis: a potential adjunct to the OMERACT RA MRI scoring system.** The Journal of Rheumatology 38: 2045-50; 2011.
- 20 Bøyesen P, McQueen F, Gandjbakhch F, Lillegraven S, Coates L, Wiell C, Haavardsholm EA, Conaghan PG, Peterfy CG, Bird P, Østergaard M: **The OMERACT Psoriatic Arthritis Magnetic Resonance Imaging Score (PsAMRIS) is reliable and sensitive to change: Results from an OMERACT workshop.** The Journal of Rheumatology 38: 2034-8; 2011.
- 21 Duer-Jensen A, Hørslev-Petersen K, Hetland ML, Bak L, Ejbjerg BJ, Hansen MS, Johansen JS, Lindegaard HM, Vinterberg H, Møller JM, Østergaard M: **MRI bone edema is an independent predictor of development of rheumatoid arthritis in patients with early undifferentiated arthritis** Arthritis and Rheumatism 63: 2192-202; 2011.
- 22 Lillegraven S, Bøyesen P, Hammer HB, Østergaard M, Uhlig T, Sesseng S, Kvien TK, Haavardsholm EA: **Tenosynovitis of the extensor carpi ulnaris tendon predicts erosive progression in early rheumatoid arthritis** Annals of the Rheumatic Diseases 70: 2049-50; 2011.

- 23 Pedersen SJ, Sørensen IJ, Lambert R, Hermann K-G, Garnero P, Johansen JS, Madsen OR, Hansen A, Hansen MS, Thamsborg G, Andersen LS, Majgaard O, Loft AG, Erlendsson J, Asmussen K, Jurik AG, Møller J, Hasselquist M, Mikkelsen D, Skjødt T, Østergaard M: **Radiographic progression is associated with resolution of systemic inflammation in patients with axial spondyloarthritis treated with TNF-alpha inhibitors. A study of radiographic progression, MRI inflammation and circulating biomarkers of inflammation, angiogenesis, cartilage and bone turnover.** *Arthritis and Rheumatism* 63: 3789-800; 2011.
- 24 Conaghan PG, Emery P, Østergaard M, Keystone EC, Genovese MC, Hsia EC, Xu W, Rahman MU: **Assessment of inflammation and damage by MRI in rheumatoid arthritis patients with methotrexate inadequate response receiving golimumab: Results of the GO-FORWARD Trial** *Annals of the Rheumatic Diseases* 70: 1968-74; 2011.
- 25 Weber U, Østergaard M, Lambert R, Maksymowych W: **The impact of MRI on the clinical management of inflammatory arthritides.** *Skeletal Radiology* 40: 1153-73; 2011.
- 26 Østergaard M, Emery P, Conaghan PG, Fleischman R, Hsia EC, Xu W, Rahman MU: **Golimumab and methotrexate combination therapy significantly improve synovitis, osteitis and bone erosion compared with methotrexate alone – a magnetic resonance imaging study of 318 methotrexate naïve rheumatoid arthritis patients** *Arthritis and Rheumatism* 63: 3712-22; 2011.
- 27 Emery P, van der Heijde D, Østergaard M, Conaghan PG, Genovese MC, Keystone EC, Fleischmann R, Hsia EC, Xu W, Xu S, Rahman MU: **Exploratory analyses of the association of MRI with clinical, laboratory and radiographic findings in patients with rheumatoid arthritis.** *Annals of the Rheumatic Diseases* 70: 2126-30; 2011.
- 28 Boesen M, Kubassova O, Bouert R, Axelsen MB, Østergaard M, Cimmino M, Danneskiold-Samsøe B, Hørslev-Petersen K, Bliddal H: **Correlation between computer aided dynamic gadolinium-enhanced MRI assessment of inflammation and semiquantitative synovitis and bonemarrow oedema scores of the wrist in patients with rheumatoid arthritis. A cohort study.** *Rheumatology (Oxford)* 51: 134-43; 2012.
- 29 Duer-Jensen A, Hetland ML, Hørslev-Petersen K, Bak L, Ejbjerg BJ, Hansen MS, Johansen JS, Møller JM, Lindegaard HM, Vinterberg H, Østergaard M: **The additive value of magnetic resonance imaging for bone edema in predicting rheumatoid arthritis development in early undifferentiated arthritis: Reply to comment by van der Helm – van Mil et al.** *Arthritis and Rheumatism* 64: 322-3; 2012
- 30 Mandl P, Naredo E, Conaghan PG, d'Agostino MA, Wakefield RJ, Bachtá A, Backhaus M, Hammer HB, Bruyn GA, Damjanov N, Filippucci E, Grassi W, Iagnocco A, Jousse-Joulin S, Kane D, Koski JM, Moller I, de ME, Schmidt WA, Swen WA, Szkudlarek M, Terslev L, Ziswiler HR, Østergaard M, Balint PV: **Practice of ultrasound-guided arthrocentesis and joint injection, including training and implementation, in Europe: results of a survey of experts and scientific societies.** *Rheumatology (Oxford)* 51:184-190; 2012.
- 31 Axelsen MB, Stoltenberg M, Poggenborg R, Kubassova O, Boesen M, Bliddal H, Hørslev-Petersen K, Hanson L, Østergaard M: **Dynamic gadolinium enhanced magnetic resonance imaging allows accurate assessment of the synovial inflammatory activity**

- in rheumatoid arthritis knee joints – a comparison with synovial histology**
Scandinavian Journal of Rheumatology; 41: 89-94; 2012.
- 32 Østergaard M, Poggendorf RP: **Magnetic Resonance Imaging in psoriatic arthritis - Update on current status and future perspectives: A report from the GRAPPA 2010 Annual Meeting** The Journal of Rheumatology 39: 408-12; 2012.
- 33 Wakefield RJ, D'Agostino MA, Naredo E, Buch MH, Iagnocco A, Terslev L, Østergaard M, Backhaus M, Grassi W, Dougados M, Burmester GR, Saleem B, de Miguel E, Estrach C, Ikeda K, Gutierrez M, Thompson R, Balint P, Emery P: **After treat-to-target: can a targeted ultrasound initiative improve RA outcomes?**
The Annals of the Rheumatic Diseases 71: 799-803; 2012.
- 34 Hetland, ML Østergaard M, Ejbjerg B, Jacobsen S, Stengaard-Pedersen K, Junker P, Lottenburger T, Hansen I, Andersen LS, Tarp U, Svendsen A, Pedersen JK, Skjødt H, Ellingsen T, Lindegaard H, Pødenphant J, Hørslev-Petersen K, CIMESTRA study group: **Short- and long-term efficacy of intra-articular injections with betamethasone as part of a treat-to-target strategy in early rheumatoid arthritis. Impact of joint area, repeated injections, MRI findings, anti-CCP, IgM-RF and CRP.**
The Annals of the Rheumatic Diseases 71: 851-6; 2012.
- 35 Hermann K-GA, Baraliakos X, van der Heijde DMFM, Jurik A-G, Landewé R, Marzo-Ortega H, Østergaard M, Rudwaleit M, Sieper J, Braun J: **Descriptions of spinal MRI lesions and definition of a positive MRI of the spine in axial spondyloarthritis: a consensual approach by the ASAS/OMERACT MRI study group.**
The Annals of the Rheumatic Diseases 71: 1278-88; 2012.
- 36 Østergaard M, Lambert RGW: **Imaging in ankylosing spondylitis**
Therapeutic Advances in Musculoskeletal Diseases 4: 301-11; 2012.
- 37 Tan YK, Østergaard M, Conaghan PG: **Imaging tools in rheumatoid arthritis: Ultrasound versus Magnetic Resonance Imaging** Rheumatology (Oxford) 51 Suppl 7:vii36-vii42; 2012.
- 38 Weber U, Pedersen SJ, Østergaard M, Rufibach K, Lambert RG, Maksymowych WP: **Can erosions on MRI of the sacroiliac joints be reliably detected in patients with ankylosing spondylitis? - A cross-sectional study** Arthritis Research and Therapy 14: R124; 2012.
- 39 Østergaard M: **Can imaging be used for inflammatory arthritis screening?**
Seminars in Musculoskeletal Imaging 16: 401-9; 2012.
- 40 Kaeley GS, d'Agostino MA, Grassi W, Østergaard M, Olivieri I: **GRAPPA 2011: Proceedings from the Ultrasound Imaging Module** The Journal of Rheumatology 39: 2211-13; 2012.
- 41 McQueen FM, Østergaard M: **Imaging in rheumatology: New tools for use in clinical practice in 2012**
Best Practice & Research Clinical Rheumatology 26: 743-9; 2012.
- 42 Pedersen SJ, Weber U, Østergaard M: **The diagnostic utility of MRI in spondyloarthritis.**
Best Practice & Research Clinical Rheumatology 26: 751-66; 2012.
- 43 Wakefield RJ, d'Agostino MA, Naredo E, Buch MH, Iagnocco A, Terslev L, Østergaard M, Backhaus M, Grassi W, Dougados M, Burmester GR, Saleem B, de Miguel E, Estrach C, Ikeda K, Gutierrez M, Thompson R, Balint P, Emery P: **After treat-to-target: can a targeted ultrasound initiative improve RA outcomes?**
Postgraduate Medical Journal 88: 482-486; 2012.

- 44 Ørnbjerg LM, Østergaard M, Bøyesen P, Krogh NS, Thormann A, Tarp U, Poulsen UE, Espesen J, Ringsdal VS, Graudal N, Kollerup G, Jensen DV, Madsen OR, Glintborg B, Christensen T, Lindegaard H, Dencker D, Hansen A, Andersen AR, Hetland ML: **Impact of tumour necrosis factor inhibitor treatment on radiographic progression in rheumatoid arthritis patients in clinical practice. Results from the nationwide Danish DANBIO registry.** *The Annals of the Rheumatic Diseases* 72: 57-63; 2013.
- 45 Døhn UM, Terslev L, Szkudlarek M, Hansen MS, Hetland ML, Hansen A, Madsen OR, Hasselquist M, Møller J, Østergaard M: **Detection, scoring and volume assessment of bone erosions by ultrasonography in rheumatoid arthritis – a comparison with computed tomography.** *The Annals of the Rheumatic Diseases* 72: 530-4; 2013.
- 46 Colebatch AN, Edwards CJ, Østergaard M, van der Heijde D, Balint PV, D'Agostino M-A, Forslund K, Grassi W, Haavardsholm EA, Haugeberg G, Jurik AG, Landewé RBM, Naredo E, O'Connor PJ, Ostendorf B, Potočki K, Schmidt WA, Smolen JS, Sokolovic S, Watt I, Conaghan PG: **EULAR recommendations for the use of imaging of the joints in the clinical management of rheumatoid arthritis.** *The Annals of the Rheumatic Diseases* 72: 804-14; 2013.
- 47 Axelsen MB, Poggenborg RP, Stoltenberg M, Kubassova O, Boesen M, Hørslev-Petersen K, Bliddal H, Hanson LG, Østergaard M: **Reliability and responsiveness of dynamic contrast-enhanced magnetic resonance imaging in rheumatoid arthritis.** *Scandinavian Journal of Rheumatology* 42: 115-22; 2013.
- 48 Weber U, Zubler V, Pedersen SJ, Rufibach K, Lambert RG, Chan SM, Østergaard M, Maksymowych WP: **Development and validation of a magnetic resonance imaging reference criterion for defining a positive sacroiliac joint magnetic resonance imaging finding in spondyloarthritis.** *Arthritis Care & Research* 65: 977-85; 2013.
- 49 Wiell C, Szkudlarek M, Hasselquist M, Møller JM, Nørregaard J, Terslev L, Østergaard M: **Ultrasonography of painful Achilles tendons and entheses in patients with and without spondyloarthropathy – a comparison with clinical examination and MRI.** *Clinical Rheumatology* 32: 301-308; 2013.
- 50 Conaghan P, Ostergaard M, D'Agostino MA, Gaylis N, Arnold W, Olech E, Wells A, Peterfy C, Seraphine JL, Troum O: **Proceedings from the 5th Annual International Society for Musculoskeletal Imaging in Rheumatology Annual Conference.** *Seminars in Arthritis and Rheumatism* 42: 433-46; 2013.
- 51 Peterfy C, Østergaard M, Conaghan PG: **MRI comes of age in rheumatoid arthritis clinical trials** *The Annals of the Rheumatic Diseases* 72: 794-796; 2013.
- 52 American College of Rheumatology Rheumatoid Arthritis Clinical Trials Task Force Imaging Group and Outcome Measures in Rheumatology Magnetic Resonance Imaging Inflammatory Arthritis Working Group (Ranganath VR, Strand V, Peterfy C, Østergaard M, Deodhar A, Landewe R, Troum O, Conaghan PG): **The Utility of Magnetic Resonance Imaging for Assessing Structural Damage in Randomized Controlled Trials in Rheumatoid Arthritis.** *Arthritis and Rheumatism* 65: 2513-23; 2013.
- 53 Pedersen SJ, Zhao Z, Lambert RGW, Wichuk S, Østergaard M, Weber U, Maksymowych WP:

The FAt Spondyloarthritis Spine Score (FASSS): development and validation of a new scoring method for the evaluation of fat lesions in the spine of patients with axial spondyloarthritis.

Arthritis Research & Therapy 15:R216; 2013.

- 54 Poggenborg RP, Bird P, Boonen A, Wiell W, Pedersen SJ, Sørensen IJ, Madsen OR, Slot O, Møller J, Bøyesen P, Hasselquist M, Østergaard M: **Pattern of bone erosion and bone proliferation in psoriatic arthritis hands: a high-resolution CT and radiography follow-up study during adalimumab therapy.**

Scandinavian Journal of Rheumatology 43: 202-8; 2014.

- 55 Weber U, Pedersen SJ, Zubler V, Rufibach K, Chan C, Lambert R, Østergaard M, Maksymowych W:

Fat infiltration on MRI of the sacroiliac joints has limited diagnostic utility in non-radiographic axial spondyloarthritis. The Journal of Rheumatology 41: 75-83; 2014.

- 56 Tan YK, Østergaard M, Bird P, Conaghan PC; **Ultrasound versus high field MRI in rheumatoid arthritis.**

Clinical and Experimental Rheumatology 32 (Suppl. 80): S99-S105, 2014.

- 57 Jaremko JL, Lambert RGL, Zubler V, Weber U, Loeuille D, Roemer FW, Cibere J, Pianta M, Gracey D, Conaghan P, Østergaard M, Maksymowych WP: **Methodologies for semi-quantitative evaluation of hip osteoarthritis by MRI : Approaches based on the whole organ and focused on active lesions.**

The Journal of Rheumatology 41: 359-69; 2014

- 58 Conaghan PG, McQueen F, Bird P, Peterfy CG, Haavardsholm EA, Gandjbakhch F, Eshed I, Haugen IK, Lillegraven S, Døhn UM, Ejbjerg B, Foltz V, Coates L, Bøyesen P, Hermann KGA, Freeston J, Lassere MND, O'Connor P, Emery P, Genant H, Østergaard M: **Update on the OMERACT MRI Task Force: research and future directions.**

The Journal of Rheumatology 41: 383-5; 2014

- 59 Haugen IK, Østergaard M, Eshed I, McQueen F, Bird P, Gandjbakhch F, Foltz V, Genant H, Peterfy CG, Lillegraven S, Haavardsholm EA, Bøyesen P, Conaghan PG: **The iterative development and reliability of the OMERACT hand osteoarthritis MRI scoring system (HOAMRIS).**

The Journal of Rheumatology 41: 386-91; 2014

- 60 Døhn UM, Conaghan PG, Eshed I, Boonen A, Bøyesen P, Peterfy CG, Lillegraven S, Ejbjerg B, Gandjbakhch F, Bird P, Foltz V, Genant H, Haavardsholm EA, McQueen FM, Østergaard M: **The OMERACT-RAMRIS rheumatoid arthritis MRI joint space narrowing score: Intra- and interreader reliability and agreement with computed tomography and conventional radiography.**

The Journal of Rheumatology 41: 392-7; 2014.

- 61 Gandjbakhch F, Haavardsholm EA, Conaghan PG, Ejbjerg B, Foltz V, Brown AK, Døhn UM, Lassere MND, Freeston J, Olsen IC, Bøyesen P, Bird P, Fautrel B, Hetland ML, Emery P, Bourgeois P, Hørslev-Petersen K, Kvien TK, McQueen FM, Østergaard M: **Determining an MRI inflammatory activity acceptable state without subsequent radiographic progression in rheumatoid arthritis: results from a follow-up MRI study of 254 patients in clinical remission or low disease activity.**

The Journal of Rheumatology 41: 398-406; 2014

- 62 Axelsen MB, Eshed I, Duer-Jensen A, Møller JM, Pedersen SJ, Østergaard M: **Whole-body MRI assessment of disease activity and structural damage in rheumatoid arthritis — first step towards an 'MRI joint count'** Rheumatology 53:845-53; 2014

- 63 Poggenborg RP, Wiell C, Bøyesen C, Boonen A, Bird P, Pedersen SJ, Sørensen IJ, Madsen OR, Slot O, Møller JM, Hasselquist M, Kubassova O, Østergaard M: **No overall damage progression despite persistent inflammation in adalimumab-treated psoriatic arthritis patients: results from an investigator-initiated 48-week comparative magnetic resonance imaging, computed tomography and radiography trial.** *Rheumatology* 53: 746-56; 2014.
- 64 Østergaard M; Møller-Bisgaard S: **Is imaging needed to define remission in rheumatoid arthritis?** *Nature Reviews Rheumatology* 10: 326-8; 2014.
- 65 Baker J, Conaghan PG, Smolen JS, Aletaha D, Shults J, Emery P, Baker DG, Østergaard M: **Development and Validation of Modified Disease Activity Scores in Rheumatoid Arthritis: Superior Correlation with MRI Synovitis and X-ray Progression.** *Arthritis & Rheumatology* 66:794-802; 2014.
- 66 Axelsen MB, Eibjerg B, Hetland M, Skjødt H, Majgaard O, Lauridsen UB, Hørslev-Petersen K, Boesen M, Kubassova O, Bliddal H, Østergaard, M: **Differentiation between early rheumatoid arthritis patients and healthy persons by conventional and dynamic contrast-enhanced MRI.** *Scandinavian Journal of Rheumatology* 2014 (Online First)
- 67 Baker JF, Ostergaard M, Emery P, Hsia EC, Lu J, Baker DG, Conaghan PG: **Early MRI measures independently predict 1-year and 2-year radiographic progression in rheumatoid arthritis: secondary analysis from a large clinical trial.** *The Annals of the Rheumatic Diseases* 2014 (Online First).
- 68 Krabbe S, Eshed I, Pedersen SJ, Bøyesen P, Møller JM, Therkildsen F, Axelsen MB, Madsen OR, Østergaard M: **Bone marrow edema assessment by magnetic resonance imaging in rheumatoid arthritis wrist and metacarpophalangeal joints: The importance of field strength, coil type and image resolution.** *Rheumatology* 2014 (Online First)
- 69 Axelsen MB, Eshed I, Hørslev-Petersen K, Stengaard-Pedersen K, Hetland ML, Møller JM, Junker P, Pødenphant J, Schlemmer A, Ellingsen T, Ahlquist P, Lindegaard H, Linauskas A, Dam MY, Hansen I, Horn HC, Ammitzbøll CG, Jørgensen A, Krintel SB, Raun J, Johansen JS, Krogh NS, Østergaard M, OPERA study-group: **A treat-to-target strategy with methotrexate and intra-articular triamcinolone with or without adalimumab effectively reduces MRI synovitis, osteitis and tenosynovitis and halts structural damage progression in early rheumatoid arthritis —Results from the OPERA randomized controlled trial.** *The Annals of the Rheumatic Diseases* 2014 (Published Online)
- 70 Poggenborg RP, Eshed I, Østergaard M, Sørensen IJ, Møller JM, Madsen OR, Pedersen SJ: **Enthesitis in patients with psoriatic arthritis, axial spondyloarthritis and healthy subjects assessed by 'head-to-toe' whole-body MRI and clinical examination.** *The Annals of the Rheumatic Diseases* 2014 (Published Online)
- 71 Weber U, Zubler V, Zhao Z, Lambert RGW, Chan SM, Pedersen SJ, Østergaard M, Rufibach K, Maksymowych WP: **Does spinal MRI add incremental diagnostic value to MRI of the sacroiliac joints alone in patients with non-radiographic axial spondyloarthritis?** *The Annals of the Rheumatic Diseases* 2014 (Published Online)
- 72 Weber U, Østergaard M, Lambert RGW, Pedersen SJ, Chan SM, Zubler V, Rufibach K, Zhao Z, Maksymowych WP: **Candidate lesion-based criteria for defining a positive**

- sacroiliac joint MRI in two cohorts of patients with axial spondyloarthritis**
The Annals of the Rheumatic Diseases 2014 (Published Online)
- 73 Baker JF, Østergaard M, George M, Shults J, Emery P, Baker DG, Conaghan PG: **Greater body mass independently predicts less radiographic progression on X-ray and MRI over 1-2 years.** The Annals of the Rheumatic Diseases 2014 (In Press).
- 74 Pedersen JK, Lorenzen T, Ejbjerg B, Szkudlarek M, Voss A, Østergaard M, Svendsen AJ, Andersen LS, Hørslev-Petersen K: **Low-field magnetic resonance imaging or combined ultrasonography and anti-cyclic citrullinated peptide antibody improve correct classification of individuals as established rheumatoid arthritis: results of a population-based, cross-sectional study.**
BMC Musculoskeletal Disorders 2014; 15: 268.
- 75 Østergaard M, Møller-Bisgaard S: **Is imaging needed to define remission in rheumatoid arthritis?**
Nature Reviews Rheumatology. 2014; 10: 326–8.
- 76 Østergaard M, Møller-Bisgaard S: **Optimal use of MRI in clinical trials, clinical care and clinical registries of patients with rheumatoid arthritis.**
Clinical and Experimental Rheumatology 2014; 32 (Suppl. 85): S17-S22
- 77 Ørnbjerg LM, Østergaard M, Bøyesen P, Krogh NS, Thormann A, Tarp U, Poulsen UE, Espesen J, Schlemmer A, Graudal N, Kollerup G, Jensen DV, Madsen OR, Glinborg B, Christensen T, Lindegaard H, Bøhme W, Hansen A, Andersen AR, Hetland ML: **Which factors influence radiographic progression during treatment with tumour necrosis factor inhibitors in clinical practice? Results from 930 patients with rheumatoid arthritis in the nationwide Danish DANBIO registry.** The Journal of Rheumatology 2014 (In Press)
- 78 Landewe R, Ostergaard M, Keystone EC, Florentinus S, Liu S, van der Heijde D: **Analysis of integrated radiographic data from two long-term, open-label extension studies of adalimumab for the treatment of rheumatoid arthritis** Arthritis Care and Research (In Press)
- 79 Poggenborg RP, Pedersen SJ, Eshed I, Sørensen IJ, Møller JM, Madsen OR, Østergaard M: **“Head-to-toe” whole-body MRI in psoriatic arthritis, axial spondyloarthritis and healthy subjects: First steps towards global inflammation and damage scores of peripheral and axial joints.**
Rheumatology 2014 (In Press)
- 80 Eshed I, Krabbe S, Østergaard M, Bøyesen P, Møller JM, Therkildsen F, Madsen OR, Axelsen MB, Pedersen SJ: **Influence of field strength, coil type and image resolution on assessment of synovitis by unenhanced MRI – a comparison with contrast-enhanced MRI**
European Radiology 2014 (In Press)
- 81 Peterfy C, Emery P, Tak PP, Ostergaard M, DiCarlo J, Otsa K, Navarro Sarabia F, Pavelka K, Bagnard M-A, Gylvin LH, Bernasconi C, Gabriele A: **MRI assessment of suppression of structural damage in patients with rheumatoid arthritis receiving rituximab: results from the randomized, placebo controlled, double-blind RA-SCORE study**
The Annals of the Rheumatic Diseases 2014 (In Press)
- 82 Østergaard M, Sørensen IJ: **MRI – the key to understanding and monitoring disease progression in spondyloarthritis ?** The Journal of Rheumatology 2014 (In Press)
- 83 Stomp W, Krabben A, van der Heijde D, Huizinga TWJ, Bloem JL, Østergaard M, van der Helm-van Mil AHM, Reijnen M: **Aiming for a shorter scanning protocol in early**

arthritis MRI: can gadolinium contrast administration be eliminated?

European Radiology 2014 (In Press)

- 84 Weber U, Zhao Z, Rufibach K, Zubler V, Lambert RGW, Chan SM, Østergaard M, Pedersen SJ, Maksymowych WP: **Diagnostic utility of candidate definitions for demonstrating axial spondyloarthritis on magnetic resonance imaging of the spine.** Arthritis and Rheumatology 2014; 67: 924-33.
- 85 Østergaard M, Bird P, Gandjbakhch F, Eshed I, Haugen IK, Haavardsholm EA, Lillegraven S, Foltz V, Glinatsi D, Peterfy C, Ejlberg B, Boyesen P, Mease PJ, Hermann KG, Emery P, Genant HK, Conaghan PG: **The OMERACT MRI in Arthritis Working Group - Update on Status and Future Research Priorities.** The Journal of Rheumatology 2015 (In Press).
- 86 Glinatsi D, Lillegraven S, Haavardsholm EA, Eshed I, Conaghan PG, Peterfy C, Gandjbakhch F, Bird P, Boyesen P, Dohn UM, Genant HK, Østergaard M: **Validation of the OMERACT Magnetic Resonance Imaging Joint Space Narrowing Score for the Wrist in a Multireader Longitudinal Trial.** The Journal of Rheumatology 2015 (In Press)
- 87 Østergaard M, Glinatsi D, Pedersen SJ, Sørensen IJ: **Magnetic Resonance Imaging in Psoriatic Arthritis – Utility in Clinical Trials: A Report from the GRAPPA 2014 Annual Meeting.** The Journal of Rheumatology 2015 (In Press)
- 88 Møller-Bisgaard S, Hørslev-Petersen K, Ejlberg BJ, Boesen M, Hetland ML, Christensen R, Møller J, Krogh NS, Stengaard-Pedersen K, Østergaard M: **Impact of a Magnetic Resonance Imaging guided treatment strategy on disease activity and progression in patients with Rheumatoid Arthritis: protocol for a randomised controlled treat-to-target trial (the IMAGINE-RA trial).** Trials 2015 (In Press)
- 89 Østergaard M, Jacobsson LT, Schaufelberger C, Hansen MS, Bijlsma JW, Dudek A, Rell-Bakalarska M, Staelens F, Haake R, Sundman-Engberg B, Bliddal H: **MRI assessment of early response to certolizumab pegol in rheumatoid arthritis: a randomised, double-blind, placebo-controlled phase IIIb study applying MRI at weeks 0, 1, 2, 4, 8 and 16.** The Annals of the Rheumatic Diseases 2015 (In Press)

MONIQUE REIJNIERSE

For all publications see <http://www.ncbi.nlm.nih.gov/pubmed/?term=reijnierse+m>

- 1 Stomp W, Krabben A, van der Heijde D, Huizinga TW, Bloem JL, Østergaard M, van der Helm-van Mil AH, Reijnierse M. Aiming for a simpler early arthritis MRI protocol: can Gd contrast administration be eliminated? Eur Radiol. 2015 Jan 31. [Epub ahead of print]
- 2 Nieuwenhuis WP, Krabben A, Stomp W, Huizinga TW, van der Heijde D, Bloem JL, van der Helm-van Mil AH, Reijnierse M. Evaluation of magnetic resonance imaging-detected tenosynovitis in the hand and wrist in early arthritis.
- 3 Stomp W, Krabben A, van der Heijde D, Huizinga TW, Bloem JL, van der Helm-van Mil AH, Reijnierse M. Are rheumatoid arthritis patients discernible from other early arthritis

- patients using 1.5T extremity magnetic resonance imaging? A large cross-sectional study. *J Rheumatol*. 2014 Aug;41(8):1630-7. doi: 10.3899/jrheum.131169. Epub 2014 Jul 15.
- 4 Krabben A, Stomp W, Huizinga TW, van der Heijde D, Bloem JL, Reijniere M, van der Helm-van Mil AH. Concordance between inflammation at physical examination and on MRI in patients with early arthritis. *Ann Rheum Dis*. 2015 Mar;74(3):506-12. doi: 10.1136/annrheumdis-2013-204005. Epub 2013 Dec 12.
 - 5 van den Berg R, de Hooge M, van Gaalen F, Reijniere M, Huizinga T, van der Heijde D. Percentage of patients with spondyloarthritis in patients referred because of chronic back pain and performance of classification criteria: experience from the Spondyloarthritis Caught Early (SPACE) cohort. *Rheumatology (Oxford)*. 2013 Aug;52(8):1492-9. doi: 10.1093/rheumatology/ket164. Epub 2013 May 6.
 - 6 de Hooge M, van den Berg R, Navarro-Compán V, van Gaalen F, van der Heijde D, Huizinga T, Reijniere M. Magnetic resonance imaging of the sacroiliac joints in the early detection of spondyloarthritis: no added value of gadolinium compared with short tau inversion recovery sequence. *Rheumatology (Oxford)*. 2013 Jul;52(7):1220-4. doi: 10.1093/rheumatology/ket012. Epub 2013 Feb 16.
 - 7 Vossen MH, den Broeder AA, Hendriks-Roelofs F, van der Heijde DM, Reijniere M. Improvement in deployment of MRI of the sacroiliac joints in patients suspected for spondyloarthritis using a targeted intervention: a case study. *Rheumatology (Oxford)*. 2013 May;52(5):933-8. doi: 10.1093/rheumatology/kes405. Epub 2013 Jan 18.
 - 8 Krabben A, Stomp W, van der Heijde DM, van Nies JA, Bloem JL, Huizinga TW, Reijniere M, van der Helm-van Mil AH. MRI of hand and foot joints of patients with anticitrullinated peptide antibody positive arthralgia without clinical arthritis. *Ann Rheum Dis*. 2013 Sep 1;72(9):1540-4. doi: 10.1136/annrheumdis-2012-202628. Epub 2013 Jan 19.

WINSTON J RENNIE

- 1 Allison SJ, Poole KE, Treece GM, Gee AH, Tonkin C, Rennie WJ, Folland JP, Summers GD, Brooke-Wavell K. The Influence of High Impact Exercise on Cortical and Trabecular Bone Mineral Content and 3D Distribution Across the Proximal Femur in Older Men: A Randomised Controlled Unilateral Intervention. *J Bone Miner Res*. 2015 Mar 5. doi: 10.1002/jbmr.2499. [Epub ahead of print] PubMed PMID: 25753495.
- 2 Allison SJ, Folland JP, Rennie WJ, Summers GD, Brooke-Wavell K. High impact exercise increased femoral neck bone mineral density in older men: a randomised unilateral intervention. *Bone*. 2013 Apr;53(2):321-8. doi: 10.1016/j.bone.2012.12.045. Epub 2013 Jan 3. PubMed PMID: 23291565
- 3 Rennie WJ. Clinical examination or whole-body magnetic resonance imaging: the Holy Grail of spondyloarthritis imaging. *Arthritis Res Ther*. 2012 Feb 29;14(1):110. doi: 10.1186/ar3737. PubMed PMID: 22380535; PubMed Central PMCID: PMC3392828.
- 4 Rennie WJ, Dhillon SS, Conner-Spady B, Maksymowych WP, Lambert RG. Magnetic resonance imaging assessment of spinal inflammation in ankylosing spondylitis: standard clinical protocols may omit inflammatory lesions in thoracic vertebrae. *Arthritis Rheum*. 2009 Sep 15;61(9):1187-93. doi: 10.1002/art.24561. PubMed PMID: 19714609.

1. No Difference on Quantitative Magnetic Resonance Imaging in Patellofemoral Cartilage Composition Between Patients With Patellofemoral Pain and Healthy Controls.

van der Heijden RA, Oei EH, Bron EE, van Tiel J, van Veldhoven PL, Klein S, Verhaar JA, Krestin GP, Bierma-Zeinstra SM, van Middelkoop M.

Am J Sports Med. 2016 May;44(5):1172-8. doi: 10.1177/0363546516632507. Epub 2016 Mar 7.

PMID: 26951075

2. Structural Abnormalities on Magnetic Resonance Imaging in Patients With Patellofemoral Pain: A Cross-sectional Case-Control Study.

van der Heijden RA, de Kanter JL, Bierma-Zeinstra SM, Verhaar JA, van Veldhoven PL, Krestin GP, Oei EH, van Middelkoop M.

Am J Sports Med. 2016 Sep;44(9):2339-46. doi: 10.1177/0363546516646107. Epub 2016 May 20.

PMID: 27206691

3. Dynamic contrast-enhanced MRI of the patellar bone: How to quantify perfusion.

Poot DHJ, van der Heijden RA, van Middelkoop M, Oei EHG, Klein S.

J Magn Reson Imaging. 2018 Mar;47(3):848-858. doi: 10.1002/jmri.25817. Epub 2017 Jul 14.

PMID: 28707311 Free PMC Article

4. Characteristics and Outcome of Patellofemoral Pain in Adolescents: Do They Differ From Adults?

van Middelkoop M, van der Heijden RA, Bierma-Zeinstra SMA.

J Orthop Sports Phys Ther. 2017 Oct;47(10):801-805. doi: 10.2519/jospt.2017.7326. Epub 2017 Sep 4.

PMID: 28870143

5. International patellofemoral osteoarthritis consortium: Consensus statement on the diagnosis, burden, outcome measures, prognosis, risk factors and treatment.

van Middelkoop M, Bennell KL, Callaghan MJ, Collins NJ, Conaghan PG, Crossley KM, Eijkenboom JJFA, van der Heijden RA, Hinman RS, Hunter DJ, Meuffels DE, Mills K, Oei EHG, Runhaar J, Schiphof D, Stefanik JJ, Bierma-Zeinstra SMA.

Semin Arthritis Rheum. 2018 Apr;47(5):666-675. doi: 10.1016/j.semarthrit.2017.09.009. Epub 2017 Sep 23. Review.

PMID: 29056348 Free Article

6. Blood perfusion of patellar bone measured by dynamic contrast-enhanced MRI in patients with patellofemoral pain: A case-control study.

van der Heijden RA, Poot DHJ, Ekinci M, Kotek G, van Veldhoven PLJ, Klein S, Verhaar JAN, Krestin GP, Bierma-Zeinstra SMA, van Middelkoop M, Oei EHG.

J Magn Reson Imaging. 2018 Nov;48(5):1344-1350. doi: 10.1002/jmri.26174. Epub 2018 May 7.

PMID: 29734499 Free PMC Article

7. Are Patellofemoral Joint Alignment and Shape Associated With Structural Magnetic Resonance Imaging Abnormalities and Symptoms Among People With Patellofemoral Pain?

van Middelkoop M, Macri EM, Eijkenboom JF, van der Heijden RA, Crossley KM, Bierma-Zeinstra SMA, de Kanter JL, Oei EH, Collins NJ.

Am J Sports Med. 2018 Nov;46(13):3217-3226. doi: 10.1177/0363546518801314. Epub 2018 Oct 15.
PMID: 30321064 Free PMC Article

8. Association Between Self-reported Measures, Physical Examination, and Early Magnetic Resonance Imaging Signs of Osteoarthritis in Patients With Patellofemoral Pain.

Eijkenboom JFA, Timmer ER, van der Heijden RA, de Kanter JLM, Oei EHG, Bierma-Zeinstra SMA, van Middelkoop M.

J Orthop Sports Phys Ther. 2019 Sep;49(9):634-639. doi: 10.2519/jospt.2019.8889. Epub 2019 Jul 10.

PMID: 31291559

9. Quantitative subchondral bone perfusion imaging in knee osteoarthritis using dynamic contrast enhanced MRI.

de Vries BA, van der Heijden RA, Verschueren J, Bos PK, Poot DHJ, van Tiel J, Kotek G, Krestin GP, Oei EHG.

Semin Arthritis Rheum. 2020 Apr;50(2):177-182. doi: 10.1016/j.semarthrit.2019.07.013.

Epub 2019 Aug 1.

PMID: 31427104

10. Quantitative DCE-MRI demonstrates increased blood perfusion in Hoffa's fat pad signal abnormalities in knee osteoarthritis, but not in patellofemoral pain.

de Vries BA, van der Heijden RA, Poot DHJ, van Middelkoop M, Meuffels DE, Krestin GP, Oei EHG.

Eur Radiol. 2020 Feb 17. doi: 10.1007/s00330-020-06671-6. [Epub ahead of print]

PMID: 32064564

11. Patellofemoral alignment and geometry and early signs of osteoarthritis are associated in patellofemoral pain population.

Eijkenboom JFA, van der Heijden RA, de Kanter JLM, Oei EH, Bierma-Zeinstra SMA, van Middelkoop M.

Scand J Med Sci Sports. 2020 May;30(5):885-893. doi: 10.1111/sms.13641. Epub 2020 Mar 18.

PMID: 32096249 Free PMC Article

- 1 Mandl P, Navarro-Compán V, Terslev L, Aegerter P, van der Heijde D, D'Agostino MA, Baraliakos X, Pedersen SJ, Jurik AG, Naredo E, Weidekamm C, Weber U, Wick MC, Bakker PA, Filippucci E, Conaghan PG, Rudwaleit M, Schett G, Sieper J, Tarp S, Marzo-Ortega H, Østergaard M.
EULAR recommendations for the use of imaging in the diagnosis and management of spondyloarthritis in clinical practice. *Ann Rheum Dis*. 2015 Apr 2. pii: annrheumdis-2014-206971. doi: 10.1136/annrheumdis-2014-206971. [Epub ahead of print] Review.
- 2 Weidekamm C.[Inflammatory spinal disease: Spondyloarthritis : Importance of imaging]. *Radiologe*. 2015 Mar 19. [Epub ahead of print] German.
- 3 Weidekamm C, Mascarenhas VV, Sudol-Szopinska I, Boutry N, Plagou A, Klauser A, Wick M, Platzgummer H, Jans L, Mester A, Kainberger F, Aström G, Guglielmi G, Eshed I. Imaging and interpretation of axial spondylarthritis: the radiologist's perspective--consensus of the Arthritis Subcommittee of the ESSR. *Semin Musculoskelet Radiol*. 2014 Jul;18(3):265-79. doi: 10.1055/s-0034-1375569. Epub 2014 Jun 4.
- 4 Gruber M, Bodner G, Rath E, Supp G, Weber M, Weidekamm C. Dual-energy computed tomography compared with ultrasound in the diagnosis of gout. *Rheumatology (Oxford)*. 2014 Jan;53(1):173-9. doi: 10.1093/rheumatology/ket341. Epub 2013 Oct 17.
- 5 Weidekamm C, Lodemann KP, Grisar J, Schueller G, Weber M, Kainberger F, Platzgummer H.
Contrast-enhanced MR imaging of hand and finger joints in patients with early rheumatoid arthritis: do we really need a full dose of gadobenate dimeglumine for assessing synovial enhancement at 3 T?
Radiology. 2013 Jul;268(1):161-9. doi: 10.1148/radiol.13121733. Epub 2013 Feb 28.
- 6 Sautner J, Weidekamm C. Radiological aspects of osteoarthritis. *Wien Med Wochenschr*. 2013 May;163(9-10):220-7. doi: 10.1007/s10354-013-0184-6. Epub 2013 Feb 15. Review.
- 7 Weidekamm C, Herold CJ. [The difficulty and relevance of differentiating between arthritis and arthrosis].
Radiologe. 2012 Feb;52(2):109. doi: 10.1007/s00117-011-2230-y. German. No abstract available.
- 8 Platzgummer H, Weidekamm C.
[Radiological imaging in early diagnosis of rheumatoid arthritis. The role of ultrasound and magnetic resonance imaging]. *Radiologe*. 2012 Feb;52(2):124-31. doi: 10.1007/s00117-011-2233-8. German.
- 9 Weidekamm C, Schueller G. [Sacroiliitis or pseudosacroiliitis?].*Radiologe*. 2012 Feb;52(2):132-40. doi: 10.1007/s00117-011-2234-7. German.

- 1 Simoni P, Gérard L, Kaiser MJ, Ribbens C, Rinkin C, van Durme C, Malaise O, Devillers M, Seidel L. and Malaise M. Use of tomosynthesis for detection of bone erosions offorefoot in patients with established rheumatoidarthritis : comparison with standard radiographs andcomputed tomography . AJR (accepted).
- 2 Houbart M.A., Passoglou V., Gérard L, Mustapha S.B., Kurth W., Mutijima E, Simoni P. Primary synovial (osteo)chondromatosis of the elbow. JBR-BTR. 2014 MayJun;97(3):154-5.
- 3 Malaise O, Libon F, Bricmaan J, von Frenckell C, Simoni P, Léonard P, Malaise M. Two spondylodiscitis due to a contamination by Brucella melitensis in a mother and daughter back from holidays. Rev Med Suisse. 2014 Jan 22;10(414):197-200. French.
- 4 Simoni P., Denut J., Ben Mustapha S., Bianchi E., Mutijima E., Alvarez-Miezentseva V., Malaise O. Unusual presentation of osteopoikilosis. JBR-BTR. 2013 Nov-Dec;96(6):386-7. PubMed
- 5 Simoni P., Leyder P.P., Albert A., Malchair F., Maréchal C., Scarciolla L., Beomonte Zobel B., Alvarez Miezentseva V., Gillet P. Optimization of computed tomography (CT) arthrography of hip for the visualization of cartilage: an in vitro study. Skeletal Radiol. 2014 Feb;43(2):169-78.
- 6 Simoni P., Jamali S., Albert A., Totterman S., Schreyer E., Tamez-Peña J. G., Beomonte Zobel B., Alvarez Miezentseva V., Gillet P. Minimum joint space width (mJSW) of patello-femoral joint on standing «skyline» radiographs: test-retest reproducibility and comparison with quantitative Magnetic Resonance Imaging (qMRI). Skeletal Radiol. 2013 Nov;42(11):1573-82
- 7 Malaise O., Malaise M., Simoni P., Tophaceus gout of the feet. Rev Med Liege. 2012, 67(4),165-166.
- 8 Dimitriou C, Boitsios G, Badot V, Lê PQ, Goffin L, Simoni P. Imaging of Juvenile Idiopathic Arthritis. Radiol Clin North Am. 2017 Sep;55(5):1071-1083.doi: 10.1016/j.rcl.2017.04.011. Epub 2017 Jun 29. Review. PubMed PMID: 28774449.
- 9 Simoni P, Grumolato M, Malaise O, Preziosi M, Pasleau F, de Lemos Esteves F. Are blind injections of gleno-humeral joint (GHJ) really less accurate than imaging-guided injections? A narrative systematic review considering multiple anatomical approaches. Radiol Med. 2017 May 18. doi: 10.1007/s11547-017-0772-4.[Epub ahead of print] PubMed PMID: 28523634.

- 1 Sudoł-Szopińska I, Kontny E, Maśliński W et al. The pathogenesis of rheumatoid arthritis in radiological studies. Part I: Formation of inflammatory infiltrates within the synovial membrane. J Ultrason 2012; 12 (48) 202-213.
http://jutrason.pl/uploads/dmartykuly/6_sudol_jutrason_nr_54.pdf
- 2 Sudoł-Szopińska I, Zaniewicz-Kaniewska K, Warczyńska A et al. The pathogenesis of rheumatoid arthritis in radiological studies. Part II: Imaging studies in rheumatoid arthritis J Ultrason 2012; 12 (49): 319-328.

- http://jutrason.pl/uploads/dm_artykuly/319-328_jou_54_pp_sudol-szopinska_1.pdf
- 3 Sudół-Szopińska I, Urbanik A. Diagnostic imaging of sacroiliac joints and the spine in the course of spondyloarthropathies. *Pol J Radiol*, 2013; 78 (2): 43-49.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3693836/pdf/poljradiol-78-2-43.pdf>
 - 4 Sudół-Szopińska I, Kontny E, Zaniewicz-Kaniewska K et al. Role of inflammatory factors and adipose tissue in pathogenesis of rheumatoid arthritis and osteoarthritis. Part I: Rheumatoid adipose tissue. *J Ultrason* 2013; 13 (53): 192–201.
http://www.jutrason.pl/uploads/dm_artykuly/319-328_jou_54_pp_sudol-szopinska_1.pdf
 - 5 Sudół-Szopińska I, Kwiatkowska B, Kołodziejczak M. Musculoskeletal extraintestinal manifestations during the course of non-specific bowel diseases. *Pol Przegl Chir* 2013; 85 (11): 669-75.
<http://www.degruyter.com/view/j/pjs.2013.85.issue-11/pjs-2013-0102/pjs-2013-0102.xml;jsessionid=DFFA962E8A431F165B1366A8120F5FBA>
 - 6 Sudół-Szopińska I, Zaniewicz-Kaniewska K, Saied F et al. The role of ultrasonography in the diagnosis of rheumatoid arthritis and peripheral spondyloarthropathies. *Pol J Radiol* 2014;79:59-63.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3969051/pdf/poljradiol-79-59.pdf>
 - 7 Sudół-Szopińska I, Zaniewicz-Kaniewska K, Kwiatkowska B. Spectrum of ultrasound pathologies of Achilles tendon, Plantar Aponeurosis and Flexor Digiti Brevis Tendon Heel Entheses in Patients with Clinically Suspected enthesitis. *Pol J Radiol* 2014; 79:402-408. doi: 10.12659/PJR.890803.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4311711/pdf/poljradiol-79-402.pdf>
 - 8 Iwona Sudół-Szopińska, Brygida Kwiatkowska, Monika Prochorec-Sobieszek, Włodzimierz Maśliński. Enthesopathies and enthesitis. Part 1. Etiopathogenesis. *J Ultrason* 2015; 15: 72–84. doi: 10.15557/JoU.2015.0006.
http://jutrason.pl/uploads/dm_artykuly/072-084_jou60.pdf
 - 9 Sudół-Szopińska I, Kwiatkowska B, Prochorec-Sobieszek M, Maśliński W. Enthesopathies and enthesitis. Part 1. Etiopathogenesis. *J Ultrason* 2015; 15: 72–84. DOI: 10.15557/JoU.2015.0006
 - 10 Sudół-Szopińska I, Kwiatkowska B, Prochorec-Sobieszek M, Pracoń G, Walentowska-Janowicz M, Maśliński W. Enthesopathies and enthesitis. Part 2: Imaging studies. *J Ultrason* 2015; 15: 196–207 DOI: 10.15557/JoU.2015.0017
 - 11 Sudół-Szopińska I, Włodkowska-Korytkowska M, Kwiatkowska B. Spectrum of inflammatory changes in the SIJs on radiographs and MR images in patients with suspected axial spondyloarthritis. *Pol J Radiol* 2016;81: 125-133 DOI: 10.12659/PJR.895867
 - 12 Role of ultrasonography in the diagnosis of rheumatic diseases in light of ACR/EULAR guidelines. Płaza M, Nowakowska-Płaza A, Pracoń G, Sudół-Szopińska I. *J Ultrason* 2016; 16: 55–64 DOI: 10.15557/JoU.2016.0006
 - 13 Sudół-Szopińska I, Matuszewska G, Kwiatkowska B, Pracoń G. Diagnostic imaging of psoriatic arthritis. Part I: etiopathogenesis, classifications and radiographic features. *J Ultrason* 2016; 16: 65–77 DOI: 10.15557/JoU.2016.0007
 - 14 Sudół-Szopińska I, Pracoń G. Diagnostic imaging of psoriatic arthritis. Part II: magnetic resonance imaging and ultrasonography. *J Ultrason* 2016; 16: 163-174 DOI: 10.15557/JoU.2016.00184

- 15 Imaging of juvenile idiopathic arthritis. Part I: clinical classifications and radiographs. Sudół-Szopińska I, Matuszewska G, Gietka P, Płaza M, Walentowska – Janowicz M. *J Ultrason* 2016;16 (66): 225-236
- 16 Imaging of juvenile idiopathic arthritis. Part II: Ultrasonography and MRI. Sudół-Szopińska I, Grochowska E, Gietka P, Płaza M, Pracon G, Saied F, Walentowska – Janowicz M. *J Ultrason* 2016;16 (66): 237-251.
- 17 Sudół-Szopińska, Jans L, Teh J. Rheumatoid arthritis: what do MRI and ultrasound show. *J Ultrason* 2017; 17: 5–16.
- 18 Miller I, Janta J, Backhaus M, et al. The 2017 EULAR standardized procedures for ultrasound imaging in rheumatology. *Ann Rheum Dis* 2017; 211585
- 19 Sudół-Szopińska I, Gietka P, Znajdek M, et al. Imaging of juvenile spondyloarthritis. Part I: Classifications and radiographs. *J Ultrason* 2017; 17: 167–175; DOI:10.15557/JoU.2017.0025
- 20 Sudół-Szopińska I, Znajdek M, Gietka P, et al. Imaging of juvenile spondyloarthritis. Part II: Ultrasonography and magnetic resonance imaging *J Ultrason* 2017; 17: 176–181; DOI: 10.15557/JoU.2017.0026

JAMES TEH

- 1 Dunachie S, Teh J, Ejindu V, Bejon P, Pandit H and Byren I; Radiological features do not predict failure of two-stage arthroplasty for prosthetic joint infection: a retrospective case–control study, *BMC Musculoskeletal Disorders* 2014, 15:300
- 2 Teh J; Imaging of spondylodiscitis, inflammatory spondyloarthropathy and pars defects, *Imaging* 2012 pap11012; published ahead of print January 31, 2012, doi:10.1259/imaging/22676126
- 3 Teh J; Investigation of back pain, *Imaging* 2012; doi: 10.1259/imaging/22537980

MARIUS WICK

- 1 Anti-type II collagen immune complex-induced granulocyte reactivity is associated with joint erosions in RA patients with anti-collagen antibodies. Manivel V, Sohrabian A, Wick MC, Mullazehi M, Håkansson L, Rönnelid J. *Arthritis Res Ther*. 2015 Jan 19;17(1):8. <http://www.ncbi.nlm.nih.gov/m/pubmed/25598326/?i=1&from=wick%20mc>
- 2 Clinical imaging assessments of knee osteoarthritis of the elderly: a mini review. Wick MC, Kastlunger M, Weiss RJ. *Gerontology*. 2014;60(5):386-94. <http://www.ncbi.nlm.nih.gov/m/pubmed/24751528/?i=5&from=wick%20mc>
- 3 Anti-type II collagen antibodies are associated with early radiographic destruction in rheumatoid arthritis. Mullazehi M, Wick MC, Klareskog L, van Vollenhoven R, Rönnelid J. *Arthritis Res Ther*. 2012 May 1;14(3):R100. <http://www.ncbi.nlm.nih.gov/m/pubmed/22548748/?i=9&from=wick%20mc>
- 4 The time-averaged inflammatory disease activity estimates the progression of joint erosions in MRI of the sacroiliac joints in ankylosing spondylitis. Wick MC, Grundtman C, Weiss RJ, Gruber J, Kastlunger M, Jaschke W, Klauser AS. *Clin Rheumatol*. 2012

- Jul;31(7):1117-21.
<http://www.ncbi.nlm.nih.gov/m/pubmed/22422197/?i=11&from=wick%20mc>
- 5 Erosions are the most relevant magnetic resonance imaging features in quantification of sacroiliac joints in ankylosing spondylitis. Wick MC, Weiss RJ, Jaschke W, Klauser AS. *J Rheumatol.* 2010 Mar;37(3):622-7.
<http://www.ncbi.nlm.nih.gov/m/pubmed/20080909/?i=22&from=wick%20mc>
 - 6 Plagou A, The J, Grainger AJ, Schueller-Weidekamm C, Sudol-Szopińska I, Rennie W, Åström G, Feydy A, Giraudo C, Guerini H, Guerini H, Guglielmi G, Isaac A, Jans L, Jurik AG, Kainberger F, Maas M, Martinoli C, Mascarenhas VV, Miese F, O'Connor P, Oei EH, Østergaard M, Peetrons P, Platzgummer H, Reijnierse M, Robinson P, Ruppreht M, Simoni P, Wick MC, Zejden A, Klauser AS. Recommendations of the ESSR Arthritis Subcommittee on Ultrasonography in Inflammatory Joint Disease. *Semin Musculoskelet Radiol* 2016 Nov;20(5):496-506.
 - 7 Levitsky A, Wick MC, Möttönen T, Leirisalo-Repo M, Laasonen L, Korpela M, van Vollenhoven RF, Rantalaiho V. Early treatment intensification induces favourable radiographic outcomes according to predicted versus observed radiographic progression in early rheumatoid arthritis: a subanalysis of the randomised FIN-RACo and NEO-RACo trials. *Clin Exp Rheumatol.* 2016 Nov-Dec;34(6):1065-71.
 - 8 Lill M, Attal R, Rudisch A, Wick MC, Blauth M, Lutz M. Does MIPO of fractures result in more rotational malalignment than ORIF? A retrospective study. *Eur J Trauma Emerg Surg.* 2016 Dec;42(6):733-40.